Historic, Archive Document


Do not assume content reflects current scientific knowledge, policies, or practices.



C2,67:

PRICE LIST SPRING 1932

Henry Kohankie & Son



Trees, Shrubs, Evergreens, Vines Roses, Herbaceous Perennials

PAINESVILLE, OHIO

Thirty Miles East of Cleveland
Tel. Main 137



PRICE LIST

HENRY KOHANKIE & SON

SPRING 1932

We offer herein a complete list of hardy ornamental nursery stock. Our nursery of seven hundred acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

All material will be freshly dug. We maintain no storage cellars since the superiority of freshly dug stock is recognized generally.

With few exceptions the plant names used conform to "Standardized Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

Please Read Carefully!

CONDITIONS OF SALE

Stock will be supplied at prices named herein as follows: Five of any one variety at ten rate; twenty-five of any one one variety at hundred rate. Prices do not include packing. A charge for the actual cost of the boxes and material used in baling will be made.

Stock specially selected by customers at the nursery will be charged according to its value.

We give no warranty, expressed or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell.

We do not guarantee our stock to live and no allowance will be made for plants that fail. Our methods of handling and packing stock are modern and goods will be in good condition and well packed when they leave our hands. Our responsibility ends upon delivery to carriers. If goods suffer through delay in transit, claim should at once be made on transportation company.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us references and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C.O.D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities—We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R. R.; American Railway Express and Electric Package. A siding to our packing house direct from the main line of the New York Central railroad enables us to handle stock with a minimum of exposure.

Auto Truck Delivery—We are in a position to make deliveries by auto truck to points within seventy-five miles of Painesville. Charges are made according to the size of truck required and the distance.

THE production of many of the plants in this list represents no little effort. More than a few of the items are not profitable from a business standpoint which accounts for their general scarcity, but on the other hand they are indispensable to good landscape work.

Since we specialize in the execution of complete planting lists we aim to keep our assortment unbroken. To that end we hope you will co-operate by ordering material in reasonable assortment. We cannot always accept orders which are confined to plants that are scarce and our stock of which is limited.

CONTENTS

| | Pages |
|--|---------|
| Deciduous and Evergreen Trees, Shrubs and Vines | 5—126 |
| Herbaceous Material (including Rock and Alpine plants) | 126—160 |
| Fruit Garden Material | 160 |
| Large Specimen Material | 160—161 |
| Plants for Special Purposes | 161—163 |

Deciduous and Evergreen Trees Shrubs and Vines

We recommend that all varieties marked with an asterisk be lifted with ball of earth and sewed in burlap. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve an extra charge per plant, as follows: 2-3'—30c; 3-4'—45c; 4-5'—60c; 5-6'—75c; 6-8'—95c; 8-10'—\$1.25. Larger sizes in proportion. In all instances where "B. & B." is indicated these charges are included in the printed price. We are prepared to deliver heavy specimens on platforms.

The figures printed in italics following each variety, indicate the average height of the plant at maturity.

| Each | Per 10 | Per 100 |
|---------------------------------------|----------|---------|
| Abelia grandiflora. Glossy Abelia. 3' | | |
| 3 inch pots75 | 6.50 | |
| 15 to 18 in. bushy_B. & B. 1.00 | 8.50 | 75.00 |
| 18 to 24 in. bushy_B. & B. 1.25 | 10.00 | 90.00 |
| Abies balsamea. Balsam Fir. 50' | | |
| 3 ftB. & B. 3.75 | | |
| 4 ftB. & B. 5.00 | | |
| 5 ftB. & B. 7.50 | | |
| 6 ftB. & B. 10.00 | | |
| concolor. White Fir. 70' | | |
| 2 ftB. & B. 6.00 | | |
| 3 ftB. & B. 8.00 | | |
| 4 ftB. & B. 12.50 | | |
| 5 ftB. & B. 15.00 | | |
| 6 ftB. & B. 20.00 | 180.00 | |
| 7 ftB. & B 25.00 | 200.00 | |
| 8 ftB. & B. 30.00 | 250.00 | |
| 9 ftB. & B. 40.00 | 350.00 | |
| 10 ftB. & B. 50.00 | 450.00 | |
| 11 ftB. & B. 60.00 | | |
| 12 ftB. & B. 75.00 | | |
| concolor violacea. Purplecone White | Fir. 70' | |
| 7 ftB. & B. 30.00 | | |
| 8 ftB. & B. 35.00 | | |
| 10 ftB. & B. 55.00 | | |
| 11 ftB. & B. 65.00 | | |

| Abies | | |
|--|-------------|------------------|
| homolepis. Nikko Fir. 60' | ch Per 10 | Per 100 |
| 7 ftB. & B. 25.0 | 00 | |
| 8 ftB. & B. 30.0 | | |
| 9 ftB. & B. 35.0 | | |
| 10 ftB. & B. 45.0 | | |
| | '5' | |
| 3 ftB. & B. 10.0 | 00 | |
| 4 ftB, & B, 12. | | |
| 5 ftB. & B. 15.0 | 00 | |
| 6 ftB. & B. 20.0 | 00 | |
| veitchi. Veitch Fir. 80' | | |
| 8 ftB. & B. 30.0 | 00 | |
| 9 ftB. & B. 35.0 | | |
| 10 ftB. & B. 40.0 | 00 | |
| 11 ftB. & B. 45.0 | 00 | |
| 12 ftB. & B. 50.0 | 00 | |
| Acanthopanax pentaphyllum. Five-leav | ved Aralia. | 10' |
| 2 to 3 ft4 | 10 3.50 | 25.00 |
| 3 to 4 ft5 | 4.00 | 30.00 |
| - 00 0 200 | 75 5.00 | 40.00 |
| | 6.00 | 50.00 |
| ricinifolium. Castor Aralia. 25' | | |
| 5 to 6 ft 5.0 | | |
| 6 to 8 ft 6.0 | 00 | |
| 9 · · · · · · · · · · · · · · · · · · | .0' | |
| 2 to 3 ft 2.0 | | |
| 3 to 4 ft 3.0 | 00 | |
| campestre. Hedge Maple. 25' | | |
| 3 to 4 ft 1.5 | | 100.00 |
| 4 to 5 ft 1.7 | | 125.00 |
| 5 to 6 ft 2.5 | | 175.00 |
| 0 00 0 100 | | 225.00 |
| 8 to 10 ft 4. 10 to 12 ft 7.5 | | 300.00 500.00 |
| 12 to 14 ft 10.0 | | 900.00 |
| 14 to 16 ft 12.5 | | |
| colchicum rubrum. Coliseum Map | | |
| 6 to 8 ft 2. | | |
| 8 to 10 ft 3. | | |
| 10 to 12 ft 5.0 | | |
| 12 to 14 ft 7.5 | | |
| 14 to 16 ft 10.0 | 00 | |

| ce | r | | |
|----|-----------------------------------|--------|---------|
| | dasycarpum. Silver Maple. 75' | Per 10 | Per 100 |
| | 8 to 10 ft 1.50 | 12.50 | 100.00 |
| | 1½ to 1½ in 2.00 | 15.00 | 125.00 |
| | 1½ to 1¾ in 2.25 | 20.00 | 150.00 |
| | 1¾ to 2 in 2.75 | 25.00 | 200.00 |
| | 2 to 2½ in 3.50 | 30.00 | 250.00 |
| | 2½ to 3 in 5.00 | 40.00 | 350.00 |
| | 3 to 3½ in 7.50 | 65.00 | |
| | 3½ to 4 in 10.00 | 75.00 | |
| | 4 to 5 in 15.00 | 125.00 | |
| | dasycarpum pyramidale. | | |
| | Pyramidal Silver Maple. 75' | | |
| | 6 to 8 ft 1.75 | 15.00 | 125.00 |
| | 8 to 10 ft 2.00 | 17.50 | 150.00 |
| | 1½ to 1½ in 2.50 | 20.00 | 175.00 |
| | 1½ to 1¾ in 3.00 | 25.00 | 200.00 |
| | 1¾ to 2 in 3.50 | 30.00 | 250.00 |
| | 2 to 2½ in 4.50 | 40.00 | 300.00 |
| | 2½ to 3 in 6.00 | 50.00 | |
| | 3 to 3½ in 7.50 | 60.00 | |
| | dasycarpum wieri. Wier Maple. 75' | | |
| | 8 to 10 ft 2.00 | 15.00 | |
| | 1½ to 1½ in 2.50 | 20.00 | |
| | 1½ to 1¾ in 3.00 | 25.00 | |
| | 1¾ to 2 in 4.50 | | |
| | 2 to 2½ in 6.00 | | |
| | davidi. 40' | | |
| | 3 to 4 ft 3.00 | | |
| | 4 to 5 ft 4.00 | | |
| | ginnala. Amur Maple. 12' | | |
| | 3 to 4 ft 1.00 | 7.50 | 60.00 |
| | 4 to 5 ft 1.25 | 10.00 | 75.00 |
| | 5 to 6 ft 1.50 | 12.50 | 100.00 |
| | 6 to 8 ft 2.00 | 15.00 | 125.00 |
| | 8 to 10 ft 2.50 | 20.00 | 150.00 |
| | 10 to 12 ft 5.00 | | |
| | japonicum. Fullmoon Maple. 15' | | |
| | 6 to 8 ft 5.75 | 50.00 | |
| | 8 to 10 ft 7.50 | 65.00 | |
| | 10 to 12 ft 10.00 | 75.00 | |

| Ace | r | Each | Per 10 | Per 100 |
|-----|--------------------------------|---------|-----------|----------|
| | negundo. Box Elder. 60' | Lucii | 1 01 10 | 101 100 |
| | 6 to 8 ft | 1.25 | 10.00 | 75.00 |
| | 8 to 10 ft | 1.50 | 12.50 | 100.00 |
| | 1¼ to 1½ in | 1.75 | 15.00 | 125.00 |
| | 1½ to 1¾ in | 2.00 | 17.50 | 150.00 |
| | 1¾ to 2 in | 2.50 | 20.00 | 175.00 |
| | 2 to 2½ in | 3.00 | 25.00 | |
| | nigrum. Black Maple. 80' | | | |
| | 8 to 10 ft | 4.00 | 37.50 | |
| | 1½ to 1½ in | 4.75 | 45.00 | |
| | 1½ to 1¾ in | 5.25 | 50.00 | |
| | 1¾ to 2 in | 6.50 | | |
| | 2 to 2½ in | 7.50 | | |
| | palmatum. Japanese Maple. 1 | | | |
| | 3 to 4 ftB. & B. | 6.50 | 45.00 | |
| | 4 to 5 ftB. & B. | 7.50 | 55.00 | |
| | 5 to 6 ftB. & B. | 10.00 | 75.00 | |
| | 6 to 8 ftB. & B. | 12.50 | 90.00 | |
| | 8 to 10 ftB. & B. | 15.00 | 125.00 | |
| | 10 to 12 ftB. & B. | 20.00 | 150.00 | |
| | palmatum atropurpureum. Blood | lleaf J | apanese M | aple 10' |
| | 2 to 3 ftB. & B. | | 60.00 | |
| | 3 to 4 ftB. & B. | 10.00 | | |
| | palmatum dissectum atropurpur | | | |
| | Purple Threadleaf Japanes | e Map | le. 6' | |
| | 2 to 3 ftB. & B. | | | |
| | 3 to 4 ftB. & B. | | | |
| | palmatum filicifolium. Fernlea | - | ole. 10' | |
| | 2 to 3 ftB. & B. | 7.50 | | |
| | 3 to 4 ftB. & B. | | | |
| | pennsylvanicum. Striped Maple | | | |
| | 3 to 4 ft | | | |
| | platanoides. Norway Maple. 7 | | | |
| | 8 to 10 ft | | 27.50 | 250.00 |
| | 1½ to 1½ in | 3.75 | 32.50 | 300.00 |
| | 1½ to 1¾ in | | 45.00 | 400.00 |
| | 1¾ to 2 in | | 55.00 | 500.00 |
| | 2 to 2½ in | | 70.00 | |
| | 2½ to 3 in | | 80.00 | |
| | 3 to 3½ in | | 100.00 | |
| | 3½ to 4 in | 15.00 | 125.00 | |
| | 4 to 5 in. specimens 5 | 25.00 | | |
| | 5 to 6 in. specimens 3 | 35.00 | | |

Acer

| | Each | Per 10 | Per 100 |
|--------------------------------|------------|------------|---------|
| platanoides schwedleri. Schwed | dler Ma | ple. 60' | |
| 8 to 10 ft | 3.75 | 35.00 | |
| 1¼ to 1½ in | 5.00 | 45.00 | |
| 1½ to 1¾ in | 6.00 | 50.00 | |
| 1¾ to 2 in | 7.50 | 60.00 | |
| 2 to 2½ in | 10.00 | 75.00 | |
| 2½ to 3 in | 12.50 | 90.00 | |
| 3 to 3½ in | 20.00 | 150.00 | |
| 3½ to 4 in | 25.00 | | |
| pseudoplatanus. Sycamore Ma | ple. 60 |) ′ | |
| 6 to 8 ft | 3.25 | 30.00 | |
| 8 to 10 ft | 3.50 | 32.50 | |
| 1¼ to 1½ in | 4.00 | 37.50 | |
| rubrum. Red Maple. 75' | | | |
| 6 to 8 ft | 2.75 | 25.00 | 225.00 |
| 8 to 10 ft | 3.25 | 27.50 | 250.00 |
| 1¼ to 1½ in | 3.75 | 35.00 | 325.00 |
| 1½ to 1¾ in | 5.00 | 45.00 | 375.00 |
| 1¾ to 2 in | 6.50 | 55.00 | 500.00 |
| 2 to 2½ in | 7.50 | 70.00 | 650.00 |
| 2½ to 3 in | 10.00 | | |
| 3 to 3½ in | 12.50 | | |
| 3½ to 4 in | 15.00 | | |
| 4 to 4½ in | 25.00 | | |
| saccharum. Sugar Maple. 75' | | | |
| 8 to 10 ft | 2.50 | 22.50 | 200.00 |
| 1¼ to 1½ in | 3.50 | 30.00 | 275.00 |
| 1½ to 1¾ in | 4.50 | 40.00 | 375.00 |
| 1¾ to 2 in | 5.50 | 50.00 | 450.00 |
| 2 to 2½ in | 7.00 | 65.00 | 600.00 |
| 2½ to 3 in | 8.00 | 75.00 | 700.00 |
| 3 to 3½ in | 10.00 | | |
| 3½ to 4 in | 12.50 | | |
| spicatum. Mountain Maple. 20 |) ' | | |
| 4 to 5 ft | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft | 1.75 | 12.50 | 100.00 |
| 6 to 8 ft | 2.50 | 20.00 | 150.00 |
| 8 to 10 ft | 3.00 | 25.00 | 200.00 |

| Acer | Day 10 | Per 100 |
|--|--------|---------|
| Each tataricum. Tatarian Maple. 20' | Per 10 | Per 100 |
| 4 to 5 ft 1.50 | 12.50 | 100.00 |
| 5 to 6 ft 2.00 | 15.00 | 125.00 |
| 6 to 8 ft 2.50 | 20.00 | 150.00 |
| 8 to 10 ft 3.00 | 25.00 | 200.00 |
| 10 to 12 ft 5.00 | -0.00 | 200.00 |
| Actinidia arguta. Bower Actinidia. 20' | | |
| 2 year50 | 4.00 | 30.00 |
| polygama. Silver Vine. 20' | 2.00 | 90100 |
| 2 year 1.00 | 7.50 | |
| Aesculus glabra. Ohio Buckeye. 25' | 1.00 | |
| 6 to 8 ft 2.50 | 20.00 | |
| 8 to 10 ft 3.00 | 25.00 | |
| 1 ¹ / ₄ to 1 ¹ / ₂ in 3.50 | 30.00 | |
| 1½ to 1¾ in 4.50 | 37.50 | |
| 2 to 2½ in 5.50 | 01.00 | |
| 2½ to 3 in 7.50 | | |
| hippocastanum. Horsechestnut. 70' | | |
| 6 to 8 ft 2.50 | 22.50 | 200.00 |
| 8 to 10 ft 3.25 | 30.00 | 275.00 |
| 1½ to 1½ in 4.00 | 37.50 | 350.00 |
| 1½ to 1¾ in 5.00 | 40.00 | 375.00 |
| 13/4 to 2 in 6.00 | 50.00 | 475.00 |
| 2 to 2½ in 7.50 | 65.00 | 600.00 |
| 2½ to 3 in 10.00 | 85.00 | 750.00 |
| 3 to 3½ in 12.50 | 100.00 | |
| hippocastanum flore pleno. | | |
| Double White Horsechestnut. 50' | | |
| 6 to 8 ft 5.00 | • | |
| 8 to 10 ft 6.50 | | |
| hippocastanum rubicunda. | | |
| Red Horsechestnut. 40' | | |
| 6 to 8 ft 4.00 | 37.50 | |
| 8 to 10 ft 5.00 | 45.00 | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in 7.50 | 60.00 | |
| 1½ to 1¾ in 8.50 | 75.00 | |
| 1¾ to 2 in 10.00 | 85.00 | |
| 2 to 2½ in 12.50 | 100.00 | |
| 2½ to 3 in 15.00 | 125.00 | |
| 3 to 3½ in 18.00 | 150.00 | |
| 3½ to 4 in 20.00 | 180.00 | |
| 4 to 416 in 25.00 | | |

Aesculus

| E | ach | Per 10 | Per 100 |
|-------------------------------------|--------------|--------|---------------|
| octandra. Yellow Buckeye. 60' | | | |
| 1½ to 1¾ in 5 | 5.00 | 40.00 | |
| 1¾ to 2 in 6 | .00 | 50.00 | |
| 2 to 2½ in | 7.50 | 65.00 | |
| 2½ to 3 in 8 | 3.50 | 75.00 | |
| 3 to 3½ in 10 | | 85.00 | |
| 3½ to 4 in 12 | | 00.00 | |
| 4 to 5 in 20 | .00 1 | 50.00 | |
| turbinata. Japanese Horsechestna | ut. 30' | | |
| 6 to 8 ft 8 | 3.75 | 32.50 | |
| 8 to 10 ft 4 | 1.50 | 37.50 | |
| 1½ to 1¾ in 6 | 5. 50 | | |
| 1¾ to 2 in | 7.50 | | |
| 2 to 2½ in 10 | | | |
| 2½ to 3 in12 | 2.50 | | |
| Ailanthus glandulosa. Tree of Heave | n. 50' | | |
| 6 to 8 ft | 1.25 | 10.00 | 75.0 0 |
| | 1.50 | 12.50 | 100.00 |
| 10 to 12 ft | 1.75 | 15.00 | 125.00 |
| 1½ to 1¾ in 2 | 2.25 | 17.50 | 150.00 |
| 134 to 2 in | 2.50 | 20.00 | |
| 2 to 2½ in | 3.00 | 25.00 | |
| 2½ to 3 in 4 | 1.00 | 30.00 | |
| Akebia quinata. Fiveleaf Akebia. 18 | 5' | | |
| 2 year | .40 | 3.50 | 25.00 |
| 3 year | .50 | 4.00 | 35.00 |
| Alnus cordata. Italian Alder. 40' | | | |
| 5 to 6 ft | 2.00 | | |
| | 2.50 | | |
| 8 to 10 ft | 3.50 | | |
| glutinosa. European Alder. 60' | | | |
| 6 to 8 ft | 1.60 | 12.50 | 100.00 |
| 8 to 10 ft | 2.00 | 16.00 | 150.00 |
| 1¼ to 1½ in | 2.25 | 20.00 | 175.00 |
| 1½ to 1¾ in | 3.25 | 25.00 | |
| 1¾ to 2 in | 3.75 | 32.50 | |
| 2 to 2½ in | 4.50 | 37.50 | |

Alnus

| Amus | | | | | |
|--------------|----------|-----------------|----------|--------|---------|
| incono | Smaakla | ed Alder. 50' | Each | Per 10 | Per 100 |
| | _ | ft | 1.00 | 10.50 | 100.00 |
| 6 | to 8 | | | 12.50 | 100.00 |
| 8 | to 10 | ft | | 16.00 | |
| 11/4 | | in | | 20.00 | |
| 11/2 | | in | | 25.00 | |
| 134 | | in | | 32.50 | |
| 2 | to 2½ | in | 4.50 | 37.50 | |
| japonica | . Japan | nese Alder. 50 |)' | | |
| 5 | to 6 | ft | 2.00 | 15.00 | |
| 6 | to 8 | ft | 2.50 | 20.00 | |
| 8 | to 10 | ft | 3.00 | 25.00 | |
| 11/2 | to 13/4 | in | | 35.00 | |
| rugosa. | Hazel . | Alder. 10' | | | |
| _ | | | 1.25 | 10.00 | |
| | | | | 12.50 | |
| 0 00 | | | 2.00 | | |
| Althea. (See | e Hibisc | us). | | | |
| Amelanchier | canade | nsis. Downy S | Shadbush | . 10' | |
| 2 to | 3 ft | | .60 | 5.00 | 45.00 |
| 3 to | 4 ft | | .85 | 7.50 | 65.00 |
| laevis. | Allegher | ıy Serviceberry | ı. 20' | | |
| | • | | | 5.00 | |
| | | | | 5.00 | |
| stolonife | ra. Rui | ıning Shadblou |). 4' | | |
| 2 to | 3 ft | | .60 | 5.00 | 45.00 |
| vulgaris. | Euron | ean Serviceber | ru. 25' | | • |
| | | | .60 | 5.00 | 45.00 |
| | | | .85 | 7.50 | 65.00 |
| | | | 1.50 | 12.50 | 100.00 |
| | | | | 25.00 | |
| | | Lead Plant. | | | |
| | | | .45 | 3.50 | 25.00 |
| | | | .50 | 4.00 | |
| 10 10 | | | .50 | 4.00 | 35.00 |
| fruticosa | | obush. 10' | | | |
| | | | .35 | 2.50 | 18.00 |
| | | - | .40 | 3.00 | 22.00 |
| 4 to | 5 ft | | .50 | 4.00 | 30.00 |
| 5 to | 6 ft | | .60 | 5.00 | 40.00 |
| | | | | | |

| Ampelopsis aconitifolia. Monkshoo | od Vi | ine. 15' | |
|-----------------------------------|--------|------------|---------|
| | Each | Per 10 | Per 100 |
| 2 year | .45 | 3.50 | 25.00 |
| 3 year | .50 | 4.00 | 30.00 |
| 4 year | .60 | 5.00 | 40.00 |
| henryana. Silvervein Creeper. | 15' | | |
| from 4-inch pots | 1.25 | 10.00 | 75.00 |
| heterophylla. Porcelain Ampele | opsis. | 25' | |
| 2 year | .40 | 3.00 | 20.00 |
| 3 year | .50 | 3.50 | 25.00 |
| 4 year | .65 | 5.00 | 40.00 |
| heterophylla variegata, syn. sieb | oldi. | 15' | |
| 2 year | .50 | 4.00 | 30.00 |
| 3 year | .65 | 5.00 | 40.00 |
| 4 year | .75 | 6.00 | 50.00 |
| quinquefolia. Virginia Creeper | . 35' | | |
| 2 year | .30 | 2.00 | 15.00 |
| 3 year | .40 | 3.00 | 20.00 |
| 4 year | .45 | 3.50 | 28.00 |
| quinquefolia engelmanni. Eng | elmar | ın Creeper | 35' |
| 2 year | .35 | 2.50 | 18.00 |
| 3 year | .40 | 3.00 | 22.00 |
| 4 year | .50 | 4.00 | 30.00 |
| quinquefolia saintpauli. St. Pa | ul Cr | eeper. 35' | |
| 2 year | .65 | 5.00 | 40.00 |
| 3 year | .75 | 6.00 | 50.00 |
| tricuspidata syn. veitchi. Bosto | n Ivy | . 40' | |
| 2 year | .50 | 4.00 | 30.00 |
| 3 year | .60 | 5.00 | 40.00 |
| tricuspidata lowi. Geranium Iv | y. 8' | | |
| 2 year, from pots | 1.00 | 8.50 | 75.00 |
| Amygdalus davidiana. Chinese Wile | d Ped | ich. 25' | |
| 4 to 5 ft | 1.00 | 8.50 | 75.00 |
| 5 to 6 ft | 1.25 | 10.00 | 90.00 |
| 6 to 8 ft | 1.50 | 12.50 | |
| nana georgica. Russian Almon | d. 6' | | |
| 2 to 3 ft | 2.00 | 12.50 | |
| 3 to 4 ft | 2.25 | 16.00 | |
| 4 to 5 ft | 2.50 | 22.50 | |
| 5 to 6 ft | 3.00 | | |
| 6 to 8 ft | 3.50 | | |
| persica alboplena. Double Whi | te Pe | ach. 10' | |
| 5 to 6 ft | 1.60 | 12.50 | |
| 6 to 8 ft | 2.00 | 15.00 | |
| | | | |

Amygdalus

| •• | Each | Per 10 | Per 100 |
|-------------------------------------|----------|---------|---------------|
| persica Clara Meyer. Double P | ink Peac | ch. 10' | |
| 4 to 5 ft | | 16.00 | |
| 5 to 6 ft | 2.25 | 20.00 | |
| persica rosea plena. Dbl. Pink | Peach. | 10' | |
| 4 to 5 ft | 1.25 | 10.00 | |
| 5 to 6 ft | 1.60 | 12.50 | |
| persica rubroplena. Double Re | ed Peach | h. 10' | |
| 5 to 6 ft | 1.60 | 12.50 | |
| 6 to 8 ft | 2.00 | 15.00 | |
| Andromeda floribunda. Mountain | Androme | eda. 4' | |
| 18 to 24 inB. & B. | 3.50 | 32.50 | 280.00 |
| mariana. Staggerbush. 4' | | | |
| ~ ~ | 2.00 | 15.00 | |
| Aralia japonica. Angelica Tree. 2 | 5' | | |
| 4 to 5 ft | | 6.50 | 55.00 |
| 5 to 6 ft | 1.25 | 10.00 | 75.00 |
| 6 to 8 ft | 1.60 | 12.50 | 100.00 |
| 8 to 10 ft | 3.75 | 32.50 | |
| mandshurica. Manchurian Ara | lia. 25' | | |
| 3 to 4 ft | .75 | 6.50 | 50.00 |
| 4 to 5 ft | 1.00 | 7.50 | 65.00 |
| pentaphyllum. (See Acanthopo | nax). | | |
| spinosa. Devil's Walkingstick. | 25' | | |
| 3 to 4 ft | .65 | 5.50 | 50.00 |
| 4 to 5 ft | 1.00 | 7.50 | 60.00 |
| 5 to 6 ft | 1.25 | 10.00 | 80.00 |
| 6 to 8 ft | 2.00 | 12.50 | 100.00 |
| 8 to 10 ft. clumps | 5.00 | | |
| 10 to 12 ft. clumps | 6.50 | | |
| Arctostaphylos uva-ursi. Bearberry. | | | |
| $2\frac{1}{2}$ in. pots | | 6.00 | |
| Aristolochia sipho. Dutchman's Pin | pe. 30' | | |
| 2 year | 1.00 | 7.50 | 60.00 |
| tomentosa. 30' | | | |
| 2 year | 1.00 | 7.50 | 65.00 |
| Aronia arbutifolia. Red Chokeberry | * | | |
| 2 to 3 ft | .60 | 5.00 | 45.00 |
| 3 to 4 ft | .80 | 7.00 | 60.00 |
| 4 to 5 ft | 1.25 | 10.00 | 75. 00 |
| 5 to 6 ft | 1.60 | 12.50 | |

Aronia Each Per 10 Per 100 atropurpurea. Purple Chokeberry. 8' 2 to 3 ft._____ 5.00 45.00 .60 3 to 4 ft.____ .80 7.00 60.00 4 to 5 ft.____ 1.25 10.00 75.00melanocarpa. Black Chokeberry. 10' 3 ft.____ 2 to .604.50 35.00 3 to 4 ft.____ .65 5.00 40.00 4 to 5 ft.____ .75 45.00 5.50 5 to 6 ft.____ 1.00 7.50 65.00 melanocarpa elata. Glossy Chokeberry. 6' 2 to 3 ft._____ 4.50 32.00 .60 3 to 4 ft.____ .65 5.00 40.00 4 to 5 ft.____ 5.50 45.00 .75Asimina triloba. Papaw. 30' 4 to 5 ft.____ 1.50 Azalea amoena. Amoena Azalea. 10 to 12 in.____B. & B. 12 to 15 in.____B. & B. calendulacea. Flame Azalea. 2 to 3 ft.____B. & B. 30.00 275.00 canescens. Piedmont Azalea. 2 to 3 ft.____B. & B. 27.50 250.00 hinodegiri. Carmine Azalea. 3' 10 to 12 in.____B. & B. 3.00 12 to 15 in.____B. & B. 3.25 kaempferi. Torch Azalea. 12 to 15 in.____B. & B. 2.75 25.00 15 to 18 in.____B. & B. 3.50 30.00 ledifolia. Snow Azalea. 15 to 18 in.____B. & B. 2.50 22.50 200.00 18 to 24 in.____B. & B. 3.00 27.50 250.00 24 to 30 in.____B. & B. 4.00 35.00 325.00 mollis. Chinese Azalea. 15 to 18 in.____B. & B. 2.25 20.00 18 to 24 in.____B. & B. 2.75 25.00nudiflora. Pinxterbloom. 4' 2 to 3 ft.____B. & B. 3.50 27.50 250.00

Azalea

| | Each | Per 10 | Per 100 |
|---|--------------|---------------|---------|
| pontica. Pontic Azalea. 6' | | | |
| 18 to 24 inB. & B. | 4.50 | 40.00 | |
| 24 to 30 inB. & B. | 5.50 | 50.00 | |
| 3 to 4 ftB. & B. | 7. 50 | 70.00 | |
| viscosa. Swamp Azalea. 6' | | | |
| 18 to 24 inB. & B. | 2.75 | 25.00 | |
| 24 to 30 inB. & B. | | 27.50 | 250.00 |
| yodogawa. Yodogawa Azalea. | 4' | | |
| 15 to 18 inB. & B. | | | |
| 18 to 24 inB. & B. | 3.00 | | |
| 24 to 30 inB. & B. | 4.00 | | |
| Baccharis halimifolia. Groundselbu | | | |
| 4 to 5 ft | 1.00 | 7. 50 | |
| 5 to 6 ft | 1.50 | 10.00 | |
| 6 to 8 ft | 2.00 | 15.00 | |
| *Benzoin aestivale. Spice Bush. 1 | 2' | | |
| 2 to 3 ft | .60 | 5.00 | 40.00 |
| 3 to 4 ft | .75 | 6.00 | 50.00 |
| 4 to 5 ft | 1.50 | 12.50 | |
| 5 to 6 ft | 2.25 | 20.00 | |
| 6 to 8 ft | 3.00 | 25.00 | |
| Berberis aggregata. Salmon Barber | ry. 10' | | |
| 18 to 24 in | 1.25 | 10.00 | |
| 2 to 3 ft | 1.50 | 12.50 | |
| ilicifolia. Holly Barberry. 4' | | | |
| 18 to 24 inB. & B. | 1.75 | 15.00 | |
| 24 to 30 inB. & B. | 2.00 | 17.50 | |
| julianae. Wintergreen Barberr | | | |
| 15 to 18 in | 1.50 | 12.50 | |
| 18 to 24 in | 2.00 | 15.00 | |
| | 4' | | |
| 2½ to 3 ft | | | |
| sargentiana. Sargent Barberry | | 10 50 | |
| 15 to 18 in | 1.50 | 12.50 | |
| 18 to 24 in | 2.00 | 15.00 | |
| thunbergi. Japanese Barberry. | | 0.00 | 45.00 |
| 15 to 18 in | .30 | 2.00 | 15.00 |
| 18 to 24 in | .35 | 2.50 | 18.00 |
| 24 to 30 in | .50 | 3.50 | 25.00 |
| 2 to 2½ ft. specimens_ | .75 | 6.50 | |
| 2½ to 3 ft. specimens 3 to 3½ ft. specimens | 1.00 1.25 | 8.50 11.50 | |
| 3 to 3½ ft. specimens | 1.25 | 11.50 | |

| Berberis | | | |
|----------------------------------|--------------|--------|---------|
| thunbergi atropurpurea. | Each | Per 10 | Per 100 |
| Redleaf Japanese Barberry | . 5' | | |
| 15 to 18 in | .40 | 3.00 | |
| 18 to 24 in | .50 | 4.00 | |
| thunbergi minor. Box Barberr | y. 2' | | |
| 12 to 15 in | .40 | 3.50 | 30.00 |
| 15 to 18 in | .50 | 4.00 | 35.00 |
| 18 to 24 in | .60 | 5.00 | 45.00 |
| thunbergi pluriflora. 5' | | | |
| 18 to 24 in | .45 | 3.00 | 22.00 |
| 24 to 30 in | .55 | 4.50 | 30.00 |
| 2½ to 3 ft | .65 | 5.00 | 40.00 |
| vernae. Verna Barberry. 5' | | | |
| 15 to 18 in | 1.00 | 9.00 | |
| 24 to 30 in | 1.50 | 12.50 | |
| 30 to 36 in | 2.00 | 15.00 | |
| wilsonae. Wilson Barberry. 5' | • | | |
| 18 to 24 in | .75 | 6.00 | |
| 2 to 3 ft | 1.00 | 7.50 | |
| Berchemia racemosa. Japanese Sup | ple jack | . 3' | |
| 18 to 24 in | .75 | 5.00 | |
| 2 to 3 ft | 1.00 | 7.50 | |
| *Betula alba. European White Bir | ch. 50' | | |
| 6 to 8 ft | 2.00 | 15.00 | 125.00 |
| 8 to 10 ft | 2.50 | 22.50 | 175.00 |
| 1¼ to 1½ in | 3.00 | 25.00 | 225.00 |
| 1½ to 1¾ in | 3.50 | 30.00 | 275.00 |
| 1¾ to 2 in | 4.50 | 37.50 | |
| 2 to 2½ in | 6.50 | 50.00 | |
| *alba laciniata. Cutleaf Weepin | - | | |
| 6 to 8 ft | 3.00 | 25.00 | 200.00 |
| 8 to 10 ft | 3.50 | 30.00 | 250.00 |
| 1¼ to 1½ in | 5.00 | 40.00 | |
| 1½ to 1¾ in | 7. 50 | | |
| *lenta. Sweet Birch. 40' | | | |
| 5 to 6 ft | 2.00 | 16.00 | |
| 6 to 8 ft | 2.25 | 20.00 | 150.00 |
| 8 to 10 ft | 2.75 | 25.00 | 200.00 |
| 1¼ to 1½ in | 3.50 | 32.50 | 275.00 |
| 1½ to 1¾ in | 4.50 | 37.50 | |
| | 5.50 | 50.00 | |
| 2 to 2½ in | 7.50 | 65.00 | |

| 18 | Н | ENI | ку конах | KIE & SO | N | |
|-------------------------------|----------|-----------------|-------------|------------|------------------|------------------|
| *Betula | | | | | | |
| *1 . | 17. | 77 | Dinak rot | Each | Per 10 | Per 100 |
| *lutea. 5 | to | uow 6 | Birch. 50' | 9.00 | 1000 | |
| 6 | to | 8 | ft | | 16.00 | |
| 8 | to | - | ft ft | | $20.00 \\ 25.00$ | |
| $1\frac{1}{4}$ | to | | in | | 25.00 27.50 | |
| 1 1/4 | to | $\frac{1}{3}$ | in | | 32.50 | |
| $1\frac{7}{2}$ $1\frac{3}{4}$ | to | 2 | in | | 37.50 | |
| $\frac{1}{4}$ | to | | in | | 50.00 | |
| | | . – | | 0.00 | 50.00 | |
| *nigra. | to | ver . 8 | Birch. 50' | 0.05 | 90.00 | 150.00 |
| 6 8 | •• | - | ft | | 20.00 | 150.00 |
| 8 14 | | 10 | ft | | 25.00 | 200.00 250.00 |
| 1 1/4 | to | | in | | 32.50 | |
| 1 1/2 | to | $\frac{1\%}{2}$ | | | 37.50 | 300.00 |
| $\frac{1}{4}$ | to to | | in | | 40.00 | 350.00 400.00 |
| _ | | | | | 50.00 | 400.00 |
| 2½ | | 3 . | in | | 65.00 | |
| *papyri | | | noe Birch. | | 00.00 | 150.00 |
| 6 | to | 8 | ft | | 20.00 | 150.00 |
| 8 | | 10 | ft | | 25.00 | 200.00 |
| 11/4 | to | $1\frac{1}{2}$ | | | 27.50 | 250.00 |
| 1 1/2 | to | 134 | | | 32.50 | 300.00 |
| 1% | to | 2 | in | | 37.50 | 350.00 |
| 2 | to | $2\frac{1}{2}$ | | | 50.00 | 400.00 |
| 21/2 | | 3 | in | | 65.00 | |
| *populi | | | ray Birch. | | 22.00 | 150.00 |
| 6 | to | 8 | ft | | 20.00 | 150.00 |
| 8 | | 10 | ft | | 25.00 | 200.00 |
| 11/4 | | $1\frac{1}{2}$ | | | 27.50 | 250.00 |
| 11/2 | | $1\frac{3}{4}$ | | | 32.50 | 300.00 |
| 1 34 | | 2 | in | | 37.50 | 350.00 |
| 2 | to | $2\frac{1}{2}$ | | | 50.00 | 400.00 |
| $2\frac{1}{2}$ | to | 3 | in | 7.50 | 65.00 | |
| Bignonia gr | and | iflor | a. Chinese | Trumpetcre | eper. 20 | , |
| 2 y | ear | | | 75 | 5.00 | 45.00 |
| 3 у | ear | | - | 1.00 | 6.50 | 50.00 |
| 4 y | ear | | | 1.25 | 7.50 | 60.00 |
| grandifl | ora | Mad | . Gallen. 2 | 20' | | |
| 2 y | ear | | | 1.00 | 7.50 | |
| radicans | . 7 | Trum | petcreeper. | 30' | | |
| 0 | | | - | 45 | 2.00 | 20.00 |

2 year _____

3 year _____

.45 3.00 20.00

3.50

.50

25.00

| Bignonia | | |
|---|------------|---------|
| Each | Per 10 | Per 100 |
| speciosa rubra. Painted Trumpetcre | eper. 30' | |
| 2 year65 | 5.00 | |
| 3 year 1.00 | 6.50 | |
| Bischoffia trifoliata. 12' | | |
| 3 to 4 ft 2.50 | | |
| 5 to 6 ft 4.50 | | |
| Broussonetia papyrifera. Paper Mulberry | | |
| 6 to 8 ft 2.50 | 20.00 | |
| 8 to 10 ft 3.00 | 25.00 | |
| Buddleia davidi. Orange-eye Butterfly E | Bush. 5' | |
| 2 to 3 ft45 | 3.00 | 25.00 |
| 3 to 4 ft65 | 4.50 | 30.00 |
| davidi superba. 5' | | |
| 5 to 6 ft 1.00 | 7.50 | |
| davidi veitchi. Veitch Butterfly Bus | h. 5' | |
| 2 to 3 ft45 | 3.00 | 25.00 |
| 3 to 4 ft65 | 4.50 | 30.00 |
| farquhari. 5' | | |
| 2 to 3 ft50 | 4.00 | 30.00 |
| 3 to 4 ft55 | 4.50 | 40.00 |
| 4 to 5 ft60 | 5.50 | 50.00 |
| intermedia. Wisteria Butterfly Bush | ı. 5' | |
| 2 to 3 ft45 | 3.00 | 25.00 |
| 3 to 4 ft65 | 4.50 | 30.00 |
| lindleyana. Lindley Butterfly Bush. | 5 ' | |
| 2 to 3 ft45 | 3.00 | 25.00 |
| 3 to 4 ft65 | 4.50 | 30.00 |
| microphylla. 5' | | |
| 3 to 4 ft | 5.00 | |
| . 4 to 5 ft | 6.00 | |
| paniculata. | | |
| 3 to 4 ft60 | 5.00 | 40.00 |
| 4 to 5 ft75 | 6.00 | |
| Callicarpa giraldiana. 6' | | |
| 18 to 24 in 1.25 | | |
| japonica. Japanese Beautyberry. 4' | | |
| 18 to 24 in | 4.00 | 30.00 |
| purpurea. Chinese Beautyberry. 4' | | |
| 18 to 24 in40 | 3.00 | 20.00 |
| 2 to 3 ft50 | 4.00 | 30.00 |
| | | |

| Calluna | vulgaris | alba. | Heather. | 2' |
|---------|----------|-------|----------|----|
| | | | | |

| | Each | Per 10 | Per 100 |
|------------------------------------|------------|--------|---------|
| 6 to 8 in., 5 in. pots | 1.25 | 10.00 | |
| vulgaris alporti. Alport Heathe | r. 2' | | |
| 4 inch pots | 1.25 | 10.00 | |
| vulgaris aurea. 2' | | | |
| 6 to 8 in., 5 inch pots | 1.25 | 10.00 | |
| vulgaris carnea. Flesh Heather | | | |
| 6 to 8 in., 5 inch pots | 1.25 | 10.00 | |
| vulgaris searlei. 2' | 1.20 | 10.00 | |
| 6 to 8 in., 5 inch pots | 1.25 | 10.00 | |
| | | 10.00 | |
| Calycanthus floridus. Sweet Shrub. | | 0.50 | 20.00 |
| 18 to 24 in | .35 | 2.50 | 20.00 |
| 2 to 3 ft 3 to 4 ft. | .45 | 3.50 | 25.00 |
| 0 00 1 1002222222 | .60 | 4.50 | 35.00 |
| 4 to 5 ft | .75 | 6.50 | |
| Caragana arborescens. Siberian Ped | atree. | 15' | |
| 2 to 3 ft | .45 | 3.50 | 25.00 |
| 3 to 4 ft | .50 | 4.00 | 30.00 |
| 4 to 5 ft | .60 | 5.00 | 40.00 |
| 5 to 6 ft | .75 | 6.00 | 50.00 |
| 6 to 8 ft | 1.25 | 10.00 | |
| frutex. Russian Pea-shrub. 10 | 0 ' | | |
| 2 to 3 ft | 1.25 | 10.00 | |
| *Carpinus betulus. European Horn | beam. | 60' | |
| 2 to 3 ft | 1.50 | 12.50 | 100.00 |
| 3 to 4 ft | 2.00 | 15.00 | 125.00 |
| 4 to 5 ft | 2.25 | 20.00 | 150.00 |
| 5 to 6 ft | 2.75 | 25.00 | 200.00 |
| 6 to 8 ft | 3.75 | 32.50 | |
| 8 to 10 ft | 5.00 | 45.00 | |
| 10 to 12 ft | 7.50 | 65.00 | |
| *caroliniana. American Hornbe | eam. | 40' | |
| 3 to 4 ft | 2.00 | 15.00 | 125.00 |
| 4 to 5 ft | 2.25 | 20.00 | 150.00 |
| 5 to 6 ft | 2.75 | 25.00 | 200.00 |
| 6 to 8 ft | 3.75 | 32.50 | 275.00 |
| 8 to 10 ft | 5.00 | 45.00 | |
| 10 to 12 ft | 7.50 | 60.00 | |
| *cordata. 35' | | | |
| 2 to 3 ft | 2.00 | | |
| 3 to 4 ft. | 2.50 | | |

| Carpinus | | | |
|------------------------------------|--------|--------|---------|
| | Each | Per 10 | Per 100 |
| *japonica. 40' | | | |
| 2 to 3 ft | 2.00 | 15.00 | |
| 3 to 4 ft | 2.50 | 20.00 | |
| *yedoensis. 25' | | | |
| 2 to 3 ft | 2.00 | | |
| 3 to 4 ft | 2.50 | | |
| Caryopteris incana. Bluebeard. 4' | | | |
| 15 to 18 in | .60 | 5.00 | 45.00 |
| 18 to 24 in | .75 | 6.00 | 50.00 |
| Castanea dentata. American Chestra | ut. 75 | i' | |
| 6 to 8 ft | 1.60 | 12.50 | |
| 8 to 10 ft | 2.00 | 16.00 | |
| 1¼ to 1½ in | 2.25 | 20.00 | |
| sativa. Spanish Chestnut. 60' | | | |
| 4 to 5 ft | 1.25 | 10.00 | |
| 5 to 6 ft | 1.60 | 12.50 | |
| 6 to 8 ft | 2.25 | 17.50 | |
| 8 to 10 ft | 2.75 | | |
| Catalpa bignonioides nana syn. bun | gei. | | |
| Umbrella Catalpa. 12' | | | |
| 2 yr. heads, | | | |
| 5 to 6 ft | 2.75 | 25.00 | |
| 6 to 8 ft | 3.50 | 32.50 | |
| kaempferi. Japanese Catalpa. | 20' | | |
| 6 to 8 ft | 1.60 | 12.50 | |
| 8 to 10 ft | 2.00 | 16.00 | |
| 10 to 12 ft | 2.25 | 20.00 | |
| 1½ to 1¾ in | 3.00 | 25.00 | |
| 1¾ to 2 in | 3.50 | 30.00 | |
| 2 to 2½ in | 4.00 | 35.00 | |
| speciosa. Western Catalpa. 30 | o' | | |
| 6 to 8 ft | 1.25 | 10.00 | 75.00 |
| 8 to 10 ft | 1.60 | 12.50 | 90.00 |
| 1½ to 1¾ in | 2.25 | 20.00 | 160.00 |
| 1¾ to 2 in | 2.50 | 22.50 | 200.00 |
| 2 to 2½ in | 3.50 | 27.50 | 250.00 |
| 2½ to 3 in | 4.00 | 35.00 | |
| Ceanothus americanus. Jersey Tea | . 3' | | |
| 18 to 24 in | .55 | 4.50 | 40.00 |
| 2 to 3 ft | .65 | 5.50 | |

| Each Per 10 Per 100 |
|---|
| 5 to 6 ft. 1.60 12.50 Cedrus deodara. Deodar. 100' 18 in. B. & B. 2.50 20.00 2 ft. B. & B. 3.00 25.00 3 ft. B. & B. 5.00 40.00 libani. Cedar of Lebanon. 100' 18 in. B. & B. 3.00 25.00 2 ft. B. & B. 4.00 30.00 2 ft. B. & B. 4.00 30.00 2 year .45 3.00 2 year .45 3.00 3 year .50 3.50 3 year .65 5.00 3 year .40 3.00 25.00 3 year .40 3.00 25.00 3 year .50 3.50 30.00 Celtis occidentalis. Hackberry. 50' 4 to 5 ft. 1.25 10.00 75.00 4 to 5 ft. 1.50 12.50 100.00 sinensis. Chinese Hackberry. 30' 5 to 6 ft. 1.50 12.50 Cephalanthus occidentalis. Button Bush. 6' 2 to 3 ft. .50 4.00 30.00 4 to 5 ft. <t< td=""></t<> |
| Cedrus deodara. Deodar. 100' 18 in |
| 18 in |
| 2 ft |
| 3 ft |
| Bibani. Cedar of Lebanon. 100' 18 in |
| 18 in |
| Celastrus orbiculatus. Oriental Bittersweet. 20' 2 year .45 3.00 25.00 3 year .50 3.50 30.00 4 year .65 5.00 40.00 scandens. Native Bittersweet. 25' 2 year .40 3.00 25.00 3 year .50 3.50 30.00 Celtis occidentalis. Hackberry. 50' 4 to 5 ft. 1.00 7.50 60.00 5 to 6 ft. 1.25 10.00 75.00 60.00 5 to 6 ft. 1.50 12.50 100.00 sinensis. Chinese Hackberry. 30' 5 to 6 ft. 1.60 12.50 Cephalanthus occidentalis. Button Bush. 6' 2 to 3 ft. 50 4.00 30.00 3 to 4 ft. .60 5.00 40.00 4 to 5 ft. .75 6.00 Cephalotaxus fortunei. Chinese Plumyew. 10' 2½ ft. B. & B. 7.50 3 3 ft. B. & B. 10.00 *Cercidiphyllum japonicum. Katsura Tree. 30' 4 4 5 ft. 2.50 22.50 200.00 6 to 8 ft. 3.50 30.00 275.00 <tr< td=""></tr<> |
| 2 year |
| 3 year |
| 4 year .65 5.00 40.00 scandens. Native Bittersweet. 25' 2 year .40 3.00 25.00 3 year .50 3.50 30.00 Celtis occidentalis. Hackberry. 50' 4 to 5 ft. 1.00 7.50 60.00 5 to 6 ft. 1.25 10.00 75.00 6 to 8 ft. 1.50 12.50 100.00 sinensis. Chinese Hackberry. 30' 30.00 30.00 5 to 6 ft. 1.60 12.50 Cephalanthus occidentalis. Button Bush. 6' 2 to 3 ft. 50 4.00 30.00 3 to 4 ft. 60 5.00 40.00 4 to 5 ft. 75 6.00 Cephalotaxus fortunei. Chinese Plumyew. 10' 2½ ft. B. & B. 7.50 3 ft. B. & B. 10.00 *Cercidiphyllum japonicum. Katsura Tree. 30' 4 to 5 ft. 2.50 22.50 200.00 5 to 6 ft. 2.50 22.50 200.00 <t< td=""></t<> |
| scandens. Native Bittersweet. 25' 2 year |
| 2 year |
| 3 year |
| Celtis occidentalis. Hackberry. 50' 4 to 5 ft |
| 4 to 5 ft |
| 5 to 6 ft. 1.25 10.00 75.00 6 to 8 ft. 1.50 12.50 100.00 sinensis. Chinese Hackberry. 30' 5 to 6 ft. 1.60 12.50 Cephalanthus occidentalis. Button Bush. 6' 2 to 3 ft. .50 4.00 30.00 3 to 4 ft. .60 5.00 40.00 4 to 5 ft. .75 6.00 Cephalotaxus fortunei. Chinese Plumyew. 10' 2½ ft. B. & B. 7.50 3 ft. B. & B. 10.00 *Cercidiphyllum japonicum. Katsura Tree. 30' 4 to 5 ft. 2.00 17.50 150.00 5 to 6 ft. 2.50 22.50 200.00 6 to 8 ft. 3.50 30.00 275.00 8 to 10 ft. 5.00 45.00 |
| 6 to 8 ft |
| sinensis. Chinese Hackberry. 30' 5 to 6 ft |
| 5 to 6 ft. 1.60 12.50 Cephalanthus occidentalis. Button Bush. 6' 2 to 3 ft. .50 4.00 30.00 3 to 4 ft. .60 5.00 40.00 4 to 5 ft. .75 6.00 Cephalotaxus fortunei. Chinese Plumyew. 10' 2½ ft. B. & B. 7.50 3 ft. B. & B. 10.00 *Cercidiphyllum japonicum. Katsura Tree. 30' 4 to 5 ft. 2.00 17.50 150.00 5 to 6 ft. 2.50 22.50 200.00 6 to 8 ft. 3.50 30.00 275.00 8 to 10 ft. 5.00 45.00 |
| Cephalanthus occidentalis. Button Bush. 6' 2 to 3 ft |
| 2 to 3 ft |
| 3 to 4 ft |
| 4 to 5 ft |
| Cephalotaxus fortunei. Chinese Plumyew. 10' 2½ ft |
| 2½ ftB. & B. 7.50 3 ftB. & B. 10.00 *Cercidiphyllum japonicum. Katsura Tree. 30' 4 to 5 ft2.00 17.50 150.00 5 to 6 ft2.50 22.50 200.00 6 to 8 ft3.50 30.00 275.00 8 to 10 ft5.00 45.00 |
| 3 ftB. & B. 10.00 *Cercidiphyllum japonicum. Katsura Tree. 30' 4 to 5 ft 2.00 17.50 150.00 5 to 6 ft 2.50 22.50 200.00 6 to 8 ft 3.50 30.00 275.00 8 to 10 ft 5.00 45.00 |
| *Cercidiphyllum japonicum. Katsura Tree. 30' 4 to 5 ft |
| 4 to 5 ft. 2.00 17.50 150.00 5 to 6 ft. 2.50 22.50 200.00 6 to 8 ft. 3.50 30.00 275.00 8 to 10 ft. 5.00 45.00 |
| 5 to 6 ft 2.50 |
| 6 to 8 ft 3.50 30.00 275.00 8 to 10 ft 5.00 45.00 |
| 8 to 10 ft 5.00 45.00 |
| |
| o to 10 to to to trains opening |
| 10 to 12 ft. trans. spec15.00 |
| 12 to 14 ft. trans. spec20.00 |
| 14 to 16 ft. trans. spec25.00 |
| *Cercis canadensis. American Redbud. 15' |
| 3 to 4 ft75 6.00 50.00 |
| 4 to 5 ft 1.25 10.00 75.00 |
| 5 to 6 ft 2.00 15.00 125.00 |
| 6 to 8 ft 2.50 20.00 175.00 |
| 8 to 10 ft 4.00 30.00 |

| THINES VILLE, | OIIIO | | 20 |
|---|---------------|-----------|---------|
| *Cercis | | | |
| | Each | Per 10 | Per 100 |
| *chinensis. Chinese Redbud. | 10' | | |
| 2 to 3 ft | 1.6 0 | 12.50 | |
| 3 to 4 ft | 2.25 | 20.00 | |
| 4 to 5 ft | 3.50 | 27.50 | |
| | | | |
| Chamaecyparis filifera. | a | | |
| Thread-branched Japanese | | | 000.00 |
| 2 ftB. & B. | | 35.00 | 300.00 |
| 3 ftB. & B. | | 50.00 | 450.00 |
| 4 ft. specimensB. & B. | | | |
| 5 ft. specimensB. & B. | | | |
| 6 ft. specimensB. & B. | 20.00 | | |
| filifera aurea. | | | |
| Golden Thread-branched J | apanese | Cypress. | 10' |
| 18 in. spreadB. & B. | 4.50 | 40.00 | |
| 24 in. spreadB. & B. | 5.50 | 50.00 | |
| 30 in. spreadB. & B. | 7.50 | | |
| 36 in. spread | | | |
| specimensB. & B. | 15. 00 | | |
| 48 in. spread | | | |
| specimensB. & B. | 20.00 | | |
| - | | | |
| filifera aurea nova. | .J 7 | | 10' |
| Variegated Thread-branch 18 to 24 in. spread_B. & B. | | iese Cypi | ess. 10 |
| | | | |
| 24 to 30 in. spread—B. & B. | | | |
| 30 to 36 in. spread—B. & B. 36 to 42 in. spread_B. & B. | | | |
| | | | |
| 42 to 48 in. spreadB. & B. | 12.00 | | |
| lawsoniana. Lawson Cypress. | 100' | | |
| 2 ftB. & B. | 4.00 | | |
| 3 ftB. & B. | 6.00 | | |
| 4 ftB. & B. | 10.00 | | |
| 5 ftB. & B. | 12.50 | | |
| 6 ftB. & B. | 15.00 | | |
| lawsoniana pendula. | | | |
| Weeping Lawson Cypress. | 75' | | |
| 2 ftB. & B. | | | |
| | | | |
| lawsoniana Triomphe de Bosk | - | , | |
| 2 ftB. & B. | 5.00 | | |
| 8 ftB. & B. | | | |
| 10 ftB. & B. | 25.00 | | |
| | | | |

Chamaecyparis

| iamaecyparis | |
|-----------------------------------|--------------------|
| E | ach Per 10 Per 100 |
| nootkatensis. Nootka Cypress. 7 | <i>'5'</i> |
| 2 ftB. & B. 6 | .00 50.00 |
| 4 ftB. & B. 10 | 0.00 |
| 5 ftB. & B. 12 | 2.50 |
| | |
| obtusa compacta. Compact Hinok | ci Cypress. 10' |
| 2 ftB. & B. 5 | .00 40.00 |
| 3 ftB. & B. 6 | .00 50.00 |
| 4 ftB. & B. 7. | .50 |
| 5 ftB. & B. 10 | .00 |
| le contract Veller Hineli C | |
| obtusa crippsi. Yellow Hinoki Ca | |
| 4 ftB. & B. 12 | |
| 5 ftB. & B. 17 | .50 |
| | |
| obtusa gracilis. Slender Hinoki C | ypress. 15' |
| 2 ftB. & B. 6. | 00 50.00 400.00 |
| 3 ftB. & B. 7. | 50 65.00 600.00 |
| 4 ftB. & B. 10. | .00 |
| 5 ftB. & B. 12. | |
| 6 ftB. & B. 15. | 00 |
| obtusa nana. Dwarf Hinoki Cypt | ress. 3' |
| | 00 35.00 |
| | .00 45.00 |
| | 50 60.00 |
| 24 inB. & B. 10. | |
| 24 III | .00 |
| pisifera. Sawara Cypress. 30' | |
| 2 ftB. & B. 3. | 50 30.00 250.00 |
| 3 ftB. & B. 5. | 00 45.00 |
| 4 ftB. & B. 7. | 50 60.00 |
| 5 ftB. & B. 12. | 50 100.00 |
| 6 ftB. & B. 15.0 | 00 125.00 |
| 7 ftB. & B. 18. | 50 150.00 |
| 8 ftB. & B. 22.5 | 50 200.00 |
| 9 ftB. & B. 27.5 | 50 250.00 |
| 10 ftB. & B. 32.5 | 50 300.00 |
| | |

Chamaecyparis

| Chamaecyparis | D 10 | D 100 |
|--|-------------------|---------|
| Each pisifera aurea. Golden Sawara Cypre | Per 10 ss. 30' | Per 100 |
| 2 ftB. & B. 3.50 | 30.00 | 100 |
| 3 ftB. & B. 5.00 | 45.00 | |
| 4 ftB. & B. 7.50 | 60.00 | |
| 5 ftB. & B. 10.00 | 80.00 | |
| 6 ft. specimensB. & B. 15.00 | 125.00 | |
| 7 ft. specimensB. & B. 18.50 | 120.00 | |
| 8 ft. specimensB. & B. 22.50 | | |
| 9 ft. specimensB. & B. 27.50 | | |
| 10 ft. specimensB. & B. 30.00 | | |
| 11 ft. specimensB. & B. 35.00 | | |
| 12 ft. specimensB. & B. 40.00 | | |
| plumosa. Plume Cypress. 30' | | |
| 2 ft. shearedB. & B. 3.50 | 30.00 | 250.00 |
| 3 ft. shearedB. & B. 5.00 | 40.00 | 350.00 |
| 4 ft. shearedB. & B. 7.50 | 60.00 | 000,00 |
| 5 ft. shearedB. & B. 10.00 | 80.00 | |
| 6 ft. shearedB. & B. 15.00 | 125.00 | |
| 7 ft. shearedB. & B. 18.50 | 150.00 | |
| 8 ft. shearedB. & B. 22.50 | 200.00 | |
| 9 ft. shearedB, & B. 27.50 | 225.00 | |
| For larger sizes to 13 ft., add \$5.00 | per foot. | |
| 3 ft. hi. x 4 ft. spd. ex. spec. B. & B. 12.50 | - | |
| 4 ft. hi. x 5 ft. spd. ex. spec. B. & B. 18.50 | | |
| 5 ft. hi. x 6 ft. spd. ex. spec. B. & B. 25.00 | | |
| plumosa aurea. Goldenplume Cypress. | . 25' | |
| 2 ft. shearedB. & B. 3.50 | 30.00 | 250.00 |
| 3 ft. shearedB. & B. 5.00 | 40.00 | 350.00 |
| 4 ft. shearedB. & B. 7.50 | 60.00 | 500.00 |
| 5 ft. shearedB. & B. 8.50 | 70.00 | 600.00 |
| 6 ft. shearedB. & B. 12.50 | 100.00 | |
| 7 ft. shearedB. & B. 15.00 | 125.00 | |
| 8 ft. shearedB. & B. 18.50 | 150.00 | |
| 9 ft. shearedB. & B. 25.00 | 200.00 | |
| 10 ft. shearedB. & B. 27.50 | 225.00 | |
| 2 ft. hi. x 3 ft. spd. ex. spec. B. & B. 10.00 | | |
| 3 ft. hi. x 4 ft. spd. ex. spec. B. & B. 12.50 | | |
| 4 ft. hi. x 5 ft. spd. ex. spec. B. & B. 18.50 | | |
| 5 ft. hi. x 6 ft. spd. ex. spec. B. & B. 25.00 | | |
| plumosa argentea. Silvertip Cypress. | 25' | |
| 2 ftB. & B. 5.00 | 45.00 | |
| 3 ftB. & B. 6.50 | 55.00 | |
| | | |

Chamaecyparis

| G | | | Each | Per 10 | Per 100 |
|--------------------------|------------|------|--------------|----------|------------|
| plumosa lutescens. | (Globe | for | m). 5 | , | |
| 24 in | | | | | |
| 30 in | B. & | В. | 6.00 | | |
| 36 in | В. & | В. | 7.50 | | |
| 42 in | B. & | В. | 10.00 | | |
| 48 in | | | | | |
| 54 in | | | | | |
| plumosa sulphurea. | Sulphi | irpl | ume Ci | press. 2 | 5 ' |
| 3 ft | B. & | B. | 6.50 | 55.00 | |
| 4 ft | | | | 65.00 | |
| 5 ft | | | | 80.00 | |
| 6 ft | B. & | В. | 12.50 | 100.00 | |
| 7 ft | B. & | В. | 15.00 | 125.00 | |
| squarrosa. Moss R | etinospo | ra. | 30' | | |
| 2 ft. sheared | | | | 35.00 | 250.00 |
| 3 ft. sheared | | | | 45.00 | 350.00 |
| 4 ft. sheared | B. & | В. | 7.50 | 60.00 | 500.00 |
| 5 ft. sheared | | | | 80.00 | 700.00 |
| 6 ft. sheared | B. & | В. | 12.50 | 100.00 | |
| 7 ft. sheared | В. & | B. | 15.00 | | |
| Chamaedaphne calycula | ta. Lea | ther | ·leaf. | 3' | |
| 15 to 18 in | В. & | В. | 3.50 | 30.00 | 250.00 |
| 18 to 24 in | | | | 35.00 | |
| Chionanthus virginica. | White I | rin | ge. 25 | , | |
| 2 to 3 ft | . - | | 1.50 | 12.50 | |
| 3 to 4 ft | | | 2.00 | 15.00 | |
| 4 to 5 ft | | | 3.25 | 25.00 | • |
| 5 to 6 ft. heavy | 7 | | 5.0 0 | | |
| 6 to 8 ft. heavy | y | | 7.50 | | |
| Cladrastis lutea. Yellow | Wood. | 30 |) ' | | |
| 3 to 4 ft | _ | | 2.00 | 17.50 | 150.00 |
| 4 to 5 ft | | | 3.00 | 25.00 | 225.00 |
| 5 to 6 ft | | | 3.50 | 30.00 | |
| Clematis apiifolia. Octo | ber Cle | mat | is. 25' | | |
| 2 year | | | 1.00 | 6.50 | 50.00 |
| coccinea. (See texe | ensis). | | | | |
| crispa. Curly Clem | | | | | |
| 2 year | | | .75 | 6.00 | |

| Clematis | | | |
|--|----------|--------------|----------------|
| hybrids. Large Flowering Cl | Each | Per 10 | Per 100 |
| 2 year | | 7.50 | |
| Jackmanni, Mad. Ed. Andre, | Henrvi. | 1.00 | |
| Duchess of Edinburg. | 110111, | | |
| ligusticifolia. Western Virgin | s-bower. | 15' | |
| 2 year | | 5.00 | |
| montana rubens. | | | |
| 3 inch pots | 1.00 | 7.50 | |
| montana wilsoni. | | | |
| 3 inch pots | 1.25 | 10.00 | |
| orientalis. Oriental Clematis. | | | |
| 2 year | | 4.00 | 35.00 |
| paniculata. Sweet Autumn C | | 25' | |
| 2 year | | 3.00 | 20.00 |
| 3 year | | 3.50 | 25.00 |
| tangutica. Golden Clematis. | | | |
| 2 year | | 5.00 | 45.00 |
| texensis syn. coccinea. Scarle | | | 10100 |
| 2 year | | 5.00 | |
| viorna. Leatherflower. | | 0.00 | |
| 2 year | 75 | 6.00 | |
| virginiana. Virgins-bower. 28 | | 0.00 | |
| 2 year | | 4.00 | 30.00 |
| 3 year | | 5.00 | 40.00 |
| vitalba. Travelers-joy. 25' | 00 | 0.00 | 40.00 |
| 2 year | 60 | 5.00 | |
| viticella. Italian Clematis. 19 | | 0.00 | |
| 2 year | - | 5.00 | 40.00 |
| | 00 | 0.00 | 40.00 |
| Clerodendron trichotomum. Harlequin Glorybower. 6 | , | | |
| 4 to 5 ft | | 20.00 | |
| | | | |
| Clethra alnifolia. Sweet Pepper I | | | 40.00 |
| 18 to 24 in | | 4.50 5.00 | 40.00 45.00 |
| 24 to 30 in 2½ to 3 ft | | 6.00 | 45.00 55.00 |
| 3 to 3½ ft | | 6.50 | 60.00 |
| barbinervis. Tree Clethra. 5' | | 0.00 | 00.00 |
| 18 to 24 in | | 6.00 | 50.00 |
| 2 to 3 ft | | 7.50 | 60.00 |
| 3 to 4 ft | | 10.00 | 20.00 |
| | | · · · | |

| | | | | | / | -, | |
|---|-----------|------------|----------|----------|------------|----------------|------------------|
| | | | | | Each | Per 10 | Per 100 |
| Colutea | arbo | rescens. | Bladder | Senno | ı. 10' | | |
| | 3 to | 4 ft | | | .65 | 4.50 | 30.00 |
| | 4 to | 5 ft | | | .75 | 5.50 | 45.00 |
| | 5 to | 6 ft | | | 1.00 | 7.50 | 60.00 |
| | 6 to | 8 ft | | | 1.25 | 10.00 | 75.00 |
| oilio | eica. | Cilician | Bladder | Samaa | . 6' | | |
| CIII | 3 to | | | | | | |
| | 5 10 | 4 16 | | | 1.75 | | |
| Compto | nia as | splenifoli | ia. Swee | etfern. | 3' | | |
| | | | | | .50 | 4.50 | 35.00 |
| | 2 to | | | | .65 | 5.00 | 30.00 |
| | - 00 | 0 10.11 | | | •00 | 0.00 | |
| Cornus | alba. | Tatario | an Dogwe | ood. 1 | 0' | | |
| | 2 to | 3 ft | | | .45 | 3.00 | 20.00 |
| | 3 to | 4 ft | | | .50 | 3.50 | 25.00 |
| | 4 to | 5 ft | | - | .55 | 4.50 | 35.00 |
| | 5 to | | | | .65 | 5.00 | 40.00 |
| alb | مامه | ranticcim | a. Silve | whlotah | Dogg | ood. 6' | |
| anda | | | | | | | 25.00 |
| | 2 to 3 to | | | | .50 .60 | 4.00 | 35.00 |
| | 4 to | | | | .00 .75 | $5.00 \\ 6.00$ | $45.00 \\ 55.00$ |
| | 5 to | | | | 1.00 | 7.50 | 65.00 |
| | 6 to | | | | 1.25 | 10.00 | 00.00 |
| | 0 10 | | | | 1.20 | 10.00 | |
| alba | a sibii | rica. Co | ral Dogu | vood. | 10' | | |
| | 2 to | 3 ft | | | .35 | 2.50 | 18.00 |
| | 3 to | 4 ft | | | .40 | 3.00 | 22.00 |
| | 4 to | 5 ft | | | .50 | 4.00 | 30.00 |
| | 5 to | | | | .60 | 5.00 | 40.00 |
| | 6 to | 8 ft | | | .75 | 6.50 | 50.00 |
| alba spaethi aurea. Golden variegated Dogwood. 8' | | | | | | | |
| | 2 to | | | | .65 | 5.00 | 40.00 |
| | 3 to | | | | .75 | 6.00 | 50.00 |
| | 4 to | | | | 1.00 | 7.50 | 65.00 |
| | 5 to | | | | 1.25 | 10.00 | |
| | | | | | | | |
| alte | rnifol | _ | oda Dog | | 20' | | |
| | 2 to | | | | .60 | 5.00 | |
| | 3 to | | | | .85 | 7.50 | |
| | 4 to | | | | 1.25 | 10.00 | 105.00 |
| | 5 to | | | | 1.75 | 15.00 | 125.00 |
| | 6 to | 8 It | | | 2.00 | 17.50 | 150.00 |

Cornus

| rnus | | | |
|---|---------------------|-----------------------|---------|
| | Each | Per 10 | Per 100 |
| amomum syn. sericea. Silky D | logwood. | 10' | |
| 2 to 3 ft | .35 | 2.50 | 18.00 |
| 3 to 4 ft | .40 | 3.00 | 22.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | .75 | 6.50 | 50.00 |
| 8 to 10 ft | 1.00 | 7.50 | |
| baileyi. Bailey Dogwood. 10' | | | |
| 2 to 3 ft | .45 | 3.00 | 25.00 |
| 3 to 4 ft | .50 | 4.00 | 30.00 |
| 4 to 5 ft | .75 | 5.50 | 45.00 |
| *florida. White Flowering Do | gwood. | 25' | |
| 3 to 4 ft | 1.25 | 10.00 | 90.00 |
| 4 to 5 ft | 2.00 | $15.\dot{0}0$ | 125.00 |
| 5 to 6 ft | 2.50 | 22.50 | 200.00 |
| 6 to 8 ft | 3.75 | 32.50 | 300.00 |
| 8 to 10 ft | 5.00 | 45.00 | |
| 5 to 12 ft., heavy specimen | s, B. & I | 3. | |
| at \$1.50 per foot. | | | |
| florida plena. Dbl. White F | la Doar | vood. 25 | , |
| 3 to 4 ftB. & B. | 6.50 | 60.00 | |
| 4 to 5 ftB. & B. | 7.50 | | |
| 5 to 6 ftB. & B. | 10.00 | | |
| florida rubra. Red Flowering | Dogwoo | d. 20' | |
| 3 to 4 ftB. & B. | 5.00 | | |
| 4 to 5 ftB. & B. | 7.50 | | |
| 5 to 6 ftB. & B. | | | |
| 6 to 7 ftB. & B. | | | |
| 7 to 8 ftB. & B. | | | |
| *kousa. Kousa Dogwood. 20' | | | |
| 2 to 3 ft | 1.25 | 10.00 | |
| 3 to 4 ft | 1.60 | 12.50 | |
| 4 to 5 ft | 2.00 | 17.50 | |
| 5 to 6 ft | 3.00 | 25.00 | |
| | 5.00 | 20.00 | |
| mas. Cornelian Cherry. 20' | 1.00 | 7.50 | 60.00 |
| 2 to 3 ft | $\frac{1.00}{1.25}$ | 7.50 | 60.00 |
| 3 to 4 ft | $\frac{1.25}{1.50}$ | $10.00 \\ 12.50$ | 75.00 |
| | $\frac{1.50}{2.50}$ | $\frac{12.50}{20.00}$ | 100.00 |
| 0 00 0 00000000000000000000000000000000 | | 25.00 | 150.00 |
| 6 to 8 ft | 3.00 | 45.00 | 200.00 |

| Cornus | | | Each | Per 10 | Per 100 |
|-------------------|------|----------------------|--------------|----------------|------------------|
| paniculat | a. (| Gray Dogwood. 15 | | 2 32 23 | |
| 2 to | 3 1 | t | .50 | 4.00 | 30.00 |
| 3 to | 4 : | t | .60 | 4.50 | 40.00 |
| 4 to | 5 | t | .75 | 6.00 | 50.00 |
| 5 to | 6 1 | t | 1.00 | 7.50 | 60.00 |
| 6 to | 8 t | t | 1.25 | 9.00 | 75.00 |
| sanguine | a. 1 | $Bloodtwig\ Dogwood$ | . 10' | | |
| 2 to | 3 f | t | .35 | 2.50 | 18.00 |
| 3 to | 4 f | t | .40 | 3.00 | 22.00 |
| 4 to | 5 f | t | .50 | 4.00 | 30.00 |
| 5 to | 6 f | t | .60 | 5.00 | 40.00 |
| 6 to | 8 f | t | .75 | 6.50 | 55.00 |
| sanguine | | idissima. Greentw | | | |
| 2 to | | t | .50 | 4.00 | 30.0 0 |
| 3 to | | t | .65 | 5.00 | 45.0 0 |
| 4 to | | t | .75 | 6.00 | 50.00 |
| 5 to | | t | 1.0 0 | 7.50 | |
| 6 to | | t | 1.25 | 10.00 | |
| stolonife | | Red Osier Dogwood | d. 8' | | |
| 2 to | | t | .35 | 2.50 | 18.00 |
| 3 to | | t | .40 | 3.00 | 22.00 |
| 4 to | | t | .50 | 4.00 | 30.00 |
| 5 to | - | t | .60 | 5.00 | 40.0 0 |
| 6 to | | t | .75 | 6.50 | 50.00 |
| | | ft | 1.25 | 10.00 | 75.00 |
| | | viramea. Goldent | | | |
| 2 to | | t | .45 | 3.50 | 25.00 |
| 3 to | | t | .50 | 4.00 | 30.00 |
| 4 to | - | t | .65 | 5.00 | |
| Corylus amer | | | | 10' | |
| 2 to | | t | .50 | 4.50 | 35.00 |
| 3 to | | t | .65 | 5.50 | 45.00 |
| 4 to | | t | .85 | 7.00 | 60.00 |
| 5 to | | t | 1.00 | 8.50 | 70.00 |
| 6 to | | t | 1.50 | 12.50 | |
| avellana. 2 to | | bert. 15' | F0 | 450 | 25.00 |
| 2 to 3 to | | t | .50 .65 | $4.50 \\ 5.50$ | $35.00 \\ 45.00$ |
| 4 to | | t t | .65 .85 | 7.00 | 60.00 |
| 5 to | | t | 1.00 | 8.50 | 70.00 |
| 6 to | | b | 1.50 | 12.50 | 90.00 |
| | | · | 2.00 | 12.50 15.00 | 100.00 |
| | | ft | 2.50 | 17.50 | 150.00 |
| 10 10 | 14 | | 2.00 | 11.50 | 190.00 |

| Corylus | | | |
|--------------------------------|-------|--------|---------|
| · | Each | Per 10 | Per 100 |
| rostrata. Beaked Hazelnut. 6' | | | |
| 2 to 3 ft | 1.00 | 9.00 | 75.00 |
| 3 to 4 ft | 1.50 | 12.50 | 100.00 |
| *Cotoneaster acutifolia. | | | |
| Peking Cotoneaster. 12' | | | |
| 2 to 3 ft | .50 | 4.00 | 30.00 |
| 3 to 4 ft | .60 | 5.00 | 40.00 |
| 4 to 5 ft | .75 | 6.00 | 50.00 |
| 5 to 6 ft | 1.00 | 7.50 | 65.00 |
| *acutifolia villosula. 12' | | | |
| 2 to 3 ft | 1.00 | 7.50 | 60.00 |
| 3 to 4 ft | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft | 1.75 | 15.00 | 125.00 |
| adpressa. Creeping Cotoneaster | r. 2' | | |
| 6 to 8 in. from pots | 1.50 | 12.50 | 100.00 |
| 8 to 10 in. from pots | 2.00 | 15.00 | 125.00 |
| *ambigua. 6' | | | |
| 2 to 3 ft | 1.00 | 7.50 | 65.00 |
| 3 to 4 ft | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft | 1.50 | 12.50 | 100.00 |
| apiculata. 6' | | | |
| 8 to 12 in. from pots | 2.00 | 15.00 | |
| dammeri. 2' | | | |
| 6 to 8 in. from pots | 1.50 | 12.50 | |
| *dielsiana. Diels Cotoneaster. | 6' | | |
| 2 to 3 ft | .75 | 6.00 | 50.00 |
| 3 to 4 ft | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft | 1.50 | 12.50 | 75.00 |
| 5 to 6 ft | 2.00 | 15.00 | 125.00 |
| 6 to 8 ft | 2.25 | 17.50 | 150.00 |
| 12 to 18 in., 4 in. pots | 1.00 | 7.50 | |
| *divaricata. Spreading Cotoned | ster. | 6' | |
| 2 to 3 ft | .75 | 6.00 | 50.00 |
| 3 to 4 ft | 1.00 | 9.00 | 75.00 |
| 4 to 5 ft | 1.50 | 12.50 | 100.00 |
| 12 to 18 in., 4 inch pots | 1.00 | 7.50 | |
| *foveolata. 10' | | | |
| 2 to 3 ft | .75 | 6.00 | 50.00 |
| 3 to 4 ft | 1.00 | 7.50 | |
| 4 to 5 ft | 1.50 | 12.50 | |
| 5 to 6 ft | 1.75 | 15.00 | |

Cotoneaster

| toneaster | | | |
|----------------------------------|----------------|------------|---------|
| *francheti. Franchet Cotoneas | Each $ter.$ 10 | Per 10 | Per 100 |
| 18 to 24 in | 1.25 | 10.00 | |
| 2 to 3 ft | 1.50 | 12.50 | |
| 12 to 18 in., 4 inch pots | 1.00 | 7.50 | |
| horizontalis. Rock Cotoneaster. | 3' | | |
| 12 to 15 in. spd. from pots | 1.50 | 12.50 | 100.00 |
| 15 to 18 in. spd. from pots | 1.75 | 15.00 | 125.00 |
| horizontalis perpusilla. 3' | | | |
| 10 to 12 in., from pots | 1.50 | 12.50 | 100.00 |
| 12 to 15 in., from pots | 2.00 | 15.00 | 125.00 |
| *hupehensis. Hupen Cotoneast | er. 5' | | |
| 2 to 3 ft | 1.00 | 7.50 | |
| 3 to 4 ft | 1.25 | 10.00 | |
| *lucida. 12' | | | |
| 2 to 3 ft | .75 | 6.00 | 50.00 |
| 3 to 4 ft | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft | 1.50 | 12.50 | 100.00 |
| *melanocarpa. 6' | | | |
| 2 to 3 ft | 1.00 | 7.50 | |
| microphylla. Rockspray. 6' | | | |
| 12 to 18 in., 4 inch pots | 1.00 | 7.50 | |
| *moupinensis. Mupin Cotoneas | ster. 10 |) ' | |
| 2 to 3 ft | 1.00 | 7.50 | |
| *multiflora. 6' | | | |
| 2 to 3 ft | 1.00 | 7.50 | |
| 3 to 4 ft | 1.25 | 10.00 | |
| *nitens. 6' | | | |
| 2 to 3 ft | 1.00 | 7.50 | 65.00 |
| 3 to 4 ft | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft | 1.50 | 12.50 | 90.00 |
| 5 to 6 ft | 1.75 | 15.00 | 125.00 |
| *obscura. 10' | | | |
| 2 to 3 ft | 1.00 | 7.50 | |
| 3 to 4 ft | 1.25 | 10.00 | |
| stracemiflora soongarica. eta' | | | |
| 2 to 3 ft | 1.00 | 7.50 | |
| rotundifolia. Roundleaf Cotone | aster. | 2' | |
| 8 to 10 in. from pots | | 12.50 | 100.00 |
| 10 to 12 in. from pots | | 15.00 | 125.00 |
| 12 to 15 in. from pots | 2.00 | 17.50 | 150.00 |
| | | | |

| Catamagatan | | | |
|-------------------------------------|--|--|--|
| Cotoneaster | Each | Per 10 | Per 100 |
| *rosea. 6' | | | |
| 2 to 3 ft | 1.25 | 10.00 | 75.00 |
| 3 to 4 ft | 1.50 | 12.50 | 100.00 |
| 4 to 5 ft | 1.75 | 15.00 | 125.00 |
| 5 to 6 ft | 2.25 | 20.00 | |
| salicifolia. Willowleaf Cotonea | | 10' | |
| 12 to 18 in., from 4 in. pots | 1.00 | 7.50 | |
| salicifolia floccosa. 6' | | | |
| 8 to 10 in. from pots | 1.50 | 12.50 | |
| 10 to 12 in. from pots | 2.00 | 15. 00 | |
| *simonsi. Simons Cotoneaster. | 8' | | |
| 2 to 3 ft | 1.00 | 7.50 | |
| 3 to 4 ft | 1.25 | 10.00 | |
| 4 to 5 ft | 1.50 | 12.50 | |
| tenupes. 6' | | | |
| 6 to 8 in. from pots | 1.50 | 12.50 | |
| 8 to 10 in. from pots | 2.00 | 15.00 | |
| *wilsoni. Wilson Cotoneaster. | 5' | | |
| 2 to 3 ft | 1.00 | 7.50 | 65.00 |
| 3 to 4 ft | 1.25 | 10.00 | 75. 0 0 |
| | | | |
| *Crataegus arkansana. Arkansas H | | rn. 30' | |
| 4 to 5 ft | 2.50 | rn. 30' | |
| 4 to 5 ft 5 to 6 ft | 2.50 3. 00 | orn. 30' | |
| 4 to 5 ft 5 to 6 ft 6 to 8 ft | 2.50 3.00 4.00 | orn. 301 | |
| 4 to 5 ft | 2.50 3.00 4.00 . 20' | orn. 30' | |
| 4 to 5 ft | 2.50 3.00 4.00 • 20' 2.00 | 17.50 | 150.00 |
| 4 to 5 ft | 2.50 3.00 4.00 . 20' 2.00 2.50 | 17.50 22.50 | 150.00 175.00 |
| 4 to 5 ft | 2.50 3.00 4.00 . 20' 2.00 2.50 3.00 | 17.50 | |
| 4 to 5 ft | 2.50 3.00 4.00 . 20' 2.00 2.50 3.00 20' | 17.50 22.50 25.00 | |
| 4 to 5 ft | 2.50 3.00 4.00 . 20' 2.00 2.50 3.00 20' 2.50 | 17.50 22.50 25.00 20.00 | |
| 4 to 5 ft | 2.50 3.00 4.00 2.00 2.50 3.00 20' 2.50 3.00 | 17.50 22.50 25.00 20.00 25.00 | 175.00 |
| 4 to 5 ft | 2.50 3.00 4.00 2.00 2.50 3.00 20' 2.50 3.00 4.50 | 17.50 22.50 25.00 20.00 | 175.00 175.00 |
| 4 to 5 ft | 2.50 3.00 4.00 2.00 2.50 3.00 20' 2.50 3.00 | 17.50 22.50 25.00 20.00 25.00 | 175.00 175.00 |
| 4 to 5 ft | 2.50 3.00 4.00 2.00 2.50 3.00 20' 2.50 3.00 4.50 | 17.50 22.50 25.00 20.00 25.00 35.00 | 175.00 175.00 |
| 4 to 5 ft | 2.50 3.00 4.00 2.00 2.50 3.00 20' 2.50 3.00 4.50 6.00 20' 1.50 | 17.50 22.50 25.00 20.00 25.00 35.00 | 175.00 175.00 |
| 4 to 5 ft | 2.50 3.00 4.00 . 20' 2.00 2.50 3.00 2.50 3.00 4.50 6.00 20' | 17.50 22.50 25.00 20.00 25.00 35.00 | 175.00 175.00 200.00 |
| 4 to 5 ft | 2.50 3.00 4.00 2.00 2.50 3.00 20' 2.50 3.00 4.50 6.00 20' 1.50 2.25 2.75 | 17.50 22.50 25.00 20.00 25.00 35.00 12.50 17.50 22.50 | 175.00 175.00 200.00 100.00 150.00 175.00 |
| 4 to 5 ft | 2.50 3.00 4.00 2.00 2.50 3.00 20' 2.50 3.00 4.50 6.00 20' 1.50 2.25 2.75 3.75 | 17.50 22.50 25.00 20.00 25.00 35.00 12.50 17.50 22.50 27.50 | 175.00 175.00 200.00 100.00 150.00 175.00 225.00 |
| 4 to 5 ft | 2.50 3.00 4.00 2.00 2.50 3.00 20' 2.50 3.00 4.50 6.00 20' 1.50 2.25 2.75 | 17.50 22.50 25.00 20.00 25.00 35.00 12.50 17.50 22.50 | 175.00 175.00 200.00 100.00 150.00 175.00 |
| 4 to 5 ft | 2.50 3.00 4.00 2.00 2.50 3.00 20' 2.50 3.00 4.50 6.00 20' 1.50 2.25 2.75 3.75 | 17.50 22.50 25.00 20.00 25.00 35.00 12.50 17.50 22.50 27.50 | 175.00 175.00 200.00 100.00 150.00 175.00 225.00 |
| 4 to 5 ft | 2.50 3.00 4.00 2.00 2.50 3.00 20' 2.50 3.00 4.50 6.00 20' 1.50 2.25 2.75 3.75 | 17.50 22.50 25.00 20.00 25.00 35.00 12.50 17.50 22.50 27.50 | 175.00 175.00 200.00 100.00 150.00 175.00 225.00 |

*Crataegus.

| | Each | Per 10 | Per 100 |
|-------------------------------|---------|--------|---------|
| *cordata. Washington Hawtho | rn. 20 | , | |
| 3 to 4 ft | 1.75 | 15.00 | 125.00 |
| 4 to 5 ft | 2.25 | 20.00 | 150.00 |
| 5 to 6 ft | 3.00 | 25.00 | 200.00 |
| 6 to 8 ft | 4.00 | 30.00 | 250.00 |
| 8 to 10 ft | 5.00 | 40.00 | 300.00 |
| *crusgalli. Cockspur Thorn. 3 | ?o' | • | |
| 3 to 4 ft | 1.50 | 12.50 | 100.00 |
| 4 to 5 ft | 2.25 | 17.50 | 150.00 |
| 5 to 6 ft | 2.75 | 22.50 | 175.00 |
| 6 to 8 ft | 3.75 | 27.50 | |
| 8 to 10 ft | 5.00 | 40.00 | |
| *cuneata. Nippon Hawthorn. | 20' | | |
| 3 to 4 ft | 2.25 | 20.00 | |
| 4 to 5 ft | 2.50 | 22.50 | |
| 5 to 6 ft | 3.00 | 27.50 | |
| *mollis. Downy Hawthorn. 20 | o' | | |
| 3 to 4 ft | 1.50 | 12.50 | 100.00 |
| 4 to 5 ft | 2.25 | 17.50 | 150.00 |
| 5 to 6 ft | 2.75 | 22.50 | 175.00 |
| 6 to 8 ft | 3.75 | 27.50 | 225.00 |
| *monogyna. English Hawthorn | n. 20' | | |
| 3 to 4 ft | 1.50 | 12.50 | 100.00 |
| 4 to 5 ft | 2.00 | 16.00 | 140.00 |
| 5 to 6 ft | 2.50 | 20.00 | 175.00 |
| *nitida. Glossy Hawthorn. 15 | , | | |
| 3 to 4 ft | 2.00 | 15.00 | 125.00 |
| 4 to 5 ft | 2.50 | 20.00 | 175.00 |
| 5 to 6 ft | 3.00 | 25.00 | 225.00 |
| 6 to 8 ft | 4.00 | 30.00 | |
| *oxyacantha. English Hawthon | rn. 20' | | |
| 3 to 4 ft | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft | 2.00 | 17.50 | 150.00 |
| 6 to 8 ft | 3.00 | 25.00 | 200.00 |
| 8 to 10 ft. specimens | 7.50 | | |
| *oxyacantha flora plena. Dbl. | White | Thorn. | 15' |
| 3 to 4 ft | 2.00 | 15.00 | 125.00 |
| 4 to 5 ft | 2.50 | 20.00 | 150.00 |
| 5 to 6 ft | 3.00 | 25.00 | 200.00 |
| 6 to 8 ft | 5.00 | 40.00 | |

Crataegus

| a | taegus | | | |
|---|---|-------------|---------------|---------|
| | | Each | Per 10 | Per 100 |
| | *oxyacantha pauli. Paul's Scar | | | 105.00 |
| | 3 to 4 ft | 2.00 | 15.00 | 125.00 |
| | 4 to 5 ft | 2.50 | 20.00 | 150.00 |
| | 5 to 6 ft | 3.00 | 25.00 | 200.00 |
| | 6 to 8 ft. | 5.00 | 40.00 | |
| | *oxyacantha punicea. Sgl. Red | Thorn. | 15' | 105 00 |
| | 3 to 4 ft | 2.00 | 15.00 | 125.00 |
| | - 10 0 - 111 | 2.50 | 20.00 | 150.00 |
| | * ** * ******************************** | 3.00 | 25.00 | 200.00 |
| | 6 to 8 ft | 5.00 | 40.00 | |
| | 8 to 10 ft* *persistens. 15' | 7.50 | | |
| | • | 0.00 | 15 50 | 150.00 |
| | | 2.00 2.50 | 17.50 22.50 | 150.00 |
| | | | | 200.00 |
| | | 3.50 | 30.00 | 250.00 |
| | 6 to 8 ft | 4.00 | 35.00 | 300.00 |
| | *pinnatifida major. Peking Han | | 20' | |
| | 3 to 4 ft | 2.50 | 20.00 | |
| | 4 to 5 ft | 3.00 | 25.00 | |
| | *pruinosa. Frosted Hawthorn. | 18' | | |
| | 3 to 4 ft | 2.50 | 20.00 | |
| | 4 to 5 ft | 3.00 | 25.00 | |
| | *prunifolia. Plumleaf Hawthon | | | |
| | 3 to 4 ft | 2.00 | 15.00 | |
| | 4 to 5 ft | 2.50 | 20.00 | |
| | *punctata. Dotted Hawthorn. | 25' | | |
| | 3 to 4 ft | 1.75 | 15.00 | 125.00 |
| | 4 to 5 ft | 2.25 | 17.50 | 150.00 |
| | 5 to 6 ft | 2.75 | 22.50 | 175.00 |
| | 6 to 8 ft | 3.75 | 27.50 | |
| | pyracantha lalandi. Laland Fir | ethorn. | 10' | |
| | 18 to 24 in. bushyB. & B. | 2.50 | 20.00 | 150.00 |
| | 2 to 3 ft. bushy_B. & B. | 3.00 | 25.00 | 200.00 |
| | 3 to 3½ ftB. & B. | 4.00 | 35.00 | 250.00 |
| | 12 to 15 in., 4 in. pots | 1.25 | 10.00 | |
| | pyracantha yunnanensis. 10' | | | |
| | 12 to 18 in., 4 inch pots | 1.00 | 7.50 | |
| | *succulenta. Fleshy Hawthorn. | 20' | | |
| | 2 to 3 ft | 2.00 | 15.00 | |
| | | 15' | | |
| | 3 to 4 ft | 2.00 | 15.00 | |
| | 4 to 5 ft | 2.50 | 20.00 | |
| | | | | |

| Crataegus | | | |
|-----------------------------------|------------|------------------|---------|
| * * * 1* 07/ | Each | Per 10 | Per 100 |
| *viridis. 35' 4 to 5 ft | 2.50 | 20.00 | |
| | | $20.00 \\ 25.00$ | |
| 5 to 6 ft6 to 8 ft | 4.00 | 30.00 | |
| | | | |
| Cryptomeria japonica. Common Cry | | ria. 25' | |
| 2 ftB. & B. | | | |
| 3 ftB. & B. | 6.00 | | |
| 4 ftB. & B. | 7.50 | | |
| 5 ftB. & B. | | | |
| japonica lobbi. Lobb Cryptome | | | |
| 2 ftB. & B. | | 50.00 | |
| 3 ftB. & B. | | 60.00 | |
| 4 ftB. & B. | | | |
| Cydonia japonica. Flowering Quinc | e. 5' | | |
| 2 to 3 ft | .50 | 4.00 | 30.00 |
| japonica Falconet Charlet. | | | |
| 2 to 3 ft | 2.00 | | |
| japonica pygmaea. Dwarf Jap. | Quine | ee. 3' | |
| 18 to 24 in | .60 | 5.00 | 40.00 |
| 2 to 3 ft | .75 | 6.00 | 50.00 |
| japonica rosea plena. | | | |
| Dbl. Pink Flg. Quince. | 5 ' | | |
| 15 to 18 in | 1.75 | | |
| 18 to 24 in | 2.00 | | |
| japonica umbilicata. Navel Flo | owerin, | g Quince. | 5' |
| 2 to 3 ft | .75 | 6.50 | 50.00 |
| 3 to 4 ft | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft | 1.25 | 10.00 | |
| maulei. Lesser Flowering Quir | nce. 5 | , | |
| 18 to 24 in | .75 | 6.00 | 50.00 |
| 2 to 3 ft | 1.00 | 7.50 | 60.00 |
| Daphne cneorum. Garland Flower. | 1' | | |
| 8 to 10 in. spreadB. & B. | 1.50 | 12.50 | 100.00 |
| 10 to 12 in. spread_B. & B. | 2.00 | 15.00 | 125.00 |
| mezereum. February Daphne. | 4' | | |
| 15 to 18 inB. & B. | 1.50 | 12.50 | 100.00 |
| 18 to 24 inB. & B. | 2.00 | 15.00 | 125.00 |
| 2 to 2½ ftB. & B. | 2.50 | 20.00 | 150.00 |
| mezereum alba. White Februar | | | |
| 18 to 24 inB. & B. | 2.00 | 17.50 | 150.00 |
| 24 to 30 inB. & B. | | | |

| | Each | Per 10 | Per 100 |
|------------------------------------|-------------|------------|---------|
| Davidia involucrata. Dovetree. 40' | ~ 00 | | |
| 10 to 12 in., 4 inch pots | 5.00 | | |
| Desmodium. (See Lespedeza). | | | - |
| Deutzia gracilis. Slender Deutzia. | 3' | | |
| 15 to 18 in | .35 | 2.50 | 18.00 |
| 18 to 24 in | .40 | 3.00 | 22.00 |
| 24 to 30 in | .60 | 4.50 | 35.00 |
| gracilis campanulata. Bellflower | r Deut | zia. 5' | |
| 18 to 24 in | .40 | 3.50 | 25.00 |
| 2 to 3 ft | .50 | 4.50 | 35.00 |
| 3 to 4 ft | .75 | 6.00 | |
| gracilis carminea. Carmine Des | utzia. | 4' | |
| 18 to 24 in | .50 | 4.00 | 30.00 |
| 2 to 3 ft | .60 | 5.00 | 40.00 |
| gracilis eximea. Pink Choice De | eutzia. | 5 ' | |
| 18 to 24 in | .50 | 4.00 | 30.00 |
| 2 to 3 ft | .60 | 5.00 | 40.00 |
| gracilis rosea. Rose-panicle Der | utzia. | 4' | |
| 18 to 24 in | .40 | 3.50 | 25.00 |
| 24 to 30 in | .50 | 4.50 | 35.00 |
| 2½ to 3 ft | .65 | 5.00 | 45.00 |
| 3 to 3½ ft | 1.00 | 7.50 | 60.00 |
| gracilis venusta. White-panicle | Deutzi | a. 5' | |
| 18 to 24 in | .50 | 4.00 | 30.00 |
| 24 to 30 in | .60 | 5.00 | 40.00 |
| 2½ to 3 ft | .75 | 6.00 | |
| lemoinei. Lemoine Deutzia. 5' | | | |
| 18 to 24 in | .40 | 3.00 | 20.00 |
| 24 to 30 in | .50 | 4.00 | 30.00 |
| 2½ to 3 ft | .65 | 5.00 | |
| lemoine avalanche. Avalanche | Deutzio | ı. 4' | |
| 2 to 2½ ft | .75 | 6.00 | 50.00 |
| 2½ to 3 ft | 1.00 | 7.50 | |
| parviflora. Mongolian Deutzia. | 5' | | |
| 18 to 24 in | .50 | 4.00 | 30.00 |
| 2 to 3 ft | .60 | 5.00 | 40.00 |
| scabra. Fuzzy Deutzia. 12' | | | |
| 2 to 3 ft | 35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 35.00 |
| 5 to 6 ft | .60 | 5.00 | 45.00 |

Deutzia

| | Each | Per 10 | Per 100 |
|--|----------|---------|---------|
| scabra candidissima. Snowflake | Deutzia. | 12' | |
| .2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 35.00 |
| scabra Pride of Rochester. 12' | | | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 35.00 |
| 5 to 6 ft | .65 | 5.00 | 45.00 |
| scabra rosea plena. 12' | | | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 35.00 |
| 5 to 6 ft | .65 | 5.00 | 45.00 |
| 6 to 8 ft | .75 | 6.50 | 55.00 |
| scabra watereri. Waterer's Dew | tzia. 12 | • | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 35.00 |
| 5 to 6 ft | .65 | 5.00 | 45.00 |
| scabra wellsi. Wells Deutzia. | 12' | | |
| 2 to 3 ft | .50 | 4.00 | |
| 3 to 4 ft | .60 | 5.00 | |
| 4 to 5 ft | .75 | 6.00 | |
| vilmorinae. Vilmorin Deutzia. | 10' | | |
| 3 to 4 ft | .75 | 6.00 | |
| 4 to 5 ft | 1.00 | | |
| Diervilla sessilifolia. Southern Bush | h Honeus | suckle. | 5' |
| 2½ to 3 ft | .50 | 4.00 | 35.00 |
| 3 to 4 ft | .60 | 5.00 | 40.00 |
| 4 to 5 ft | .75 | 6.00 | 50.00 |
| trifida. Dwarf Bush Honeysuch | kle. 3' | | |
| 2 to 3 ft | .55 | 4.50 | 40.00 |
| 3 to 4 ft | .65 | 5.00 | 45.00 |
| (See also Weigela) | | | |
| Diospyros virginiana. Common Per | eimmon | 15' | |
| 5 to 6 ft | 1.60 | 10 | |
| 6 to 8 ft | 2.25 | | |
| · · · · · · · · · · · · · · · · · · · | | | |
| Dirca palustris. Leatherwood. 6' 18 to 24 in | 1.05 | 10.00 | |
| 10 00 24 111 | 1.25 | 10.00 | |

| | | E | ach | Per 10 | Per 100 |
|------------|---------------|--------------------|--------|--------|--------------|
| Elaeagnus | - | Russian Oliv | e. 20' | | |
| _ | | | .50 | 4.00 | 30.00 |
| _ | | | .60 | 5.00 | 40.00 |
| _ | | | .75 | 6.00 | 50.00 |
| - | | | 25 | 10.00 | 75.00 |
| | to 10 ft | | .50 | 12.50 | 100.00 |
| 10 | to 12 ft | | 2.50 | 20.00 | |
| argent | | erry. 12' | | | |
| _ | | | .60 | 4.50 | 40.00 |
| _ | | | .75 | 6.50 | 50.00 |
| - | | | 1.00 | 7.50 | |
| | | | L.25 | 10.00 | |
| longip | U | Elaeagnus. 6' | | | |
| - | | | 1.00 | 8.50 | |
| • | | | 1.25 | 10.00 | |
| umbel | | n $Elaeagnus.$ | 12' | | |
| _ | | | .55 | 4.50 | 40.00 |
| _ | | | .65 | 5.50 | 50.00 |
| _ | | | .75 | 6.50 | 60.00 |
| _ | | | l.25 | 10.00 | 75.00 |
| - | | | 2.50 | 15.00 | 125.00 |
| 8 | to 10 ft | | 3.00 | 25.00 | |
| Elsholtzia | stauntoni. 4' | • | | | |
| 18 | to 24 in | | .50 | 4.50 | 40.00 |
| 2 | to 3 ft | | .65 | 5.50 | 50.00 |
| 3 | to 4 ft | | .75 | 6.50 | |
| Enkianthu | s campanulat | us. Redvein | Enkian | thus. | 15' |
| | to 18 in | | 2.00 | 17.50 | |
| Erica carn | | | | | |
| | | | .25 | 10.00 | |
| darley | | ndii poob | 0 | 10.00 | |
| • | | nch pots 1 | 25 | 10.00 | |
| | • | - | 20 | 10.00 | |
| vagan | | | 05 | 10.00 | |
| | • | | .25 | 10.00 | |
| _ | | ged Euonymus | | | |
| | | | .75 | 6.50 | 60.00 |
| 3 | | | 1.00 | 8.00 | 75.00 |
| 4 | | | 2.00 | 15.00 | 125.00 |
| | | La cooling in cool | 8' | | |
| _ | | | .65 | 5.00 | 40.00 |
| _ | | | .75 | 6.00 | 50.00 |
| 4 | to 5 ft | 1 | .00 | 7.50 | |

Euonymus

| · | Each | Per 10 | Per 100 |
|--------------------------------|-------|--------|---------|
| atropurpureus. Native Wahoo. | 15' | | |
| 2 to 3 ft | .45 | 3.50 | 30.00 |
| 3 to 4 ft | .55 | 4.50 | 40.00 |
| 4 to 5 ft | .75 | 6.00 | 50.00 |
| 5 to 6 ft | 1.00 | 7.50 | 65.00 |
| bungeanus. Winterberry Euon | - | 15' | |
| 2 to 3 ft | .45 | 3.50 | 30.00 |
| 3 to 4 ft | .55 | 4.50 | 40.00 |
| 4 to 5 ft | .75 | 6.00 | 50.00 |
| 5 to 6 ft | 1.00 | 7.50 | 65.00 |
| 6 to 8 ft | 1.25 | 10.00 | 75.00 |
| 8 to 10 ft | 1.50 | 12.50 | 100.00 |
| europaeus. European Burning | Bush. | 15' | |
| 2 to 3 ft | .45 | 3.50 | 30.00 |
| 3 to 4 ft | .55 | 4.50 | 40.00 |
| 4 to 5 ft | .75 | 6.00 | 50.00 |
| 5 to 6 ft | 1.00 | 7.50 | 65.00 |
| 6 to 8 ft | 1.25 | 10.00 | 75.00 |
| europeus fructu-coccineus. 15' | | | |
| 2 to 3 ft | .50 | 4.50 | 40.00 |
| 3 to 4 ft | .65 | 5.50 | 50.00 |
| 4 to 5 ft | .75 | 6.50 | 60.00 |
| 5 to 6 ft | 1.00 | 7.50 | |
| latifolius. Broadleaf Burning | Bush. | 10' | |
| 4 to 5 ft | 1.00 | 7.50 | |
| 5 to 6 ft | 1.25 | 10.00 | |
| maacki. 10' | | | |
| 2 to 3 ft | .60 | 5.00 | 45.00 |
| 3 to 4 ft | .75 | 6.00 | 55.00 |
| 4 to 5 ft | 1.00 | 7.50 | 65.00 |
| 5 to 6 ft | 1.25 | 10.00 | |
| nanus. Dwarf Burningbush. 2 | , | | |
| 18 to 24 in | .65 | 5.00 | 40.00 |
| obovatus. Running Euonymus. | 1' | | |
| 8 to 10 in | .35 | 3.00 | 25.00 |
| patens syn. sieboldianus. 8' | | | |
| 18 to 24 in | .75 | 6.00 | 50.00 |
| 2 to 3 ft | 1.00 | 8.50 | 75.00 |
| radicans. Wintercreeper. 15' | | | |
| 8 to 12 in | .30 | 2.50 | 20.00 |
| 12 to 15 in | .40 | 3.00 | 25.00 |
| 15 to 18 in | .50 | 4.00 | 30.00 |
| | | | |

| PAINESVILLE, | $_{\rm OHIO}$ | | 41 |
|--------------------------------------|-------------------|----------------|---------------|
| Euonymus | | | |
| | Each | Per 10 | Per 100 |
| radicans acutus. Sharpleaf W | | eper. 1' | |
| 12 to 15 in | .50 | 4.00 | 35.00 |
| 15 to 18 in | .60 | 5.00 | 45.00 |
| radicans argenteo-marginatus. | | | |
| Silveredge Wintercreeper. | 1' | | |
| 8 to 12 in | .30 | 2.50 | 20.00 |
| 12 to 15 in | .40 | 3.00 | 25.00 |
| 15 to 18 in | .50 | 4.00 | 30.00 |
| radicans carrieri. Glossy Win | tercreep | er. 3' | |
| 12 to 15 in | .50 | 4.00 | 30.00 |
| 15 to 18 in | .60 | 5.00 | 40.00 |
| radicans colorata. 10' | | | |
| 12 to 15 in | .50 | 4.00 | 35. 00 |
| 15 to 18 in | .60 | 5.00 | 40.00 |
| 18 to 24 in | .75 | 6.50 | |
| radicans kewensis. Baby Win | tercreep | er. 1' | |
| 8 to 12 in. from pots | | 4.00 | 32.00 |
| 12 to 15 in. from pots | | 5.00 | 40.00 |
| radicans vegetus. Bigleaf Win | | er. 4' | |
| 12 to 15 in | .60 | 4.50 | 37.00 |
| 15 to 18 in | .65 | 5.50 | 45.00 |
| 18 to 24 in | .75 | 6.50 | 55.00 |
| sieboldianus (see patens) | | | |
| | 4.04 | | |
| yedoensis. Yeddo Euonymus. 2 to 3 ft | <i>10'</i> .75 | 6.0 0 | 50.00 |
| 3 to 4 ft | 1.00 | $6.00 \\ 7.50$ | 65.00 |
| | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft 5 to 6 ft | 1.60 | 10.00 12.50 | 10.00 |
| | 1.00 | 12.00 | |
| *Euptelea polyandra. 20' | | | |
| 2 to 3 ft | 3.00 | 25.00 | |
| 3 to 4 ft | 3.50 | 30.00 | |
| Exochorda grandiflora. Pearl Bush | h. 10' | | |
| 2 to 3 ft | .45 | 3.50 | 25.00 |
| 3 to 4 ft | .50 | 4.00 | 30.00 |
| 4 to 5 ft | .60 | 5.00 | 40.00 |
| 5 to 6 ft | .75 | 6.00 | 50.00 |
| 6 to 8 ft | 1.25 | 10.00 | 75.00 |
| 8 to 10 ft | 2.00 | 15.00 | |
| 5 to 6 ft. specimens | 5.00 | | |
| 6 to 7 ft. specimens | 7.50 | | |

| Each Per 10 | Per 100 |
|--|--------------------------|
| *Fagus americana. American Beech. 60' | |
| 2 to 3 ft 2.50 20.00 | |
| 3 to 4 ft 3.00 25.00 | |
| 4 to 5 ft 4.00 35.00 | |
| 5 to 6 ft 5.00 45.00 | |
| 6 to 8 ft 7.50 60.00 | |
| *sylvatica. European Beech. 75' | |
| 3 to 4 ft 3.00 25.00 | 225.00 |
| 4 to 5 ft 4.50 35.00 | 325.00 |
| 5 to 6 ft 5.50 45.00 | 400.00 |
| 6 to 8 ft 7.50 65.00 | 600.00 |
| 8 to 10 ft 10.00 90.00 | |
| 10 to 12 ft 12.50 | |
| 12 to 14 ft 17.50 | |
| *sylvatica heterophylla. Fernleaf Beech. 25' | |
| 4 to 5 ft 7.50 | |
| 5 to 6 ft 10.00 | |
| *sylvatica pendula. Weeping Beech. 50' | |
| 4 to 5 ft 7.50 | |
| 5 to 6 ft 10.00 | |
| 6 to 8 ft 12.50 | |
| | |
| *sylvatica purpurea. Purple Beech. 75' | 6 |
| 3 to 4 ft 6.50 60.00 | 6 |
| | 6 |
| 3 to 4 ft 6.50 60.00 4 to 5 ft 7.50 65.00 5 to 6 ft 10.00 75.00 | 6 |
| 3 to 4 ft | 6 |
| 3 to 4 ft. 6.50 60.00 4 to 5 ft. 7.50 65.00 5 to 6 ft. 10.00 75.00 6 to 8 ft. 12.50 8 to 10 ft. 15.00 | • |
| 3 to 4 ft | , 5' |
| 3 to 4 ft6.50 60.00 4 to 5 ft7.50 65.00 5 to 6 ft10.00 75.00 6 to 8 ft12.50 8 to 10 ft15.00 *sylvatica purpurea riversi. River's Beech. 78 5 to 6 ft10.00 | , 5' |
| 3 to 4 ft6.50 60.00 4 to 5 ft7.50 65.00 5 to 6 ft10.00 75.00 6 to 8 ft12.50 8 to 10 ft15.00 *sylvatica purpurea riversi. River's Beech. 75 5 to 6 ft10.00 6 to 8 ft12.50 | 5' |
| 3 to 4 ft6.50 60.00 4 to 5 ft7.50 65.00 5 to 6 ft10.00 75.00 6 to 8 ft12.50 8 to 10 ft15.00 *sylvatica purpurea riversi. River's Beech. 78 5 to 6 ft10.00 6 to 8 ft12.50 8 to 10 ft15.00 | 5' |
| 3 to 4 ft | 5' |
| 3 to 4 ft. 6.50 60.00 4 to 5 ft. 7.50 65.00 5 to 6 ft. 10.00 75.00 6 to 8 ft. 12.50 8 to 10 ft. 15.00 *sylvatica purpurea riversi. River's Beech. 75 5 to 6 ft. 10.00 6 to 8 ft. 12.50 8 to 10 ft. 15.00 10 to 12 ft., 1½ to 2 in. 22.50 *sylvatica tricolor. Tricolor Beech. 75' 4 to 5 ft. 7.50 5 to 6 ft. 10.00 6 to 8 ft. 12.50 8 to 10 ft. 15.00 10 to 12 ft., 1½ to 2 in. 15.00 10 to 12 ft., 15.00 10 to 12 ft., 15.00 10 to 15 ft. 15.00 | 57 |
| 3 to 4 ft | |
| 3 to 4 ft. 6.50 60.00 4 to 5 ft. 7.50 65.00 5 to 6 ft. 10.00 75.00 6 to 8 ft. 12.50 8 to 10 ft. 15.00 *sylvatica purpurea riversi. River's Beech. 75 5 to 6 ft. 10.00 6 to 8 ft. 12.50 8 to 10 ft. 15.00 10 to 12 ft., 1½ to 2 in. 22.50 *sylvatica tricolor. Tricolor Beech. 75' 4 to 5 ft. 7.50 5 to 6 ft. 10.00 6 to 8 ft. 12.50 8 to 10 ft. 15.00 Fontanesia fortunei. Fortune Fontanesia. 15' 3 to 4 ft. 75 6.50 | 50.00 |
| 3 to 4 ft. 6.50 60.00 4 to 5 ft. 7.50 65.00 5 to 6 ft. 10.00 75.00 6 to 8 ft. 12.50 8 to 10 ft. 15.00 *sylvatica purpurea riversi. River's Beech. 75 5 to 6 ft. 10.00 6 to 8 ft. 12.50 8 to 10 ft. 15.00 10 to 12 ft., 1½ to 2 in. 22.50 *sylvatica tricolor. Tricolor Beech. 75' 4 to 5 ft. 7.50 5 to 6 ft. 10.00 6 to 8 ft. 12.50 *sylvatica tricolor. Tricolor Beech. 75' 4 to 5 ft. 7.50 5 to 6 ft. 10.00 6 to 8 ft. 12.50 8 to 10 ft. 15.00 Fontanesia fortunei. Fortune Fontanesia. 15' 3 to 4 ft. 7.5 6.50 4 to 5 ft. 1.25 10.00 | 50.00 75.00 |
| 3 to 4 ft. 6.50 60.00 4 to 5 ft. 7.50 65.00 5 to 6 ft. 10.00 75.00 6 to 8 ft. 12.50 8 to 10 ft. 15.00 *sylvatica purpurea riversi. River's Beech. 75 5 to 6 ft. 10.00 6 to 8 ft. 12.50 8 to 10 ft. 15.00 10 to 12 ft., 1½ to 2 in. 22.50 *sylvatica tricolor. Tricolor Beech. 75' 4 to 5 ft. 7.50 5 to 6 ft. 10.00 6 to 8 ft. 12.50 8 to 10 ft. 15.00 The following for the following formulation for the following formulation for the following formulation for the following formulation for the following following for the following following for f | 50.00 75.00 100.00 |
| 3 to 4 ft. 6.50 60.00 4 to 5 ft. 7.50 65.00 5 to 6 ft. 10.00 75.00 6 to 8 ft. 12.50 8 to 10 ft. 15.00 *sylvatica purpurea riversi. River's Beech. 75 5 to 6 ft. 10.00 6 to 8 ft. 12.50 8 to 10 ft. 15.00 10 to 12 ft., 1½ to 2 in. 22.50 *sylvatica tricolor. Tricolor Beech. 75' 4 to 5 ft. 7.50 5 to 6 ft. 10.00 6 to 8 ft. 12.50 *sylvatica tricolor. Tricolor Beech. 75' 4 to 5 ft. 7.50 5 to 6 ft. 10.00 6 to 8 ft. 12.50 8 to 10 ft. 15.00 Fontanesia fortunei. Fortune Fontanesia. 15' 3 to 4 ft. 7.5 6.50 4 to 5 ft. 1.25 10.00 | 50.00 75.00 |

| | | Each | Per 10 | Per 100 |
|-----------------|-----------------------|----------|-------------|---------------|
| Forsythia inter | media. Border Forsy | thia. | 8' | |
| 2 to | 3 ft | .40 | 3.00 | 20.00 |
| 3 to | 4 ft | .50 | 3.50 | 25.00 |
| 4 to | 5 ft | .60 | 4.50 | 35.00 |
| 5 to | 6 ft | .75 | 6.50 | 50.00 |
| 6 to | 7 ft | 1.00 | 7.50 | 65.00 |
| intermedia | spectabilis. Showy | Border | For sythia. | 8' |
| 2 to | 3 ft | .40 | 3.00 | 20.00 |
| 3 to | 4 ft | .50 | 3.50 | 25.00 |
| 4 to | 5 ft | .65 | 5.00 | 40.00 |
| 5 to | 6 ft | .75 | 6.50 | |
| suspensa. | Weeping Forsythia. | 6' | | |
| 2 to | 3 ft | .50 | 4.00 | 30.00 |
| 3 to | 4 ft | .60 | 4.50 | 35.00 |
| 4 to | 5 ft | .75 | 6.00 | |
| 5 to | 6 ft | 1.00 | 7.50 | |
| suspensa | atrocaulis. Purple st | em Fo | rsythia. 6' | |
| 2 to | 3 ft | .75 | 6.00 | |
| 3 to | 4 ft | 1.00 | 8.50 | |
| 4 to | 5 ft | 1.25 | 10.00 | |
| 5 to | 6 ft | 1.50 | 12.50 | |
| suspensa | fortunei. Golden Bel | l. 8' | | |
| 2 to | 3 ft | .40 | 3.00 | 20.00 |
| 3 to | 4 ft | .50 | 3.50 | 25.00 |
| 4 to | 5 ft | .60 | 4.50 | 35.00 |
| 5 to | 6 ft | .75 | 6.50 | 50. 00 |
| suspensa | sieboldi. Siebold For | rsythia. | . 8' | |
| 2 to | 3 ft | .40 | 3.00 | 20.00 |
| 3 to | 4 ft | .50 | 3.50 | 25.00 |
| 4 to | 5 ft | .65 | 5.00 | 40.00 |
| 5 to | 6 ft | .75 | 6.50 | 50.00 |
| 6 to | 8 ft | 1.00 | 7.50 | |
| viridissim | | hia. 8 | , | |
| 2 to | 3 ft | .35 | 2.50 | 18.00 |
| 3 to | 4 ft | .40 | 3.00 | 22.00 |
| 4 to | 5 ft | .60 | 4.50 | 35.00 |
| 5 to | 6 ft | .75 | 5.50 | 45.00 |

| | | Each | Per 10 | Per 100 |
|-------------------|-------------------|----------------|--------------|------------------------|
| Fraxinus ameri | cana. White Ash. | 80' | | |
| 8 to | 10 ft | _ 1.75 | 15.00 | 125.00 |
| 1¼ to | 1½ in | 2.25 | 17.50 | 150.00 |
| 1½ to | 1¾ in | $_{-}$ 2.75 | 25.00 | 200.00 |
| 1¾ to | 2 in | _ 3.50 | 32.50 | 300.00 |
| 2 to | 2½ in | _ 5.00 | 45.00 | 400.00 |
| 2½ to | 3 in | _ 6.0 0 | 50.00 | |
| 3 to | | 7.50 | 60.00 | |
| 3½ to | 4 in | 8.50 | | |
| 4 to | 4½ in | 10.00 | | |
| excelsior. | European Ash. 10 | 00' | | |
| 8 to | 10 ft | _ 1.25 | 11.00 | 90.00 |
| 1¼ to | 1½ in | _ 2.00 | 16.00 | 125.00 |
| 1½ to | 1¾ in | _ 2.25 | 20.00 | 1 60.0 0 |
| 1% to | 2 in | $_{-}$ 2.50 | 22.50 | 200.00 |
| 2 to | 2½ in | 3.50 | 32.50 | 300.00 |
| $2\frac{1}{2}$ to | | | 37.50 | |
| 3 to | · ·- | | 60.00 | |
| $3\frac{1}{2}$ to | | | | |
| 4 to | 4½ in | _ 10.00 | | |
| lanceolata. | Green Ash. 60' | | | |
| 8 to | 10 ft | 1.25 | 11.00 | 90.00 |
| 11/4 to | 1½ in | 2.00 | 16.00 | 125.00 |
| 1½ to | 1¾ in | 2.25 | 20.00 | 175.00 |
| 1¾ to | 2 in | 3.00 | 27.50 | 250.00 |
| 2 to | ·- | | 32.50 | 300.00 |
| $2\frac{1}{2}$ to | | | 37.50 | |
| 3 to | ·- | | 60.00 | |
| 3½ to | 4 in | _ 7.50 | | |
| mandshuri | ca. Manchurian As | h. 80' | | |
| . 6 to | | | 20.00 | |
| 8 to | 10 ft | _ 3.00 | 25.00 | |
| 11/4 to | | | 30.00 | |
| 1½ to | 1¾ in | _ 4.00 | 35.00 | |
| nigra. Bla | ick Ash. 80' | | | |
| 8 to | 10 ft | _ 1.50 | 12.50 | |
| 1½ to | 1½ in | _ 2.00 | 16.00 | |
| 1½ to | 1% in | _ 2.25 | 20.00 | |
| 19/ 1 | T /4 **** | | _0.00 | |
| 1% to | . – | | 27.50 | |
| 1 % to 2 to | 2 in | 3.00 | | |

| Fraxinus | | | |
|------------------------------------|---------------|------------|------------|
| 1 1 D 1 4 1 and | Each | Per 10 | Per 100 |
| pennsylvanica. Red Ash. 60' | 4.50 | 07.50 | |
| 2½ to 3 in | 4.50 | 37.50 | |
| 3 to 3½ in | 6.50 | | |
| quadrangulata. Blue Ash. 80 | | | |
| 2 to 2½ in | | 32.50 | |
| 2½ to 3 in | 4.50 | 37.50 | |
| 3 to 3½ in | 6.50 | 50.00 | |
| Genista juncea. 2' | | | |
| 15 to 18 in | .75 | 6.00 | |
| scoparia andreana. Paradise B | room. | 10' | |
| 12 to 18 in | .75 | 5.00 | 40.00 |
| tinctoria. Woadwaxen. 3' | | | |
| 18 to 24 in | .60 | 5.00 | 40.00 |
| 2 to 3 ft | .75 | 6.00 | |
| Ginkgo biloba. Maidenhair-tree. | 60' | | |
| 6 to 8 ft | | 25.00 | |
| 8 to 10 ft | 3.75 | 32.50 | |
| 1¼ to 1½ in | 4.50 | 37.50 | |
| 1½ to 1¾ in | 5.00 | 45.00 | |
| 1% to 2 in | | 50.00 | |
| 2 to 2½ in | 7.50 | | |
| 2½ to 3 in | 10.00 | | |
| Gleditschia triacanthos. Honey Loc | ust. 60 |) ' | |
| 4 to 5 ft | .75 | 6.50 | 50.00 |
| 5 to 6 ft | 1.00 | 7.50 | 60.00 |
| 6 to 8 ft | 1.25 | 10.00 | 90.00 |
| 8 to 10 ft | 2.00 | 15.00 | 125.00 |
| 10 to 12 ft | 2.75 | 25.00 | 175.00 |
| triacanthos inermis. Thornless | Honey | locust. 50 |) ' |
| 6 to 8 ft | 2.50 | 22.50 | 200.00 |
| 8 to 10 ft | 3.00 | 25.00 | 225.00 |
| Gordonia alatamaha. 20' | | | |
| 18 to 24 in B. & B. | 7.50 | | |
| Gymnocladus dioica. Kentucky Co | ffeetree. | . 40' | |
| 4 to 5 ft | 2.50 | 20.00 | |
| 5 to 6 ft | | 25.00 | |
| | | | |
| Halesia diptera. Two-wing Silverb | ен. 15 .75 | 6.00 | 50.00 |
| 4 to 5 ft | 1.00 | 7.50 | 60.00 |
| 4 NO O IN | 1.00 | 1.00 | 00.00 |

Halesia

| Each | Per 10 | Per 100 |
|--|------------|---------|
| tetraptera. Great Silverbell. 15' | | |
| 3 to 4 ft | 6.00 | 50.00 |
| 4 to 5 ft 1.00 | 7.50 | 60.00 |
| 5 to 6 ft 1.25 | 10.00 | 75.00 |
| 6 to 8 ft 2.00 | 15.00 | 125.00 |
| 8 to 10 ft 3.00 | 22.50 | 175.00 |
| 10 to 12 ft 5.00 | 35.00 | |
| 8 to 10 ft. specimens 10.00 | | |
| Hamamelis japonica. Japanese Witchhaze | l. 20'. | |
| 2 to 3 ft 2.00 | | |
| virginiana. Witch Hazel. 15' | | |
| 2 to 3 ft | 5.00 | 40.00 |
| 3 to 4 ft80 | 6.00 | 50.00 |
| 4 to 5 ft 1.00 | 7.50 | 60.00 |
| 5 to 6 ft 1.25 | 10.00 | 75.00 |
| 6 to 8 ft 1.50 | 12.50 | 100.00 |
| 8 to 10 ft 2.00 | 15.00 | |
| Hedera helix. English Ivy. 20' | | |
| 2 year, 4 in. pots60 | 5.00 | 40.00 |
| 3 year, 4 in. pots75 | 6.00 | 50.00 |
| helix gracilis. Small-leaved English I | vu. 10' | |
| 2 year, 3 in. pots60 | 5.00 | 40.00 |
| 3 year, 3 in. pots75 | 6.00 | 50.00 |
| Helwingia japonica. 5' | | |
| 6 to 8 in., 3 inch pots 1.50 | | |
| Hibiscus syriacus. Shrub Althea. 12' | | |
| double varieties. | | |
| 2 to 3 ft40 | 3.00 | 20.00 |
| 3 to 4 ft50 | 3.50 | 25.00 |
| 4 to 5 ft60 | 4.50 | 35.00 |
| 5 to 6 ft75 | 6.00 | 50.00 |
| 6 to 8 ft 1.00 | 7.50 | 60.00 |
| 8 to 10 ft. heavy 3.25 | 25.00 | |
| Ardens—Purple. | | |
| Banner—Blush. | | |
| Jeanne d'Arc-White. | | |
| Lady Stanley-White, shaded rose |) . | |
| Rubra Plena—Red. | | |

Speciosa Plena-Pink.

Hibiscus

| Hibiscus | | | |
|----------------------------------|--------|---------------|---------------|
| 1 1 | Each | Per 10 | Per 100 |
| single varieties. | 40 | 2.00 | 90.00 |
| 2 to 3 ft | .40 | 3.00 | 20.00 |
| 3 to 4 ft | .50 | 3.50 | 25.00 |
| 4 to 5 ft | .60 | 4.50 | 40.00 |
| 5 to 6 ft | 1.00 | 7.50 | 60.00 |
| 6 to 8 ft | 1.75 | 12.50 | |
| Coelestis—Blue. | | | |
| Rosea—White, crimson eye | • | | |
| Rubis—Red. | | | |
| Totus albus—White. | | | |
| variegatus. Variegated leaved | | | |
| 2 to 3 ft | .60 | 5.00 | 40.00 |
| 3 to 4 ft | .75 | 6.00 | 50.00 |
| 4 to 5 ft | 1.00 | 7.50 | 60.00 |
| variegatus meehani. Meehan's | Varieg | ated Alth | rea. 6' |
| 2 to 3 ft | 1.00 | 7.50 | 60.00 |
| Hicoria ovata. Shagbark Hickory. | 75' | | |
| 3 to 4 ft | 2.00 | | |
| 4 to 5 ft | 2.50 | | |
| Hippophae rhamnoides. Sea-buckth | | 2' | |
| 2 to 3 ft | .75 | 6.50 | 60.00 |
| | | 7.50 | 70.00 |
| | 1.00 | 7.50 | 10.00 |
| Holodiscus ariaefolius. 4' | | | |
| 18 to 24 in | 1.50 | | |
| *Hovenia dulcis. Raisintree. 6' | | | |
| 3 to 4 ft | 2.00 | 15. 00 | |
| 4 to 5 ft | 2.50 | 20.00 | |
| Hydrangea arborescens. Smooth H | udrana | ea. 6' | |
| 2 to 3 ft | .40 | 3.00 | 20.00 |
| 3 to 4 ft | .50 | 4.00 | 30.00 |
| 4 to 5 ft | .60 | 5.00 | 40.00 |
| arborescens grandiflora. Snowl | | | 6' |
| 2 to 3 ft | .40 | 3.00 | 20.00 |
| 3 to 4 ft | .50 | 4.00 | 30.00 |
| 4 to 5 ft | .75 | 6.50 | 50.00 |
| cineria sterilis. Ashy Hydrang | | 0.00 | |
| 2 to 3 ft | .75 | 6.00 | E0 00 |
| | 1.00 | 7.50 | 50.00 |
| 3 to 4 ft | 1.00 | 1.50 | 60.00 |
| opuloides Otaksa. 3' | 1.00 | 750 | c o oo |
| 4 year | 1.00 | 7. 50 | 60.00 |
| opuloides Thos. Hogg. 3' | 4.00 | | |
| 4 year | 1.00 | 7.50 | 60. 00 |

Hydrangea

| • | Each | Per 10 | Per 100 |
|---|-----------|------------|---------------|
| paniculata. Panicle Hydrangea | . 10' | | |
| 2 to 3 ft | .50 | 4.00 | 30.00 |
| 3 to 4 ft | .60 | 5.00 | 40.00 |
| 4 to 5 ft | .75 | 6.50 | 55.00 |
| 5 to 6 ft | 1.00 | 8.50 | 75.00 |
| paniculata grandiflora. Peegee | Hydr | angea. 10 | , |
| 2 to 3 ft | .40 | 3.00 | 22.00 |
| 3 to 4 ft | .50 | 4.00 | 30.00 |
| 4 to 5 ft | .65 | 5.50 | 45.00 |
| 3 to 4 ft. tree form | 1.25 | 10.00 | |
| 4 to 5 ft. tree form | 1.60 | 12.50 | |
| petiolaris. Climbing Hydrange | | | |
| 4 inch pots | 1.25 | 10.00 | |
| quercifolia. Oakleaf Hydrange | | | |
| 18 to 24 in | 1.25 | 10.00 | 75.00 |
| 2 to 3 ft | 1.60 | 12.50 | 100.00 |
| radiata. Silverleaf Hydrangea. | 6' | | |
| 2 to 3 ft | .60 | 5.00 | |
| 3 to 4 ft | .75 | 6.50 | |
| Hypericum aureum. Golden St. Joh | inswor | t. 4' | |
| 18 to 24 in | .50 | 4.00 | 35.00 |
| 2 to 3 ft | .65 | 5.00 | 40.00 |
| 3 to 4 ft | .75 | 6.00 | |
| bucklei. Mountain St. Johnswo | | | |
| 6 inches | .90 | 7.50 | |
| densiflorum. 5' | | | |
| 18 to 24 in | .50 | 4.00 | |
| 2 to 3 ft | .65 | 5.00 | |
| kalmianum. 4' | | | |
| 18 to 24 in | .50 | 4.00 | 30.00 |
| 2 to 3 ft | .65 | 5.00 | 40.00 |
| moserianum. Goldflower. 2' | | | |
| 15 to 18 in | .60 | 5.00 | 40.00 |
| 18 to 24 in | .75 | 6.00 | 50.00 |
| patulum. Japanese Hypericum | | 0.00 | |
| 18 to 24 in | .75 | 6.00 | |
| patulum henryi. Henry Hyper | | 4' | 50.00 |
| 18 to 24 in | .75 | 6.00 | 50.00 60.00 |
| 2 to 3 ftprolificum. Shrubby St. Johns | 1.00 | 7.50 5' | 00.00 |
| 18 to 24 in | wort. .50 | 4.00 | 35.00 |
| 2 to 3 ft | .60 | 5.00 | 45.00 |
| 4 W 0 II | .00 | 5.00 | 40.00 |

| THITTES TIBES, | 01110 | | |
|-----------------------------------|--------|------------|----------|
| | Each ' | Per 10 | Per 100 |
| Idesia polycarpa. 40' | | | |
| 6 to 8 ft | 6.00 | | |
| 8 to 10 ft | 7.50 | | |
| Ilex crenata. Japanese Holly. 10' | | | |
| 18 inB. & B. | 5.00 | 45.00 | 400.00 |
| 24 inB. & B. | 7.50 | 60.00 | 500.00 |
| 30 inB. & B. | 10.00 | 75.00 | |
| 36 inB, & B. | 12.50 | 100.00 | |
| crenata microphylla. Little Le | | anese Ho | lly. 10' |
| 18 inB. & B. | | | |
| 24 inB. & B. | 7.50 | | |
| geniculata. 5' | | | |
| 2 to 3 ft | 2.50 | 20.00 | |
| glabra. Inkberry. 8' | | | |
| 12 to 15 inB. & B. | 2.75 | 25.00 | 200.00 |
| 15 to 18 inB. & B. | 3.00 | 27.50 | 225.00 |
| 18 to 24 inB. & B | 3.50 | 30.00 | 275.00 |
| 24 to 30 inB. & B. | 4.00 | 37.50 | |
| laevigata. Smooth Winterberry | ı. 6' | | |
| 2 to 3 ft | .75 | 6.00 | 50.00 |
| 3 to 4 ft | 1.25 | 10.00 | 75.00 |
| monticola. Mountain Winterbe | rry. | 10' | |
| 2 to 3 ft | .75 | 6.50 | |
| 3 to 4 ft | 1.00 | 7.50 | |
| opaca. American Holly. 40' | | | |
| 2 ftB. & B. | 6.00 | 50.00 | 450.00 |
| 3 ftB. & B. | 7.50 | 65.00 | 600.00 |
| 4 ftB. & B. | 12.50 | 100.00 | |
| 5 ftB. & B. | 15.00 | | |
| serrata. syn. sieboldi. Finetoo | th Hol | ly. 12' | |
| 2 to 3 ft | 1.50 | 12.50 | |
| 3 to 4 ft | 2.00 | 15.00 | |
| verticillata. Common Winterber | ry. 6' | | |
| 2 to 3 ft | .75 | 6.00 | 50.00 |
| 3 to 4 ft | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft | | 12.50 | 100.00 |
| verticillata chrysocarpa. | | | |
| Yellow-fruited Winterl | berry. | 6 ' | |
| 2 to 3 ft | 2.00 | | |
| Indigofera amblyantha. Pink Indig | | | |
| 2 to 3 ft | 2.50 | | |
| potanini. Potanin Indigo. 5' | | | |
| 3 to 4 ft | 2.00 | | |
| 4 . ~ 2. | | | |

4 to 5 ft._____ 3.00

| | Each | Per 10 | Per 100 |
|------------------------------------|---------------|---------------|---------|
| Itea virginica. Sweetspire. 3' | | | |
| 2 to 3 ft | .75 | 6.00 | |
| Jamesia americana. 3' | | | |
| 6 to 12 in 3 inch pots | 1.50 | | |
| | | | |
| Jasminum nudiflorum. Winter Jasa | nine. | 3' | |
| 15 to 18 in | .50 | 4.00 | 30.00 |
| 18 to 24 in | .75 | 5.00 | 40.00 |
| Juglans cinerea. Butternut. 75' | | | |
| 6 to 8 ft | 1.60 | 12.50 | |
| 8 to 10 ft | 2.00 | 16.00 | |
| 1½ to 1¾ in | 2.50 | 22.50 | |
| 1¾ to 2 in | 3.25 | 27.50 | |
| 2 to 2½ in | 3.75 | 35.00 | |
| 2½ to 3 in | 5.00 | 40.00 | |
| 3 to 3½ in | 7.5 0 | 50.00 | |
| nigra. Black Walnut. 80' | | | |
| 6 to 8 ft | 1.60 | 12.50 | 100.00 |
| 8 to 10 ft | 2.00 | 16.00 | 125.00 |
| 1½ to 1¾ in | 2.50 | 22.50 | 220.00 |
| | , . | ~^* | |
| regia. English or Persian Wal | | <i>50'</i> | |
| 2 to 3 ft | 1.25 | | |
| 3 to 4 ft | 1.75 | | |
| 4 to 5 ft | 2.50 | | 4 |
| sieboldiana. Japanese Walnut. | <i>50</i> ′ | | |
| 6 to 8 ft | 2.00 | 16.00 | |
| 8 to 10 ft | 2.25 | 20.00 | |
| 1½ to 1¾ in | 2.75 | 25. 00 | |
| 1¾ to 2 in | 3.50 | 32.50 | |
| 2 to 2½ in | 5.00 | | |
| Juniperus chinensis. Chinese Junip | er. 2 | 0' | |
| 2 ftB. & B. | 5.00 | 45.00 | 400.00 |
| 3 ftB. & B. | 6.50 | 55.00 | 500.00 |
| 9 | 10.00 | 75.00 | |
| 5 ftB. & B. | 15.00 | | |
| | 18.50 | | |
| | 22.50 | | |
| 8 ftB. & B. | 27. 50 | | |

```
Juniperus
```

| nperus | Each | Per 10 | Per 100 |
|----------------------------------|----------|---|---------|
| chinensis albovariegata. | 234021 | | |
| Whiteleaf Chinese Juniper | . 20' | | |
| 3 ftB. & B. | 12.50 | | |
| 4 ftB. & B. | 15.00 | | |
| 5 ftB. & B. | 18.50 | | |
| 6 ftB. & B. | 25.00 | | |
| chinensis globosa. Globe Chine | ese Ju | niper. 5' | |
| 18 inB. & B. | 8.50 | 75.00 | |
| 24 inB. & B. | | | |
| chinensis mas. 10' | | | |
| 2 ftB. & B. | 6.00 | 55.00 | |
| 2½ ftB. & B. | 7.50 | 65.00 | |
| chinensis neaboriensis. Conical | Chine | se Juniner. | 10' |
| 3 ftB. & B. | | 00 000000000000000000000000000000000000 | |
| 4 ftB. & B. | | | |
| 5 ftB. & B. | | | |
| 6 ftB. & B. | | | |
| 7 ftB. & B. | | | |
| 8 ftB. & B. | | | |
| chinensis oblonga. 8' | 20.00 | | |
| 18 to 24 inB. & B. | 6.00 | | |
| 3 ftB. & B. | 7.50 | | |
| | | | |
| chinensis pfitzeriana. Pfitzer's | _ | per. 6' | 000.00 |
| 18 to 24 in. sprd. B. & B. | | 25.00 | 200.00 |
| 2 to 2½ ft. sprd. B. & B. | | 35.00 | 300.00 |
| 2½ to 3 ft. sprd. B. & B. | 6.00 | 45.00 | 400.00 |
| 3 to 3½ ft. sprd. B. & B. | 7.50 | 65.00 | 550.00 |
| 3½ to 4 ft. sprd. B. & B. | 10.00 | 85.00 | 750.00 |
| · | 12.50 | 100.00 | |
| 4½ to 5 ft. sprd. B. & B. | | 150.00 | |
| (Upright form can be furnished | | | 3') |
| chinensis sargenti. Sargent Jun | iper. 2' | • | |
| | 5.00 | | |
| 18 inB. & B. | 6.00 | | |
| communis. Common Juniper. | 25' | | |
| 2 ftB. & B. | 2.50 | 22.50 | 175.00 |
| 3 ftB. & B. | 3.00 | 25.00 | 200.00 |
| 4 ftB. & B. | 4.50 | 35.00 | 300.00 |
| 5 ftB. & B. | 6.50 | 50.00 | 400.00 |
| 6 ftB. & B. | 8.00 | 65.00 | |
| | 12.50 | | |

| | Each | Per 10 | Per 100 |
|-------------------------------|----------|--------|---------|
| communis depressa. Prostrate | Juniper | . 3' | |
| 18 to 24 in. sprd. B. & B. | 3.00 | 25.00 | 200.00 |
| 24 to 30 in. sprd. B. & B. | 3.50 | 30.00 | 250.00 |
| 2½ to 3 ft. sprd. B. & B. | 5.00 | 40.00 | 350.00 |
| 3 to 4 ft. sprd. B. & B. | 7.00 | 50.00 | 450.00 |
| 4 to 5 ft. sprd. B. & B. | 10.00 | 75.00 | |
| communis depressa aurea. | | | |
| Golden Prostrate Juniper. | 3' | | |
| 18 to 24 in. sprd. B. & B. | 3.50 | 30.00 | |
| 24 to 30 in. sprd. B. & B. | 4.00 | 35.00 | 300.00 |
| 2½ to 3 ft. sprd. B. & B. | 5.00 | 40.00 | 350.00 |
| 3 to 3½ ft. sprd. B. & B. | 6.50 | 50.00 | 450.00 |
| 3½ to 4 ft. sprd. B. & B. | 7.50 | 65.00 | |
| communis depressa plumosa. | | | |
| Purple Spreading June | iper. 3' | | |
| 12 to 15 inB. & B. | | 25.00 | |
| communis hibernica. Irish Ju | niper | 15' | |
| 2 ftB. & B. | 2.50 | 22.50 | 200.00 |
| 3 ftB. & B. | 3.50 | 30.00 | 250.00 |
| 4 ftB. & B. | 5.00 | 45.00 | 400.00 |
| 5 ftB. & B. | 6.50 | 55.00 | 500.00 |
| 6 ftB. & B. | 8.50 | 70.00 | 600.00 |
| communis kraccovica. Polish . | Juniper. | 10' | |
| 2 ftB. & B. | 4.00 | | |
| 3 ftB. & B. | 5.00 | | |
| communis suecica. Swedish Ji | ıniper. | 25' | |
| 2 ftB. & B. | 3.50 | 30.00 | 250.00 |
| 3 ftB. & B. | 5.00 | 40.00 | 350.00 |
| 4 ftB. & B. | 6.50 | 55.00 | 30000 |
| communis suecica nana. | | | |
| Dwarf Swedish Juniper. 6 | " | | |
| 2 ftB. & B. | 4.00 | 35.00 | 300.00 |
| 3 ftB. & B. | 5.00 | 40.00 | 350.00 |
| 4 ftB. & B. | 7.50 | 60.00 | |
| conferta. Shore Juniper. 5' | | | |
| 15 inB. & B. | 5.00 | | |
| 18 inB. & B. | 6.00 | | |

| | Each | Per 10 | Per 100 |
|-------------------------------|----------|--------------|---------|
| excelsa. Greek Juniper. 50' | | | |
| 2 ftB. & B. | 2.50 | 22.50 | 200.00 |
| 3 ftB. & B. | 3.50 | 30.00 | |
| 4 ftB. & B | 5.00 | 40.00 | |
| 5 ftB. & B | 6.50 | 55.00 | |
| 6 ftB. & B. | 8.50 | 70.00 | |
| 7 ftB. & B. | 9.00 | 80.00 | 750.00 |
| 8 ftB. & B. | 10.00 | 90.00 | 850.00 |
| 9 ftB. & B. | 12.50 | 110.00 | |
| excelsa stricta. Spiny Greek | Juniper | 6' | |
| 18 inB. & B. | 3.50 | 30.00 | 250.00 |
| 2 ftB. & B. | 4.50 | 40.00 | 350.00 |
| 2½ ftB. & B. | 6.00 | 50.00 | 400.00 |
| 3 ftB. & B. | 7.50 | 60.00 | 500.00 |
| 3½ ftB. & B. | 10.00 | 75.00 | |
| 4 ftB. & B. | 12.50 | 100.00 | |
| 4½ ftB. & B. | 15.00 | 125.00 | |
| 5 ftB. & B. | 18.50 | | |
| 5½ ftB. & B. | 20.00 | | |
| 6 ftB. & B. | 25.00 | | |
| horizontalis. Creeping Junipe | r. 1' | | |
| 18 to 24 in. sprd. B.&B | . 3.00 | 25.00 | 200.00 |
| 24 to 30 in. sprd. B.&B | | 30.00 | 250.00 |
| 2½ to 3 ft. sprd. B.&B | . 4.00 | 35.00 | 300.00 |
| 3 to 3½ ft. sprd. B.&B | . 6.00 | 50.00 | 400.00 |
| horizontalis glauca. Blue Cr | eeping | Juniper. | 1' |
| 18 to 24 in. sprd. B.&B | . 3.50 | 30.00 | 250.00 |
| 24 to 30 in. sprd. B.&B | | 35.00 | 300.00 |
| 2½ to 3 ft. sprd. B.&B | | 45.00 | |
| 3 to 3½ ft. sprd. B.&B. | | 57.50 | |
| japonica. Japanese Juniper. | 8' | | |
| 2 ftB, & B | . 7.50 | 65.00 | |
| 3 ftB. & B | | 75.00 | |
| 4 ftB. & B | | | |
| japonica aurea. Golden Japan | iese Jui | niper. 8' | |
| 18 inB. & B | | 45.00 | |
| 2 ftB. & B | | 55.00 | |
| 3 ftB. & B | | 00.00 | |
| 0 10D. @ D | | | |

| sabina. Savin | Juniper. | 6' | Each | Per 10 | Per 100 |
|---|---|---|--|---|---|
| 2 to $2\frac{1}{2}$ | ft. sprd. | B.&B. | 4.00 | 30.00 | 250.00 |
| 2½ to 3 | ft. sprd. | | 5.00 | 45.00 | 350.00 |
| 3 to 3½ | ft. sprd. | B.&B. | 6.50 | 55.00 | 500.00 |
| 3½ to 4 | ft. sprd. I | B.&B. | 8.50 | 75.00 | 650.00 |
| 4 to 4½ | ft. sprd. 1 | B.&B. | 10.00 | 85.00 | 750.00 |
| $4\frac{1}{2}$ to 5 | ft. sprd. l | B.&B. | 12.50 | 100.00 | |
| sabina tamaris | cifolia. To | amaria | Savi | n. 2' | |
| 18 to 24 | in. sprd. I | | 5.00 | 40.00 | 350.00 |
| 24 to 30 | in. sprd. I | | 7.50 | 60.00 | 500.00 |
| 2½ to 3 | ft. sprd. 1 | B.&B. | 10.00 | 85.00 | 750.00 |
| scopulorum. | | | . 40' | | |
| | | & B. | 3.50 | 30.00 | 250.00 |
| | - . | & B. | 5.00 | 40.00 | 350.00 |
| 4 ft | B. | & B. | 7.50 | 60.00 | 500.00 |
| 5 ft | B. | & B. | 10.00 | 80.00 | |
| 6 ft | B. | & B. | 12.50 | 100.00 | |
| 7 ft | B. | & B. | 15.00 | 125.00 | |
| 8 ft | B. | & B. | 20.00 | 180.00 | |
| 9 ft | B. | & B. | 25.00 | | |
| | | | | | |
| squamata. Jar | oanese Tra | iiling | Junipe | r. 3' | |
| - | panese Tra_2 ft. $sprd.$ | - | _ | r. 3' | |
| - | ft. sprd. | - | _ | r. 3' | |
| 2 to 2½ virginiana. Re | ft. sprd. | B.&B. | _ | r. 3' 25.00 | 200.00 |
| 2 to 2½ virginiana. Re 2 ft | t ft. sprd. | B.&B. 40' & B. | 6.50 | | 200.00 300.00 |
| 2 to 2½ virginiana. Re 2 ft 3 ft | t ft. sprd. d Cedar. B. | B.&B. 40' & B. | 6.50 3.00 | 25.00 | |
| 2 to 2½ virginiana. Re 2 ft 3 ft 4 ft | 'z ft. sprd. 'd Cedar. B. | B.&B. 40' & B. & B. & B. | 3.00 4.00 | 25.00 35.00 | 300.00 |
| 2 to 2½ virginiana. Re 2 ft 3 ft 4 ft 5 ft | 2 ft. sprd. 2 d Cedar. 3 B. 4 B. 5 B. 6 B. | B.&B. 40' & B. & B. & B. & B. | 3.00 4.00 6.50 | 25.00 35.00 55.00 | $300.00 \\ 450.00$ |
| 2 to 2½ virginiana. Re 2 ft 3 ft 4 ft 5 ft 6 ft 6 | ½ ft. sprd. 2 Gedar. 3 Bed. 4 Gedar. 4 Bed. 5 Bed. 6 Bed. | B.&B. 40' & B. & B. & B. & B. | 3.00 4.00 6.50 8.50 12.00 | 25.00 35.00 55.00 70.00 | $300.00 \\ 450.00$ |
| 2 to 2½ virginiana. Re 2 ft 3 ft 4 ft 5 ft 6 ft 7 ft 8 ft | ½ ft. sprd. 2 ft. sprd. 3 Gedar. 3 B. 4 B. 5 B. 6 B. 7 B. 7 B. 7 B. | B.&B. 40' & B. | 3.00 4.00 6.50 8.50 12.00 | 25.00 35.00 55.00 70.00 | $300.00 \\ 450.00$ |
| 2 to 2½ virginiana. Re 2 ft 3 ft 5 ft 6 ft 7 ft 8 ft 9 ft 9 ft | ½ ft. sprd. 2 ft. sprd. 3 Gedar. 3 B. 4 B. 5 B. 6 B. 7 B. 7 B. 7 B. | B.&B. 40' & B. | 3.00 4.00 6.50 8.50 12.00 15.00 20.00 25.00 | 25.00 35.00 55.00 70.00 100.00 | $300.00 \\ 450.00$ |
| 2 to 2½ virginiana. Re 2 ft 3 ft 4 ft 5 ft 6 ft 7 ft 8 ft | ½ ft. sprd. 2 ft. sprd. 3 Gedar. 3 B. 4 B. 5 B. 6 B. 7 B. 7 B. 7 B. | B.&B. 40' & B. | 3.00 4.00 6.50 8.50 12.00 15.00 20.00 25.00 | 25.00 35.00 55.00 70.00 100.00 | $300.00 \\ 450.00$ |
| 2 to 2½ virginiana. Re 2 ft 3 ft 5 ft 6 ft 7 ft 8 ft 9 ft 9 ft | 2 ft. sprd. 2 ft. sprd. 3 ft. sprd. 4 Cedar. B. | B.&B. 40' & B. | 3.00 4.00 6.50 8.50 12.00 15.00 20.00 25.00 4 \$5.00 | 25.00 35.00 55.00 70.00 100.00 | $300.00 \\ 450.00$ |
| 2 to 2½ virginiana. Re 2 ft | 2 ft. sprd. 2 ft. sprd. 3 Cedar | B.&B. 40' & B. | 3.00 4.00 6.50 8.50 12.00 15.00 20.00 25.00 4 \$5.00 | 25.00 35.00 55.00 70.00 100.00 | $300.00 \\ 450.00$ |
| 2 to 2½ virginiana. Re 2 ft | 2 ft. sprd. 2 ft. sprd. 3 Cedar. 3 B. 4 B. 5 B. 6 B. 7 B. 7 B. 8 B. 7 B. 8 B. 7 B. 8 | B.&B. 40' & B. | 3.00 4.00 6.50 8.50 12.00 15.00 25.00 1 \$5.00 ana ve Red Ce 7.50 | 25.00 35.00 55.00 70.00 100.00 per foot. nusta. | 300.00 450.00 600.00 |
| 2 to 2½ virginiana. Re 2 ft | 2 ft. sprd. 2 ft. sprd. 3 Cedar. 3 B. 4 Cedar. 4 B. 5 B. 6 B. 7 B. 7 B. 8 B. 7 B. 8 | B.&B. 40' & B. | 3.00 4.00 6.50 8.50 12.00 15.00 20.00 25.00 1 \$5.00 ana ve | 25.00 35.00 55.00 70.00 100.00 per foot. nusta. | 300.00 450.00 600.00 |
| 2 to 2½ virginiana. Re 2 ft | 2 ft. sprd. 2 ft. sprd. 3 Cedar. 3 B. 4 Cedar. 4 B. 5 B. 6 B. 7 B. 8 B. 7 B. 8 B. 8 B. 8 B. 8 B. 8 B. 8 B. | B. & | 3.00 4.00 6.50 8.50 12.00 15.00 25.00 4 \$5.00 ana ve Red Ce 7.50 10.00 12.50 | 25.00 35.00 55.00 70.00 100.00 per foot. nusta. | 300.00 450.00 600.00 600.00 750.00 1000.00 |
| 2 to 2½ virginiana. Re 2 ft | ½ ft. sprd. 2 ft. sprd. 2 Gedar. B. B. B. B. B. B. B. B. Can B. Can B. B. B. B. B. B. B. B. B. B | B. & | 3.00 4.00 6.50 8.50 12.00 15.00 25.00 4 \$5.00 ana ve Red Ce 7.50 10.00 12.50 15.00 | 25.00 35.00 55.00 70.00 100.00 per foot. nusta. edar. 15' 70.00 85.00 | 300.00 450.00 600.00 600.00 750.00 |
| 2 to 2½ virginiana. Re 2 ft | 2 ft. sprd. 2 ft. sprd. 3 Cedar. 3 B. 4 Cedar. B. 5 B. 6 B. 7 B. 8 | B. & | 3.00 4.00 6.50 8.50 12.00 15.00 25.00 4 \$5.00 ana ve Red Ce 7.50 10.00 12.50 | 25.00 35.00 55.00 70.00 100.00 per foot. nusta. edar. 15' 70.00 85.00 110.00 | 300.00 450.00 600.00 600.00 750.00 1000.00 |
| 2 to 2½ virginiana. Re 2 ft | 2 ft. sprd. 2 ft. sprd. 3 ft. sprd. 4 Cedar. B. B. B. B. B. B. B. B. C. B. B. C. B. B. B. B. B. B. | B. & | 3.00 4.00 6.50 8.50 12.00 15.00 20.00 25.00 1 \$5.00 10.00 12.50 15.00 20.00 25.00 | 25.00 35.00 55.00 70.00 100.00 per foot. nusta. dar. 15' 70.00 85.00 110.00 135.00 180.00 225.00 | 300.00 450.00 600.00 600.00 750.00 1000.00 |

| Juniperus | | | | | | |
|---------------------------------|-------|-----|-------|--------|----------|-------------|
| | | | | ch | Per 10 | Per 100 |
| virginiana elegantissima. | | | - | | Cedar. | <i>15</i> ′ |
| 3 ftB. | | | | 00 | | |
| 4 ftB. | | | 10. | | | |
| 5 ftB. | | | | | | |
| 6 ftB. | | | 15. | | | |
| 7 ftB. | δz | в. | 20. | 00 | | |
| virginiana glauca. Silve | | | | lar. | 25' | |
| 3 ftB. | | В. | | 50 | 70.00 | |
| 4 ftB. | | | 10. | | 85.00 | |
| 5 ftB. | | | | | | |
| 6 ftB. | | | 15. | | | |
| 7 ftB. | | | | | | |
| 8 ftB. | | | 25. | | | |
| 9 ftB. | | | | | | |
| For larger sizes to 12 | ft., | ad | d \$ | 5.00 p | er foot. | |
| virginiana kosteri. Kost | er I | Red | l C c | edar. | 4' | |
| 2 to 2½ ft. sprd. | B.& | žΒ. | 4. | 50 | 40.00 | 350.00 |
| $2\frac{1}{2}$ to 3 ft. sprd. | | | | .00 | 50.00 | 450.00 |
| 3 to 3½ ft. sprd. | | | | .00 | 70.00 | 600.00 |
| $3\frac{1}{2}$ to 4 ft. sprd. | | | | | 100.00 | |
| 4 to 4½ ft. sprd. | | | | | | |
| 4½ to 5 ft. sprd. | В.& | žΒ. | 20. | .00 | | |
| virginiana pendula. We | epin, | g | Red | Ceda | ir. 15' | |
| 5 ftE | 3. & | В. | 15 | .00 | | |
| 6 ftE | 3. & | В. | 18 | .50 | | |
| virginiana schotti. Schot | t R | eđ. | Cec | lor. | 15' | |
| 4 ftB. | | | | | 85.00 | |
| 5 ftB. | &z | В. | 12. | 50 | 110.00 | |
| 6 ftB. | & | В. | 15. | 00 | 135.00 | |
| 7 ftB. | & | В. | 20. | 00 | | |
| For larger sizes to 10 | ft., | ad | d \$8 | 5.00 p | er foot. | |
| virginiana tripartita. Fo | | | | | | |
| 3 ftE | | | | | uu. 3 | |
| | , œ | ъ. | 10 | .00 | | |
| virginiana venusta. 15' | | _ | _ | = ^ | | |
| 3 ftB | | | | .50 | | |
| 4 ftB | | | | | | |
| 5 ftB | | | | | | |
| Kalmia latifolia. Mountain | | | | | | |
| 2 to 3 ftE | | | _ | .75 | 32.50 | 250.00 |
| 3 to 4 ft | 3. & | В. | 4 | .50 | 37.50 | 325.00 |
| | | | | | | |

| | Eas | 011 | |
|---|--|--|--------------------------------------|
| 77 | Each | Per 10 | Per 100 |
| Kerria japonica. Kerria. 4' | | | |
| 18 to 24 in | .75 | 6.00 | |
| 2 to 3 ft | | 7.50 | |
| japonica florepleno. Double K | | 4' | |
| 2 to 3 ft | 1.00 | 7.50 | |
| Koelreuteria paniculata. Goldenrai | in Tre | e. 25' | |
| 4 to 5 ft | 2.00 | 15.00 | |
| 5 to 6 ft | 3.00 | 20.00 | |
| 6 to 8 ft | 4.00 | 30.00 | |
| Kolkwitzia amabilis. Beauty Bush | . 8' | | |
| 2 to 3 ft | 1.25 | 10.00 | |
| 3 to 4 ft | 1.50 | 12.50 | |
| *Laburnum alpinum. Scotch Labu | rnum. | <i>30'</i> | |
| 4 to 5 ft | 2.50 | | |
| 5 to 6 ft | 3.50 | | |
| *vulgare. Goldenchain. 20' | | | |
| 4 to 5 ft | 2.50 | | |
| 5 to 6 ft | 3.50 | | |
| 6 to 8 ft. heavy | 7.50 | | |
| 8 to 10 ft. heavy | 10.00 | | |
| Lagerstroemia indica rubra. Red | | yrtle. 12' | |
| 2 to 3 ft | - | 10.00 | 75.00 |
| Larix dahurica. Dahurian Larch. | 60 ' | | |
| | nu: | | |
| | 3.00 | 25.00 | |
| 4 to 5 ftB.&B. | 3.00 | 25.00 35.00 | |
| 4 to 5 ftB.&B. 5 to 6 ftB.&B. | | 25.00 35.00 47.50 | |
| 4 to 5 ftB.&B. 5 to 6 ftB.&B. 6 to 8 ftB.&B. | 3.00 4.00 | 35.00 | |
| 4 to 5 ftB.&B. 5 to 6 ftB.&B. 6 to 8 ftB.&B. 8 to 10 ftB.&B. | 3.00 4.00 5.50 7.50 | $35.00 \\ 47.50$ | |
| 4 to 5 ft | 3.00 4.00 5.50 7.50 | 35.00 47.50 60.00 | 300.00 |
| 4 to 5 ft | 3.00 4.00 5.50 7.50 | 35.00 47.50 60.00 35.00 | 300.00 400.00 |
| 4 to 5 ft | 3.00 4.00 5.50 7.50 0' 4.00 | 35.00 47.50 60.00 35.00 47.50 | 300.00 400.00 525.00 |
| 4 to 5 ft | 3.00 4.00 5.50 7.50 0' 4.00 5.50 7.50 | 35.00 47.50 60.00 35.00 | 400.00 |
| 4 to 5 ft | 3.00 4.00 5.50 7.50 0' 4.00 5.50 7.50 12.00 | 35.00 47.50 60.00 35.00 47.50 60.00 | 400.00 |
| 4 to 5 ft | 3.00 4.00 5.50 7.50 0' 4.00 5.50 7.50 12.00 | 35.00 47.50 60.00 35.00 47.50 60.00 90.00 | 400.00 |
| 4 to 5 ft | 3.00 4.00 5.50 7.50 0' 4.00 5.50 7.50 12.00 | 35.00 47.50 60.00 35.00 47.50 60.00 | 400.00 |
| 4 to 5 ft | 3.00 4.00 5.50 7.50 0' 4.00 5.50 7.50 12.00 4.00 5.00 | 35.00 47.50 60.00 35.00 47.50 60.00 90.00 | 400.00 |
| 4 to 5 ft | 3.00 4.00 5.50 7.50 0' 4.00 5.50 7.50 12.00 ' 4.00 5.00 | 35.00 47.50 60.00 35.00 47.50 60.00 90.00 35.00 45.00 | 400.00 525.00 |
| 4 to 5 ft | 3.00 4.00 5.50 7.50 0' 4.00 5.50 7.50 12.00 ' 4.00 5.00 5.00 | 35.00 47.50 60.00 35.00 47.50 60.00 90.00 35.00 45.00 | 400.00 525.00 200.00 |
| 4 to 5 ft | 3.00 4.00 5.50 7.50 0' 4.00 5.50 7.50 12.00 ' 4.00 5.00 5.00 5.00 4.00 | 35.00 47.50 60.00 35.00 47.50 60.00 90.00 35.00 45.00 25.00 35.00 | 400.00 525.00 200.00 300.00 |
| 4 to 5 ft | 3.00 4.00 5.50 7.50 0' 4.00 5.50 7.50 12.00 ' 4.00 5.00 5.00 | 35.00 47.50 60.00 35.00 47.50 60.00 90.00 35.00 45.00 | 400.00 525.00 200.00 |
| 4 to 5 ft | 3.00 4.00 5.50 7.50 0' 4.00 5.50 7.50 12.00 ' 4.00 5.00 5.00 5.00 5.50 7.50 | 35.00 47.50 60.00 35.00 47.50 60.00 90.00 35.00 45.00 25.00 35.00 47.50 | 200.00 300.00 400.00 |

| Laurocerasus officinalis schipkaensis | Each 10' | Per 10 | Per 100 |
|---------------------------------------|-------------|-----------|---------|
| 6 to 8 in., 3 in. pots | | 10.00 | |
| | | 10.00 | |
| Leiophyllum buxifolium prostratum. | | | |
| Allegheny Sandmyrtle. 2' | 1 50 | 10 50 | |
| 8 to 12 in | 1.50 | 12.50 | |
| Lespedeza bicolor. Shrub Bushclov | | | |
| 2 to 3 ft | .50 | 4.00 | 30.00 |
| 3 to 4 ft | .60 | 5.00 | 40.00 |
| 4 to 5 ft | .75 | 6.00 | 50.00 |
| 5 to 6 ft | 1.00 | 7.50 | 60.00 |
| formosa syn. penduliflorum. <i>H</i> | | | - |
| 2 year | .50 | 4.00 | 35.00 |
| 3 year | .75 | 5.00 | |
| formosa albiflora. Japanese Bi | | | |
| 2 year | .50 | 4.00 | 35.00 |
| Leucothoe catesbaei. Drooping Leu | cothoe | . 4' | |
| 15 to 18 inB. & B. | 2.25 | 20.00 | 160.00 |
| 18 to 24 inB. & B. | 2.75 | 25.00 | 200.00 |
| Ligustrum acuminatum. 10' | | | |
| 2 to 3 ft | .40 | 2.50 | 20.00 |
| 3 to 4 ft | .50 | 3.50 | 25.00 |
| 4 to 5 ft | .60 | 4.00 | 35.00 |
| acuminatum macrocarpum. Big | berry | Privet. 1 | 0' |
| 18 to 24 in | .30 | 2.50 | 20.00 |
| 2 to 3 ft | .40 | 3.00 | 25.00 |
| 3 to 4 ft | .50 | 4.00 | 30.00 |
| amurense. Amur Privet. 15' | | | |
| 18 to 24 in | .20 | 1.50 | 12.00 |
| 2 to 3 ft | .25 | 2.00 | 15.00 |
| 3 to 4 ft | .35 | 2.50 | 20.00 |
| 4 to 5 ft | .45 | 3.50 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | 1.00 | 8.50 | 75.00 |
| ibolium. Ibolium Privet. 8' | | | |
| 18 to 24 in | .20 | 1.50 | 12.00 |
| 2 to 3 ft | $\cdot .25$ | 2.00 | 15.00 |
| 3 to 4 ft | .40 | 3.00 | 20.00 |
| 4 to 5 ft | .50 | 4.00 | |
| ibota. Ibota Privet. 10' | | | |
| 2 to 3 ft | .30 | 2.00 | 15.00 |
| 3 to 4 ft | .40 | 3.00 | 20.00 |
| 4 to 5 ft | .50 | 4.00 | 35.00 |
| 5 to 6 ft | 1.00 | 7.50 | |

Ligustrum

| | Each | Per 10 | Per 100 |
|---------------------------------|------------|--------------|----------------|
| ibota nanum. Pygmy Privet. | 6' | | |
| 18 to 24 in | .35 | 3.00 | 25.00 |
| 2 to 3 ft | .40 | 3.50 | 30.00 |
| 3 to 4 ft | .50 | 4.50 | 40.00 |
| ibota regelianum. Regel Privet | . 6' | | |
| 18 to 24 in. spread | .40 | 3.50 | 25.00 |
| 24 to 30 in. spread | .50 | 4.00 | 30.00 |
| 2½ to 3 ft. spread | .60 | 5.00 | 40.00 |
| 3 to 3½ ft. spread | .75 | 6.00 | 50.00 |
| lodense. Dwarf Privet. 21/2' | | | |
| 12 to 15 in | .35 | 2.50 | 20.00 |
| 15 to 18 in | .40 | 3.00 | 25.00 |
| 18 to 24 in | .50 | 4.00 | 35.00 |
| ovalifolium. California Privet. | 10' | | |
| 18 to 24 in | .20 | 1.00 | 6.50 |
| 24 to 30 in | .25 | 1.20 | 7. 50 |
| 3 to 4 ft | .40 | 3.50 | |
| ovalifolium variegatum. Golden | ı Privet. | 10' | |
| 2 to 3 ft | .50 | 4.50 | |
| 3 to 4 ft | .75 | 6.50 | |
| vulgare. European Privet. 12' | • | | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .65 | 5.00 | 40.00 |
| 6 to 8 ft | .75 | 6.50 | |
| vulgare foliosum. 10' | | | |
| 2 to 3 ft | .40 | 3.00 | 25.00 |
| 3 to 4 ft | .50 | 4.00 | 30.00 |
| 4 to 5 ft | .60 | 5.00 | |
| vulgare leucocarpum. Yellowbe | erry Pri | vet. 12' | |
| 2 to 3 ft | .50 | 4.00 | 30.00 |
| 3 to 4 ft | | | |
| | .60 | 4.50 | 40.00 |
| 4 to 5 ft | .60 .75 | 4.50 6.00 | 40.00 50.00 |

Lindera benzoin. (See Benzoin aestivale).

| | Each | Per 10 | Per 100 | | | |
|--------------------------------------|-------------|-----------|---------------|--|--|--|
| *Liquidambar styraciflua. Sweetgum. | . 60' | | | | | |
| 6 to 8 ft | 3.50 | 30.00 | 250.00 | | | |
| 8 to 10 ft | 4.00 | 35.00 | 325.00 | | | |
| 1¼ to 1½ in | 4.50 | 40.00 | 375.00 | | | |
| 1½ to 1¾ in | 5.00 | 45.00 | 400.00 | | | |
| 13/4 to 2 in | 6.00 | 50.00 | | | | |
| 2 to 2½ in | 7.50 | 60.00 | | | | |
| 2½ to 3 in1 | 12.50 | | | | | |
| 3 to 3½ in1 | 15.00 | | | | | |
| *Liriodendron tulipifera. Tuliptree. | 80 ' | | | | | |
| 6 to 8 ft | 2.00 | 16.00 | 125.00 | | | |
| 8 to 10 ft | 2.75 | 20.00 | 160.00 | | | |
| 1¼ to 1½ in | 3.00 | 25.00 | 200.00 | | | |
| 1½ to 1¾ in | 3.25 | 27.50 | 225.00 | | | |
| 1¾ to 2 in | 3.75 | 30.00 | 275.00 | | | |
| 2 to 2½ in | 4.50 | 37.50 | | | | |
| 2½ to 3 in | 5.00 | 45.00 | | | | |
| 3 to 3½ in | 7.50 | | | | | |
| 3½ to 4 in1 | 10.00 | | | | | |
| *tulipifera pyramidale. Pyramid | d Tulipt | ree. 70' | | | | |
| 6 to 8 ft | 8.50 | | | | | |
| 8 to 10 ft | | | | | | |
| 1½ to 1¾ in1 | 12.50 | | | | | |
| *chinensis. Chinese Tulip Tree | . 70' | | | | | |
| 6 to 8 ft | 8.50 | | | | | |
| Lonicera bella albida. White Belle | Honeys | uckle. 10 |) ' | | | |
| 2 to 3 ft | .35 | 2.50 | 18.00 | | | |
| 3 to 4 ft | .40 | 3.00 | 22.00 | | | |
| 4 to 5 ft | .50 | 4.00 | 30.00 | | | |
| 5 to 6 ft | .60 | 5.00 | 40.00 | | | |
| 6 to '8 ft | .75 | 6.50 | 55.00 | | | |
| 8 to 10 ft | 1.25 | 10.00 | 75. 00 | | | |
| bella rosea. Belle Honeysuckle. 10' | | | | | | |
| 2 to 3 ft | .35 | 2.50 | 18.00 | | | |
| 3 to 4 ft | .40 | 3.00 | 22.00 | | | |
| 4 to 5 ft | .60 | 4.50 | 35.00 | | | |
| billardi. 8' | | | | | | |
| 3 to 4 ft | .50 | 3.50 | 25.00 | | | |
| 4 to 5 ft | .60 | 4.50 | 35.00 | | | |
| 5 to 6 ft | .65 | 5.50 | 45.00 | | | |
| 6 to 8 ft | .75 | 6.50 | 55.00 | | | |

Lonicera

| | Each | Per 10 | Per 100 |
|-------------------------------|----------|--------------|---------------|
| browni plantieriensis. Orange | Honeys | uckle. 4' | |
| 2 year | .65 | 5.0 0 | 45.0 0 |
| 3 year | .75 | 6.00 | |
| caprifolium. Sweet Honeysuck | le. 10' | | |
| 2 year | .50 | 4.00 | 35.00 |
| chrysantha. Coralline Honeysu | ckle. 1 | o ' | |
| 2 to 3 ft | .50 | 4.00 | 25.00 |
| 3 to 4 ft | .60 | 4.50 | 30.00 |
| 4 to 5 ft | .65 | 5.00 | 40.00 |
| 5 to 6 ft | .75 | 6.50 | 55.00 |
| 6 to 8 ft | 1.00 | 7.50 | |
| 8 to 10 ft | 1.25 | 10.00 | |
| conjugalis. 8' | | | |
| 2 to 3 ft | .40 | 3.00 | 20.00 |
| 3 to 4 ft | .50 | 3.50 | 25.00 |
| 4 to 5 ft | .65 | 5.00 | 40.00 |
| 5 to 6 ft | .75 | 6.00 | 50.00 |
| 6 to 8 ft | 1.00 | 7.50 | 60.00 |
| 8 to 10 ft | 1.25 | 10.00 | 75.00 |
| fragrantissima. Winter Honey | suckle. | 8' | |
| 2 to 3 ft | .45 | 3.50 | 25.00 |
| 3 to 4 ft | .60 | 4.50 | 35.00 |
| 4 to 5 ft | .75 | 6.00 | |
| fuchsioides. | | | |
| 2 year | .75 | 6.00 | |
| gracilipes. Spangled Honeysuc | kle. 6' | | |
| 2 to 3 ft | .50 | 3.50 | 25.0 0 |
| 3 to 4 ft | .60 | 4.50 | 35.00 |
| 4 to 5 ft | .65 | 5.00 | 45.00 |
| 5 to 6 ft | .80 | 7.0 0 | |
| heckrotti. Everblooming Honey | ysuckle. | 15' | |
| 2 year | .65 | 4.50 | 35.00 |
| henryi. Henry Honeysuckle. | 15' | | |
| 2 year | | 7.50 | 50.00 |
| hirsuta. Hairy Honeysuckle. | 15' | | |
| 2 year | .60 | 5.00 | 40.00 |
| 3 year | .75 | 6.00 | 50.00 |
| japonica. Japanese Honeysuck | | | |
| 2 year | | 3.00 | 20.00 |
| 3 year | .50 | 3.50 | 25.00 |
| | | | |

Lonicera

| onicera | E-ab | Per 10 | Per 100 |
|---------------------------------|------------------|------------|---------------|
| japonica halleana. Hall Japan | Each | | 20' |
| 2 year | | 3.00 | 20.00 |
| 3 year | .50 | 3.50 | 25.00 |
| | .50 | 0.00 | 20.00 |
| japonica reticulata aurea. | .1.1. 1.7 | • | |
| Yellow Japanese Honeysuc | :кіе. 15° .45 | 3.50 | 25.00 |
| 2 year | | | 20.00 |
| kesselringi. Black fruited Hone | | 10' | 05.00 |
| 3 to 4 ft | | 4.50 | 35.00 |
| 5 to 6 ft | | 6.50 | |
| 6 to 8 ft | 1.00 | 7.50 | |
| korolkowi floribunda. | | | |
| Broad Blueleaf Honeysuck | | - 00 | 45.00 |
| 2 to 3 ft | | 5.00 | 45.00 |
| 3 to 4 ft | .75 | 6.00 | 55. 00 |
| 4 to 5 ft | 1.00 | 7.50 | |
| ledebouri. 10' | | | |
| 3 to 4 ft | .50 | 4.00 | |
| 4 to 5 ft | .65 | 5.00 | |
| 5 to 6 ft | .75 | 6.00 | |
| maacki. Amur Honeysuckle. | 10' | | |
| 2 to 3 ft | .50 | 4.00 | 30.00 |
| 3 to 4 ft | .60 | 4.50 | 35.00 |
| 4 to 5 ft | .75 | 5.50 | 45.00 |
| 5 to 6 ft | .85 | 6.50 | 55.00 |
| 6 to 7 ft | 1.25 | 10.00 | 75.00 |
| maacki podocarpa. Late Hone | ysuckle. | 8 ' | |
| 2 to 3 ft | .50 | 4.00 | 30.00 |
| 3 to 4 ft | .60 | 5.00 | 40.00 |
| 4 to 5 ft | .75 | 6.00 | |
| 5 to 6 ft | 1.00 | 7.50 | |
| morrowi. Morrow Honeysuckle | e. 8' | | |
| 2 to 3 ft | .35 | 2.50 | 18.00 |
| 3 to 4 ft | .40 | 3.00 | 22.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | 1.00 | 7.50 | |
| morrowi. (Yellow Fruited). 8 | 8' | | |
| 2 to 3 ft | .40 | 3.00 | 20.00 |
| 3 to 4 ft | .50 | 3.50 | 25.00 |
| 4 to 5 ft | .60 | 4.50 | 35.00 |
| 5 to 6 ft | .75 | 5.50 | 45.00 |

Lonicera.

| Eac | |
|---|----------------------|
| muendeniensis. Muenden Honeysu | kle. 8' |
| • | 0 3.00 25.00 |
| | 0 4.00 35.00 |
| | 5.00 40.00 |
| 6 to 8 ft7 | 5 6.50 55.00 |
| 8 to 10 ft 1.2 | 25 10.00 75.00 |
| nitida. 3' | |
| 6 to 12 in5 | 60 4.50 |
| periclymenum belgica. Dutch Woo | dbine. 15' |
| 2 year5 | 60 4.00 30.00 |
| 3 year6 | 5.00 40.00 |
| pileata. Privet Honeysuckle. 2' | |
| 6 to 12 in | 50 4.50 40.00 |
| prolifera syn. sullivanti. Grape He | neysuckle. 5' |
| 3 year6 | 5.50 |
| quinquelocularis. Mistletoe Honeys | cuckle. 10' |
| 3 to 4 ft | 5.00 40.00 |
| 4 to 5 ft | 6.00 50.00 |
| ruprechtiana. Manchurian Honeys | uckle, 10' |
| 2 to 3 ft3 | |
| | 0 3.00 22.00 |
| 4 to 5 ft6 | |
| | 5 6.00 50.00 |
| saccata maximowiczi. 6' | |
| 2 to 3 ft 1.5 | 50 12.50 |
| sempervirens. Trumpet Honeysuck | |
| | 15 3.00 20.00 |
| • | 50 3.50 25.00 |
| spinosa alberti Thorn Honeysuckli | |
| | 50 4.50 40.00 |
| | 35 5.00 45.00 |
| | 75 6.00 50.00 |
| standishi. 5' | 0.00 |
| •••••• | 20 500 |
| | 50 5.00 75 6.00 |
| 0 00 1 100-1-1-1 | |
| syringantha. Lilac Honeysuckle. | |
| 18 to 24 in | 6. 00 |

| icera |
|-------|
| |
| |
| |
| 10010 |

| incera | | Each | Per 10 | Per 100 | | |
|--|-----------------------|---------|------------|------------|--|--|
| tatarica. | Red Tatarian Honeys | uckle. | 10' | | | |
| 2 to | 3 ft | .35 | 2.50 | 20.00 | | |
| 3 to | 4 ft | .40 | 3.00 | 25.00 | | |
| 4 to | 5 ft | .60 | 4.50 | 35.00 | | |
| 5 to | 6 ft | .70 | 5.50 | 45.00 | | |
| 6 to | 7 ft | 1.00 | 7.50 | 55.00 | | |
| tatarica a | lba. White Tatarian | Honey | suckle. 10 |) ' | | |
| 2 to | 3 ft | .35 | 2.50 | 18.00 | | |
| 3 to | 4 ft | .40 | 3.00 | 22.00 | | |
| 4 to | 5 ft | .50 | 4.00 | 30.00 | | |
| 5 to | 6 ft | .60 | 5.00 | 40.00 | | |
| 6 to | 8 ft | .75 | 6.50 | 50.00 | | |
| tatarica g | randiflora. | | | | | |
| Pink | Tatarian Honeysuckle | . 10' | | | | |
| 2 to | 3 ft | .35 | 2.50 | 18.00 | | |
| 3 to | 4 ft | .40 | 3.00 | 22.00 | | |
| 4 to | 5 ft | .50 | 4.00 | 30.00 | | |
| 5 to | 6 ft | .60 | 5.00 | 40.00 | | |
| 6 to | 7 ft | .75 | 6.50 | 50.00 | | |
| tatarica lutea. Yellow Tartarian | | | | | | |
| | rysuckle. 10' | | | | | |
| 3 to | 4 ft | .75 | | | | |
| tatarica s | iberica. Siberian Hon | eysuck | le. 10' | | | |
| 2 to | 3 ft | .40 | 3.00 | 20.00 | | |
| 3 to | 4 ft | .50 | 3.50 | 25.00 | | |
| thibetica. | Tibetan Honeysuckle | . 4' | | | | |
| | ar | 1.25 | 10.00 | | | |
| transluce | ns. White-fruited Hor | reysuck | le. 10' | | | |
| 3 to | 4 ft | .50 | 4.50 | 40.00 | | |
| 4 to | 5 ft | .75 | 6.00 | 50.00 | | |
| 5 to | 6 ft | 1.00 | 7.50 | 60.00 | | |
| verna. 5' | | | | | | |
| 2 ye | ar | .65 | 4.50 | 35.00 | | |
| virginalis alba. Maiden Honeysuckle. 10' | | | | | | |
| 2 to | 3 ft | .35 | 2.50 | 18.00 | | |
| 3 to | 4 ft | .40 | 3.00 | 22.00 | | |
| 4 to | 5 ft | .50 | 4.00 | 30.00 | | |
| 5 to | 6 ft | .60 | 5.00 | 40.00 | | |
| 6 to | 8 ft | .75 | 6.00 | | | |
| | | | | | | |

Lonicera

| Lonicera | | | |
|----------------------------------|------------|---------|---------|
| xylosteum. Fly Honeysuckle. | Each 8' | Per 10 | Per 100 |
| 2 to 3 ft | .35 | 2.50 | 18.00 |
| 3 to 4 ft | .40 | 3.00 | 22.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | .75 | 6.50 | 55.00 |
| Lycium chinense. Chinese Matrimo | | | 33.00 |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .45 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 35.00 |
| halimifolium. Common Matrim | iony V | ine. 6' | |
| 2 to 3 ft | .40 | 3.00 | 20.00 |
| 3 to 4 ft | .45 | 4.00 | 25.00 |
| Magnolia acuminata. Cucumber Tr | ee. 70 |)/ | |
| 6 to 8 ft | 3.00 | | |
| 8 to 10 ft | 3.50 | | |
| 1½ to 1¾ in | 4.50 | | |
| 1¾ to 2 in | 5.50 | | |
| conspicua. Yulan. 50' | | | |
| 2 to 3 ftB. & B. | 12.50 | | |
| 3 to 4 ftB. & B. | | | |
| glauca. Sweetbay. 25' | | | |
| 2 to 3 ftB. & B. | 3.25 | 25.00 | 225.00 |
| 3 to 4 ftB. & B. | 4.50 | 37.50 | 300.00 |
| 4 to 5 ftB. & B. | 6.50 | 50.00 | 400.00 |
| 5 to 6 ftB. & B. | 7.50 | 65.00 | 550.00 |
| 6 to 8 ftB. & B. | | 75.00 | 650.00 |
| 8 to 10 ftB. & B. | 12.50 | 90.00 | |
| 10 to 12 ftB. & B. | 15.00 | 125.00 | |
| *hypoleuca. Silver Magnolia. | 60' | | |
| 8 to 10 ft | 10.00 | | |
| 10 to 12 ft | 12.50 | | |
| kobus. <i>30'</i> | | | |
| 4 to 5 ftB. & B. | 10.00 | | |
| 5 to 6 ftB. & B. | | | |
| 6 to 8 ftB. & B. | | | |
| 8 to 10 ftB. & B. | 25.00 | | |
| lennei. Lenne Magnolia. 20' | | | |
| 2 to 3 ftB. & B. | | | |
| 3 to 4 ftB. & B. | 12.50 | | |
| 5 to 6 ftB. & B. | 20.00 | | |
| | | | |

| Magnolia | | |
|--|------------------|----------------|
| Each | Per 10 | Per 100 |
| soulangeana. Saucer Magnolia. 20' | | |
| 3 to 4 ftB. & B. 12.50 | | |
| 4 to 5 ftB. & B. 15.00 5 to 6 ftB. & B. 20.00 | | |
| soulangeana nigra. 20' | | |
| 5 to 6 ftB. & B. 25.00 | | |
| stellata. Star Magnolia. 8' | | |
| 2 to 3 ftB. & B. 12.50 | 100.00 | |
| 3 to 4 ftB. & B. 15.00 | 125.00 | |
| 4 to 5 ftB. & B. 18.00 | 150.00 | |
| 5 to 6 ftB. & B. 20.00 | 180.00 | |
| tripetala. Umbrella Magnolia. 30' | | |
| 5 to 6 ftB. & B. 5.00 | 45.00 | 400.00 |
| 6 to 8 ftB. & B. 7.50 | 60.00 | 500.00 |
| 8 to 10 ftB. & B. 10.00 | 75.00 | |
| 10 to 12 ftB. & B. 12.50 | | |
| Mahonia aquifolium. Oregon Hollygrape | · 5' | |
| 18 to 24 inB. & B. 2.00 | 15. 00 | 125.0 0 |
| 24 to 30 inB. & B. 2.50 | 20.00 | 150.00 |
| 30 to 36 inB. & B. 3.50 | 25.00 | |
| Malus arnoldiana. Arnold Crab. 12' | | |
| 3 to 4 ft 1.50 | 12.50 | 90.00 |
| 4 to 5 ft 2.00 | 15.00 | 125.00 |
| 5 to 6 ft 3.25 | 25.00 | |
| baccata. Siberian Crab. 30' | | |
| 3 to 4 ft 1.00 | 7.50 | 60.00 |
| 4 to 5 ft 1.25 | 10.00 | 75.00 |
| 5 to 6 ft 2.00 | 15.00 | 125.00 |
| 6 to 8 ft 3.00 | 25.00 | 200.00 |
| 8 to 10 ft 4.00 | 35.00 | |
| brevipes. 12' | 10.00 | |
| 2 to 3 ft 1.25 | 10.00 | |
| coronaria. Wild Sweet Crab. 30' | 5 50 | 20.00 |
| 3 to 4 ft 1.00 4 to 5 ft 1.25 | 7.50 | 60.00 |
| 5 to 6 ft 2.00 | $10.00 \\ 15.00$ | 75.00 115.00 |
| 6 to 8 ft 2.50 | 20.00 | 175.00 |
| 8 to 10 ft 4.00 | 30.00 | 110.00 |
| coronaria Charlotte. 15' | 50.00 | |
| 3 to 4 ft 1.50 | | |
| 5 to 6 ft 2.50 | | |
| 6 to 8 ft 4.00 | | |
| | | |

Malus

| HI | ius | | | |
|----|---------------------------------|--------------|---------------|---------|
| | dolga. 15' | Each | Per 10 | Per 100 |
| | 2 to 3 ft | 1.25 | 10.00 | |
| | Elisa Rathke. Weeping Flg. 2 | Apple. | 81 | |
| | 3 to 4 ft. spread | | | |
| | 4 to 5 ft. spread | | | |
| | floribunda. Japanese Floweri | | b. 20' | |
| | 3 to 4 ft | - | 7.50 | 60.00 |
| | 4 to 5 ft | 1.25 | 10.00 | 75.00 |
| | 5 to 6 ft | | 15.00 | 125.00 |
| | 6 to 8 ft | 3.00 | 25.00 | 200.00 |
| | floribunda atrosanguinea. Car | mine C | Crab. 20' | |
| | 3 to 4 ft | 1.00 | 7.50 | 60.00 |
| | 4 to 5 ft | 1.25 | 10.00 | 75.00 |
| | 5 to 6 ft | 2.00 | 15.00 | 125.00 |
| | 6 to 8 ft | 3.00 | 25.00 | 200.00 |
| | 8 to 10 ft. specimens | 10.00 | | |
| | floribunda purpurea. Purple | Crab. | 15' | |
| | 3 to 4 ft | 1.00 | 7.50 | 60.00 |
| | 4 to 5 ft | 1.25 | 10.00 | 75.00 |
| | 5 to 6 ft | 2.00 | 15.00 | 125.00 |
| | 6 to 8 ft | 3.00 | 25.00 | 200.00 |
| | 8 to 10 ft | 4.00 | 35.00 | |
| | glaucescens. Dunbar Crab. 1 | 2' | | |
| | 2 to 3 ft | 2.00 | 15.00 | 125.00 |
| | 3 to 4 ft | 2.50 | | |
| | halliana parkmani. Parkman | Crab. | 15' | |
| | 3 to 4 ft | 1.50 | 12.50 | 100.00 |
| | 4 to 5 ft | 2.00 | 15.00 | 125.00 |
| | 5 to 6 ft | 2.75 | 22.50 | 175.00 |
| | 6 to 8 ft | | 35.00 | |
| | hopa. Red Flowering Crab. | 12' | | |
| | 3 to 4 ft | 1.25 | 10.00 | |
| | 4 to 5 ft | 1.5 0 | 12.50 | • |
| | 5 to 6 ft | 2.00 | 15.00 | |
| | ioensis. Prairie Crab. 25' | | | |
| | 3 to 4 ft | 1.25 | 10. 00 | |
| | ioensis bechteli. Bechtel Crab. | 15' | | |
| | 3 to 4 ft | 1.00 | 7.50 | 60.00 |
| | 4 to 5 ft | 1.25 | 10.00 | 90.00 |
| | 5 to 6 ft | 2.00 | 15.00 | 125.00 |
| | 6 to 8 ft | 3.00 | 25.00 | 200.00 |
| | | | | |

| iius | | | |
|----------------------------|-------------|-------------|---------|
| kaido. Red Flg. Crab. 12 | Each | Per 10 | Per 100 |
| 3 to 4 ft | | 12.50 | 100.00 |
| 4 to 5 ft | | 15.00 | 125.00 |
| 5 to 6 ft | | 25.00 | 120,00 |
| 6 to 8 ft | | 35.00 | |
| micromalus. Midget Crab. | | | |
| 3 to 4 ft | 2.00 | 12.50 | |
| 4 to 5 ft | 2.50 | 20.00 | |
| niedzwetzkyana. Redvein C | | | |
| 3 to 4 ft | | 7.50 | 60.00 |
| 4 to 5 ft | | 10.00 | 75.00 |
| 5 to 6 ft | 2.00 | 15.00 | 125.00 |
| 6 to 8 ft | | 25.00 | |
| Oekonemurat Echtermeyer. | <i>15</i> ′ | | |
| 2 to 3 ft | 1.25 | 10.00 | |
| 3 to 4 ft | 1.50 | | |
| 4 to 5 ft | 2.00 | | |
| purpurea aldenhamensis. 1 | 5 ' | | |
| 2 to 3 ft | 1.50 | | |
| 5 to 6 ft | 3.00 | | |
| 6 to 8 ft | 5.00 | | |
| purpurea eleyi. Eley Flowe | ring Crab. | <i>15</i> ′ | |
| 3 to 4 ft | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft | 2.50 | 22.50 | 200.00 |
| prunifolia rinki. Chinese | Apple. 15' | | |
| 3 to 4 ft | 2.00 | 12.50 | 100.00 |
| 4 to 5 ft | 2.50 | 20.00 | 150.00 |
| 5 to 6 ft | -2.25 | 25.00 | 200.00 |
| 6 to 8 ft | 4.00 | 30.00 | |
| robusta. Cherry Crab. 15' | | | |
| 2 to 3 ft | 1.25 | 10.00 | |
| 5 to 6 ft | 3.50 | | |
| robusta fastigiata. 15' | | | |
| 2 to 3 ft | 1.25 | 10.00 | |
| 3 to 4 ft | 1.50 | 12.50 | |
| 5 to 6 ft | 3.00 | | |
| 6 to 8 ft | 4.00 | | |
| robusta persicifolia. 12' | | | |
| 2 to 3 ft | 1.25 | 10.00 | |
| 6 to 8 ft | | | |
| 8 to 10 ft | 5.00 | | |
| | | | |

Malus

| irus | |
|---|---------|
| sargenti. Sargent Crab. 6' | Per 100 |
| 3 to 4 ft 1.50 12.50 | |
| 4 to 5 ft 2.00 15.00 | |
| 5 to 6 ft 3.00 | |
| scheideckeri. Scheidecker Crab. 20' | |
| 3 to 4 ft 1.50 12.50 | 90.00 |
| 4 to 5 ft 2.00 15.00 | 125.00 |
| 5 to 6 ft 3.00 20.00 | |
| 6 to 8 ft 4.00 | |
| sieboldi. Toringo Crab. 15' | |
| 3 to 4 ft 1.00 7.50 | 60.00 |
| 4 to 5 ft 1.25 10.00 | 75.00 |
| 5 to 6 ft 2.00 16.00 | 125.00 |
| 6 to 8 ft 2.50 20.00 | 175.00 |
| 8 to 10 ft 3.75 32.50 | 250.00 |
| sieboldi calocarpa. Small-fruited Toringo Crab. | 15' |
| 4 to 5 ft 1.60 12.50 | 100.00 |
| 5 to 6 ft 2.00 16.00 | |
| 6 to 8 ft 2.50 20.00 | |
| spectabilis. Chinese Flowering Crab. 15' | |
| 3 to 4 ft 2.00 12.50 | |
| 4 to 5 ft 2.50 20.00 | |
| 5 to 6 ft 3.25 25.00 | |
| spectabilis alba plena. | |
| Dbl. White Chinese Crab. 15' | |
| 3 to 4 ft 2.00 12.50 | |
| 4 to 5 ft 2.50 20.00 | |
| 5 to 6 ft 3.25 25.00 | |
| 6 to 8 ft 3.75 32.50 | |
| sublobata. Yellow Autumn Crab. 12' | |
| 2 to 3 ft 1.25 10.00 | |
| 3 to 4 ft 1.50 12.50 | |
| theifera. Tea Crab. 20' | |
| 5 to 6 ft 3.50 | |
| theifera rosea. 20' | |
| 2 to 3 ft 1.25 10.00 | 90.00 |
| 3 to 4 ft 1.50 12.50 | |
| 6 to 8 ft 4.00 | |
| toringoides. Cutleaf Crab. 15' | |
| 3 to 4 ft 2.00 | |
| 4 to 5 ft 2.50 | |
| 5 to 6 ft 3.00 | |

| Malus | | | |
|--|--------|----------------|---------|
| | Each | Per 10 | Per 100 |
| yunnanensis veitchi. 25' | 1.05 | 10.00 | 00.00 |
| 2 to 3 ft | 1.25 | 10.00 | 90.00 |
| zumi. Zumi Crab. 12' | | | |
| 3 to 4 ft | | 12.50 | 90.00 |
| 4 to 5 ft | | 15.00 | 125.00 |
| 5 to 6 ft | | 22.50 | 175.00 |
| 6 to 8 ft | | 30.00 | 250.00 |
| 8 to 10 ft | | 37.50 | |
| Morus alba pendula. Weeping Mui 3 yr. heads, 5 to 7 ft. stems | _ | 10' | |
| alba tartarica. Russian Mulber | |)/ | |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | 1.00 | 7.50 | 50.00 |
| 8 to 10 ft | 1.25 | 10.00 | 75.00 |
| 1½ to 1¾ in | 1.50 | 12.50 | 100.00 |
| 1¾ to 2 in | 2.00 | 15.00 | 100.00 |
| 7. | | | |
| Myrica carolinensis. Northern Bay | | 5' | F0.00 |
| 18 to 24 in | | $6.00 \\ 7.50$ | 50.00 |
| | | 7.50 | |
| cerifera. Southern Waxmyrtle. | | | |
| 18 to 24 in | | 6.00 | 50.00 |
| 2 to 3 ft | | 7.50 | 60.00 |
| 3 to 4 ft | | 10.00 | |
| 4 to 5 ft | . 1.50 | 12.50 | |
| gale. Sweetgale. 4' | | | |
| 18 to 24 in | .65 | 5.50 | |
| 2 to 3 ft | 75 | 7.00 | |
| Neillia longeracemosa. 4' | | | |
| 18 to 24 in | 2.00 | | |
| 2 to 3 ft | 2.50 | | |
| sinensis. Tube Neillia. 4' | | | |
| 2 to 3 ft | 2.00 | | |
| 3 to 4 ft | | | |
| 4 to 5 ft | | | |
| 5 to 6 ft | | | |
| *Nyssa sylvatica. Tupelo. 40' | | | |
| 3 to 4 ft | 1.60 | 12.50 | 100.00 |
| 4 to 5 ft | | 16.00 | 125.00 |
| 5 to 6 ft | | 20.00 | 150.00 |
| 6 to 8 ft | | 25.00 | 200.00 |
| | | | |

| TO HENKI KUHANKIE | a 501 | N | |
|---|------------|-----------------|----------------|
| | Each | Per 10 | Per 100 |
| Osmanthus aquifolium. Holly Osma | inthus. | <i>15</i> ′ | |
| 2 to 3 ftB. & B. | 2.50 | | |
| Ostrya virginiana. American Hophor | na h a a m | 101 | |
| 5 to 6 ft | | $40' \\ 12.50$ | 90.00 |
| 6 to 8 ft | | 16.00 | 125.00 |
| 8 to 10 ft | | 20.00 | 160.00 |
| 10 to 12 ft | | 30.00 | 100.00 |
| | | 30.00 | |
| Oxydendrum arboreum. Sourwood. 2 to 3 ft | | 7.50 | GE 00 |
| 2 to 3 ft 3 to 4 ft | | $7.50 \\ 12.50$ | 65.00 |
| 4 to 5 ft | | 16.00 | 90.00 125.00 |
| 5 to 6 ft | | 22.50 | 200.00 |
| 6 to 8 ft | | 30.00 | 250.00 |
| 8 to 10 ft | | 50.00 | 200.00 |
| | | | |
| Pachistima canbyi. Canby Pachistin | | | |
| 3 inch pots | 1.00 | 9.00 | |
| Paulownia tomentosa. Royal Paulo | wnia. s | 20' | |
| 6 to 8 ft | | 25.00 | |
| 8 to 10 ft | 3.75 | 35.00 | |
| 10 to 12 ft | 5.00 | | |
| Periploca graeca. Silk Vine. 30' | | | |
| 2 year | .40 | 3.00 | 20.00 |
| 3 year | | 3.50 | 25.00 |
| 4 year | | 4.00 | 30.00 |
| sepium. Chinese Silkvine. 25' | | | |
| 2 year | 1.50 | | |
| 2 year | 1.50 | | |
| Perowskia atriplicifolia. 4' | | | |
| 2 to 3 ft | | | |
| 3 to 4 ft | 2.50 | | |
| Phellodendron amurense. Amur Co | rktree. | <i>50'</i> | |
| 6 to 8 ft | 2.00 | 16.00 | 125.00 |
| 8 to 10 ft | 2.50 | 22.50 | 200.00 |
| 1¼ to 1½ in | 3.25 | 27.50 | 250.00 |
| 1½ to 1¾ in | 3.50 | 32.50 | 275.00 |
| 1¾ to 2 in | | 35.00 | 325.00 |
| 2 to 2½ in | | 37.50 | |
| $2\frac{1}{2}$ to 3 in | | 45.00 | |
| 3 to 3½ in | | 50.00 | |
| $3\frac{1}{2}$ to 4 in | 7.50 | 65.00 | |

| Phellodendron | | | |
|--------------------------------|-------|---------|---------|
| | Each | Per 10 | Per 100 |
| | 0' | 20.00 | |
| 6 to 8 ft | | 20.00 | |
| 8 to 10 ft | | 25.00 | |
| 1¼ to 1½ in | | 30.00 | |
| 1½ to 1¾ in | 5.00 | 40.00 | |
| sachalinense. Sakhalin Corktre | e. 50 | , | |
| 6 to 8 ft | 3.00 | 25.00 | |
| 8 to 10 ft | | 30.00 | |
| 1½ to 1¾ in | 5.00 | 40.00 | |
| Philadelphus Albatre. 6' | | | |
| 2 to 3 ft | .40 | 3.50 | 25.00 |
| 3 to 4 ft | .60 | 5.00 | |
| Banniere. 8' | | | |
| 2 to 3 ft | .40 | 3.50 | 25.00 |
| 3 to 4 ft | .50 | 4.50 | 35.00 |
| coronarius. Sweet Mockorange. | 10' | | |
| 2 to 3 ft | .40 | 3.00 | 20.00 |
| 3 to 4 ft | | 3.50 | 25.00 |
| 4 to 5 ft | | 4.50 | 35.00 |
| 5 to 6 ft | .75 | 5.50 | 45.00 |
| coronarius aureus. Golden Mod | | ıge. 4' | |
| 18 to 24 in | .50 | 4.00 | 35.00 |
| 24 to 30 in | .65 | 5.00 | 45.00 |
| 3 to 4 ft | 1.00 | 7.50 | 60.00 |
| coronarius nanus. 4' | | | |
| 12 to 15 in | .75 | 6.00 | 50.00 |
| 15 to 18 in | | 7.50 | 60.00 |
| coronarius multiflorus plenus. | | | |
| 2 to 3 ft | | 4.50 | |
| coronarius speciosissimus. | | | |
| Roundleaf Mockorange. 10 | , | | |
| 2 to 3 ft | | 3.00 | 20.00 |
| 3 to 4 ft | .50 | 3.50 | 25.00 |
| 4 to 5 ft | .60 | 4.50 | 35.00 |
| Dame Blanche. 6' | | | |
| 2 to 3 ft | .50 | 4.00 | |
| dianthiflorus plenus. 4' | | | |
| 18 to 24 in | .50 | 4.50 | 35.00 |
| 2 to 3 ft | .65 | 5.00 | 40.00 |
| 3 to 4 ft | | 7.50 | |
| | | | |

Philadelphus

| | Each | Per 10 | Per 100 |
|-------------------------------|------------------|--------|--------------|
| falconeri. Star Mockorange. | 8' | | |
| 3 to 4 ft | 45 | 3.50 | 25.00 |
| 4 to 5 ft | | 4.50 | 35.00 |
| 5 to 6 ft | | 5.50 | 45.00 |
| 6 to 8 ft | 75 | 6.50 | 55.00 |
| Favorite. 10' | | | |
| 2 to 3 ft | .50 | 4.00 | |
| Gerbe de Neige. $6'$ | | | |
| 2 to 3 ft | .50 | 4.00 | |
| Glacier. 5' | | | |
| 2 to 3 ft | 50 | 4.00 | 35.00 |
| 3 to 4 ft | | 5.00 | 40.00 |
| gordonianus. Gordon Mockoro | inge. 12 | , | |
| 2 to 3 ft | .40 | 3.00 | 20.00 |
| 3 to 4 ft | .50 | 3.50 | 25.00 |
| 4 to 5 ft | | 4.00 | 30.00 |
| 5 to 6 ft | 65 | 5.00 | 40.00 |
| 6 to 8 ft | | 6.00 | 50.00 |
| 8 to 10 ft | | 7.50 | |
| grandiflorus. Big Scentless M | <i>lockorang</i> | ge. 8' | |
| 2 to 3 ft | | 3.00 | 20.00 |
| 3 to 4 ft | 50 | 3.50 | 25.00 |
| 4 to 5 ft | | 4.00 | 30.00 |
| 5 to 6 ft | | 5.00 | 40.00 |
| 6 to 8 ft | | 6.00 | 50.00 |
| 8 to 10 ft | _ 1.00 | 7.50 | 60.00 |
| lemoinei Avalanche. 5' | | | |
| 2 to 3 ft | | 3.50 | 25.00 |
| 3 to 4 ft | 60 | 4.50 | 35.00 |
| lemoinei Bouquet Blanc. 5' | | | |
| 18 to 24 in | | 3.50 | 25.00 |
| 2 to 3 ft | | 4.00 | 30.00 |
| 3 to 4 ft | 60 | 5.00 | 40.00 |
| lemoinei erectus. 5' | 10 | 0 = 0 | 0 00 |
| 2 to 3 ft | | 3.50 | 25.00 |
| 3 to 4 ft | | 4.00 | 30.00 |
| 4 to 5 ft | | 5.00 | 40.00 |
| lewisi. Lewis Mockorange 10 | | 0.50 | 05.00 |
| 3 to 4 ft | | 3.50 | 25.00 |
| 4 to 5 ft | | 4.50 | 35.00 |
| 5 to 6 ft | | 5.00 | 40.00 |
| 6 to 8 ft | 75 | 6.50 | |

Each Per 10 Per 100

| P | hi | lad | lel | p. | nus | 5 |
|---|----|-----|-----|----|-----|---|
|---|----|-----|-----|----|-----|---|

| Magdalene. 6' | Each | Per 10 | Per 100 |
|-------------------------------|------------|--------|---------|
| | .50 | 4.00 | 30.00 |
| | | 4.00 | 30.00 |
| nepalensis. Nepal Mockorange. | 10' | | |
| 3 to 4 ft | .45 | 3.50 | 25.00 |
| 4 to 5 ft | .55 | 4.50 | 35.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | 1.00 | 6.50 | 50.00 |
| nivalis. Snowbank Mockorange. | 10' | | |
| 2 to 3 ft | .35 | 2.50 | 18.00 |
| 3 to 4 ft | .40 | 3.00 | 22.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | .75 | 6.50 | 50.00 |
| 8 to 10 ft | 1.00 | 7.50 | 60.00 |
| Norma. 8' | | | |
| 2 to 3 ft | .45 | 3.50 | 25.00 |
| 3 to 4 ft | .50 | 4.00 | 35.00 |
| Ophelia. 6' | | | |
| 2 to 3 ft | .50 | 4.00 | |
| 3 to 4 ft | .60 | 5.00 | |
| Pavillon Blanc. 8' | | | |
| 2 to 3 ft | .45 | 3.50 | 25.00 |
| 3 to 4 ft | | 4.50 | 35.00 |
| 4 to 5 ft | | 5.00 | 40.00 |
| 5 to 6 ft | | 6.00 | 50.00 |
| pyramidale. $6'$ | | | |
| 2 to 3 ft | .45 | 3.50 | 30.00 |
| 3 to 4 ft | | 4.50 | 40.00 |
| virginal. 8' | ••• | 1.00 | 10.00 |
| 2 to 3 ft | .50 | 4.00 | 30.00 |
| 3 to 4 ft | | 5.00 | 40.00 |
| 4 to 5 ft | | 6.00 | 40.00 |
| | | 0.00 | |
| Voie Lactee. 6' | <i>n</i> = | C 00 | |
| 2 to 3 ft | 75 | 6.00 | |
| zeyheri. Zeyher Mockorange. | | | |
| 3 to 4 ft | | 4.00 | 30.00 |
| 4 to 5 ft | | 4.50 | 35.00 |
| 5 to 6 ft | | 5.50 | |
| 6 to 8 ft | .75 | 6.50 | |
| | | | |

| | Each | Per 10 | Per 100 |
|------------------------------------|--------|-----------|---------|
| Photinia villosa. 8' | | | |
| 3 to 4 ft | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft | 2.00 | 15.00 | 125.00 |
| villosa laevis. 15' | | | |
| 3 to 4 ft | 1.25 | 10.00 | |
| Physocarpus intermedia parviflora. | | | |
| Dwarf Ninebark. 4' | | | |
| 18 to 24 in | .50 | 4.00 | |
| 3 to 4 ft | .75 | 6.00 | |
| monogynus. 3' | | | |
| 2 to 3 ft | 1.25 | | |
| opulifolius. Ninebark. 10' | | | |
| 2 to 3 ft | .40 | 3.00 | 20.00 |
| 3 to 4 ft | .45 | 3.50 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | .75 | 6.00 | 50.00 |
| 8 to 10 ft | 1.00 | 7.50 | 65.00 |
| 6 to 8 ft. specimens | 3.50 | | |
| opulifolius aureus. Goldleaf N | inebar | k. 10' | |
| 2 to 3 ft | .40 | 3.00 | 20.00 |
| 3 to 4 ft | | 3.50 | 25.00 |
| 4 to 5 ft | | 4.00 | 30.00 |
| 5 to 6 ft | | 5.00 | 40.00 |
| 6 to 8 ft | | 6.00 | 50.00 |
| 6 to 8 ft. specimens | 3.50 | | |
| opulifolius nanus. $5'$ | | | |
| 2 to 3 ft | | 5.00 | |
| 3 to 4 ft | .75 | 6.00 | |
| Picea alba. White Spruce. 50' | | | |
| 18 inB. & B. | 2.50 | 20.00 | 150.00 |
| 2 ftB. & B. | 3.00 | 25.00 | 200.00 |
| 3 ftB. & B. | 4.00 | 35.00 | 300.00 |
| 4 ftB. & B. | 6.00 | 50.00 | 450.00 |
| 5 ftB. & B. | 7.50 | 65.00 | |
| 6 ftB. & B. | | 75.00 | |
| - , , | 15.00 | 125.00 | |
| 8 ftB. & B. | | 150.00 | |
| 9 ftB. & B. | | 180.00 | |
| 10 ftB. & B. | | | |
| For larger sizes to 14 ft., add | \$5.00 | per toot. | |

Picea

| cea | | | |
|-----------------------------------|------------------------|------------------|---------|
| 11 1 2 501 | Each | Per 10 | Per 100 |
| alba gloriosa. 50′ 2 ftB. & B. | 7.50 | | |
| | | | |
| alcockiana. Alcock Spruce. 7 | | | |
| 4 ftB. & B. 5 ftB. & B. | | | |
| 6 ftB. & B. | | | |
| 7 ftB. & B. | | | |
| 8 ftB. & B. | | | |
| canadensis. Black Hills Spruc | | | |
| 2 ftB. & B. | | 0F 00 | 200.00 |
| 3 ftB. & B. | | $25.00 \\ 35.00$ | 200.00 |
| | | | 300.00 |
| 4 ftB. & B. | | 50.00 | |
| 5 ftB. & B. 6 ftB. & B. | 7.50 | 65.00 | |
| | | 75.00 | |
| 7 ftB. & B. | | 125.00 | |
| 8 ftB. & B. 9 ftB. & B. | | 150.00 | |
| | | | |
| engelmanni. Englemann Spru | | | |
| 4 ftB. & B. | | | |
| 5 ftB. & B. | | | |
| 6 ftB. & B. | | | |
| 7 ftB. & B. | | | |
| For larger sizes to 10 ft., ad | d \$5.00 j | per foot. | |
| excelsa. Norway Spruce. 75' | | | |
| 2 ftB. & B. | | 20.00 | 150.00 |
| 3 ftB. & B. | | 30.00 | 250.00 |
| 4 ftB. & B. | | 40.00 | 350.00 |
| 5 ftB. & B. | | 55.00 | 500.00 |
| 6 ftB. & B | | 75.00 | |
| 7 ftB. & B | | 95.00 | |
| 8 ftB. & B | | 100.00 | |
| 9 ftB. & B. | | | |
| 10 ftB. & B. | | | |
| For larger sizes to 17 ft., ac | ld \$5.00 ₁ | per foot. | |
| excelsa aurea. Golden Norway | y Spruce | 2. 75' | |
| 2 ftB. & B | 10.00 | | |
| 3 ftB. & B | | | |
| 4 ftB. & B. | 15.00 | | |
| excelsa maxwelli. Maxwell Sp | ruce. 6 | , | |
| 18 to 24 inB. & B | | | |
| 24 to 30 inB. & B | | | |
| | | | |

Picea

| ea | | | |
|---------------------------------|------------|------------|---------|
| _ | Each | Per 10 | Per 100 |
| excelsa nana compacta. Dwarf | | . 4' | |
| 18 to 24 inB. & B. | | | |
| 24 to 30 in | | | |
| 30 to 36 inB. & B. | 15.00 | | |
| excelsa pendula. Weeping Spr | uce. 20 |) ' | |
| 3 ftB. & B. | 12.50 | | |
| 4 ftB. & B. | 15.00 | | |
| 5 ftB. & B. | 18.50 | | |
| excelsa pygmea. Pygmy Norwo | ay Spru | ce. 20' | |
| 15 to 18 inB. & B. | 7.50 | 65.00 | |
| 18 to 24 inB. & B. | 10.00 | 90.00 | |
| 24 to 30 inB. & B. | 15.00 | 140.00 | |
| 30 to 36 inB. & B. | 20.00 | | |
| excelsa remonti. Remont Sprue | ce. 6' | | |
| 24 to 30 inB. & B. | 12.50 | | |
| 30 to 36 inB. & B. | 15.00 | | |
| 36 to 42 inB. & B. | 20.00 | | |
| mariana. Black Spruce. 30' | | | |
| 4 ftB. & B. | 7.50 | | |
| 5 ftB. & B. | 10.00 | | |
| 6 ftB. & B. | 12.50 | | |
| 7 ftB. & B. | | | |
| 8 ftB. & B. | 18.50 | | |
| For larger sizes to 11 ft., add | i \$5.00 j | per foot. | |
| mariana doumeti. Doumet Spr | ruce. 2: | 5 ' | |
| 18 inB & B. | 10.00 | | |
| 2 ftB. & B. | 12.50 | | |
| omorika. Serbian Spruce. 50 | , | | |
| 3 ftB. & B. | 10.00 | | |
| orientalis. Oriental Spruce. 7 | 5' | | |
| 5 ftB. & B. | | | |
| 6 ftB. & B. | 18.50 | | |
| polita. Tigertail Spruce. 75' | o . | | |
| 4 ftB. & B. | | | |
| 5 ftB. & B. | | | |
| 6 ftB. & B. | | | |
| 7 ftB. & B. | | | |
| 8 ftB. & B. | | | |
| 9 ftB. & B. | 32.50 | | |

Picea

| Each Per 10 | Per 100 |
|--|---------|
| pungens. Colorado Spruce. 60' | |
| 2 ftB. & B. 4.00 35.00 | 300.00 |
| 3 ftB. & B. 6.00 50.00 | |
| 4 ftB. & B. 8.50 75.00 | |
| 5 ftB. & B. 12.50 100.00 | |
| 6 ft B. & B. 15.00 125.00 | |
| 7 ftB. & B. 20.00 175.00 | |
| 8 ftB. & B. 25.00 | |
| For larger sizes to 12 ft., add \$5.00 per foot. | |
| pungens glauca. Blue Colorado Spruce. 60' | |
| 2 ftB. & B. 7.50 65.00 | 600.00 |
| 3 ftB. & B. 12.50 100.00 | |
| 4 ftB. & B. 15.00 125.00 | |
| 5 ftB. & B. 20.00 175.00 | |
| 6 ftB. & B. 25.00 225.00 | |
| 7 ftB. & B. 35.00 300.00 | |
| 8 ftB. & B. 50.00 450.00 | |
| 9 ftB. & B. 60.00 | |
| pungens kosteri. Koster Blue Spruce. 50' | |
| 2 ftB. & B. 12.50 100.00 | |
| 2½ ftB. & B. 15.00 125.00 | |
| 3 ftB. & B. 18.00 150.00 | |
| 3½ ftB. & B. 20.00 180.00 | |
| 4 ftB. & B. 22.50 | |
| 4½ ftB. & B. 25.00 | |
| 5 ftB. & B. 30.00 | |
| 5½ ftB. & B. 35.00 | |
| 6 ft B. & B. 45.00 | |
| 7 ftB. & B. 55.00 | |
| 9 ft. specimens B. & B. 70.00 | |
| 12 ft. specimens B. & B. 80.00 | |
| 13 ft. specimens B. & B. 90.00 | |
| 14 ft. specimens B. & B. 110.00 | |
| pungens moerheimi. 40' | |
| 2½ ftB. & B. 18.50 | |
| 3 ftB. & B. 22.50 | |
| 3½ ftB. & B. 25.00 | |

Pinus austriaca. (See Pinus Nigra.)

Pinus

| | | | | Each | Per 10 | Per 106 |
|-------------------|----------------|------|---------------|-------------------|---------------|---------|
| banksiana. | Jack Pine. | 60 | , | | | |
| 3 ft | В. | & | в. | 4.00 | 35.00 | 300.00 |
| 4 ft | B. | & | В. | 5.00 | 45.00 | 400.00 |
| 5 ft | B. | & | в. | 7.50 | 65.00 | 550.00 |
| | | & | В. | 8.50 | 75.00 | 650.00 |
| 7 ft | B. | & | В. | 12.50 | 100.00 | 750.00 |
| | B. | | | 15.00 | 125.00 | |
| | | & | В. | 18.50 | | |
| | B. | & | В. | 22.50 | | |
| | B. | | | 25.00 | | |
| For large | er sizes to 20 | ft. | ., a d | ld \$5.00 | per foot. | |
| densiflora. | Japanese Re | ed | Pin | e. 60' | | |
| 3 ft | В. | & | В. | 4.00 | 35.00 | 300.00 |
| 4 ft | B. | & | в. | 5.00 | 45.00 | 400.00 |
| 5 ft | B. | & | в. | 7.50 | 60.00 | 500.00 |
| 6 ft | B. | & | В. | 8.50 | 75. 00 | 600.00 |
| | B. | | | 12.50 | 100.00 | |
| | B. | | | 15. 00 | | |
| | B. | | | 20.00 | | |
| 11 ft | B. | & | В. | 35.00 | | |
| | | 30' | | | | |
| | B. | & | в. | 12. 50 | | |
| | B. | & | В. | 15.00 | | |
| | B. | | в. | 18.50 | | |
| | B. | & | | 22.50 | | |
| | B. | | | 27.50 | | |
| For larg | er sizes to 12 | ft | ., ad | ld \$5. 00 | per foot. | |
| montana. | Swiss Mounte | ain | Pir | ne. 10' | | |
| 18 to | 24 inB. | & | В. | 3.50 | 30.00 | 250.00 |
| 2 to | 2½ ftB. | & | В. | 4.50 | 40.00 | 375.00 |
| $2\frac{1}{2}$ to | | | | 6.00 | 55.00 | 500.00 |
| 3 to | 3½ ftB. | | | 10.00 | 75.00 | |
| 3½ to | 4 ftB. | & | В. | 12.50 | | |
| montana m | ughus. Dwa | rf | Mo | untain | Pine. 4' | |
| 15 to 18 | in. sprd. I | 3. 8 | & В. | 2.50 | 22.50 | 175.00 |
| 18 to 24 | _ | | | | 30.00 | 250.00 |
| 2 to 2 | ½ ft. sprd. I | | | | 40.00 | 375.00 |
| 2½ to 3 | ft. sprd. I | 3. 8 | Ъ В. | 6.00 | 55.00 | 500.00 |
| 3 to 3 | ½ ft. sprd. I | 3. 8 | ЪВ. | 10.00 | 75.00 | |

| Pinus nigra. | Austrian Pine. | | 50 ' | | | |
|--------------|------------------|-------------|-------------|---------------|-----------------|-------------------|
| | В. | | ъ | Each 4.00 | Per 10 35.00 | Per 100 300.00 |
| | B. | | | 6. 00 | 50.00 | 450.00 |
| | | | В. | 8.50 | 75.00 | 700.00 |
| | B. | | | 12.50 | 100.00 | 100.00 |
| | B. | & | | 15.00 | 100.00 | |
| | B. | & | В. | 18.50 | | |
| | B. | & | В. | 22.50 | | |
| · | B. | & | B. | 25.00 | | |
| | B. | & | В. | 30.00 | | |
| | B. | & | B. | 37.50 | | |
| | B. | & | В. | 45.00 | | |
| | B. | & | В. | 52.50 | | |
| | В. | & | В. | 60.00 | | |
| | В. | & | В. | 67.50 | | |
| | В. | & | В. | 75.00 | | |
| ponderos | | | | Pine. 60 |)′ | |
| | B. | | | 18.50 | | |
| | B. | | В. | 22.50 | | |
| 10 ft. | В. | & | В. | 27.50 | | |
| 11 ft. | В. | & | В. | 35.00 | | |
| For la | rger sizes to 14 | ft | ., a | dd \$5.00 | per foot. | |
| resinosa. | | | | | | |
| 2 ft. | B. | & | В. | 4.00 | 30.00 | 200.00 |
| 3 ft. | B. | & | В. | 5.00 | 40.00 | 350.00 |
| 4 ft. | B. | & | В. | 8.00 | | |
| 5 ft. | В. | & | В. | 12.50 | | |
| 6 ft. | B. | & | В. | 15.00 | | |
| 7 ft. | В. | & | В. | 18.50 | | |
| 8 ft. | B. | & | В. | 22.50 | | |
| 9 ft. | B. | & | В. | 25.0 0 | | |
| | | '5 ' | | | | |
| | B. | | В. | 3.50 | 30.00 | 250.00 |
| | B. | & | В. | 5.00 | 40.00 | 350.00 |
| | B. | & | В. | 7. 50 | 60.00 | |
| | B. | & | В. | 8.50 | 75.0 0 | |
| | B. | & | В. | 10.00 | 85.00 | |
| | B. | & | _ | 12.50 | 100.00 | |
| | B. | & | В. | 16.00 | | |
| | B. | & | В. | 20.00 | | |
| | В. | & | | 22.50 | | |
| | | & | | 25.00 | | |
| | В. | | В. | 32.50 | | |
| For la | rger sizes to 25 | Ít | ., a | dd \$5.00 | per foot. | |

Pinus

| Ea | ch Per 10 Per 100 |
|---|-------------------|
| sylvestris. Scotch Pine. 50' | |
| 2 ftB. & B. 2. | 50 20.00 150.00 |
| 3 ftB. & B. 3. | 50 30.00 250.00 |
| 4 ftB. & B. 5. | 00 40.00 350.00 |
| 5 ftB. & B. 7. | 50 60.00 525.00 |
| | 00 75.00 650.00 |
| 7 ftB. & B. 10. | |
| 8 ftB. & B. 12. | |
| 9 ftB. & B. 18. | |
| 10 ftB. & B. 22. | |
| 11 ftB. & B. 25 | |
| 12 ftB. & B. 32 | = = |
| For larger sizes to 20 ft., add \$ | 5.00 per foot. |
| thunbergi. Japanese Black Pine. | 60' |
| | 50 30.00 250.00 |
| | 00 40.00 350.00 |
| · · | 50 60.00 500.00 |
| 5 ftB. & B. 10. | |
| 6 ftB. & B. 12 | |
| 11 ftB. & B. 32 | |
| 12 ftB. & B. 37. | |
| 12 101111111111111111111111111111111111 | |
| Platanus occidentalis. American Plane | tree. 75' |
| 6 to 8 ft 2. | 00 15.00 |
| 8 to 10 ft 2. | 50 20.00 |
| | 00 27.50 |
| 1½ to 1¾ in 3. | 50 32.50 |
| 77 | 004 |
| ·· · · · · · · · · · · · · · · · · · | 80' |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in 2. | |
| 1½ to 1¾ in 3. | |
| 1¾ to 2 in 5. | |
| 2 to $2\frac{1}{2}$ in 6. | |
| 2½ to 3 in7 | |
| 3 to 3½ in10. | 00 75.00 |
| Polygonum auberti. China Fleecevine | . 25' |
| 2 year | 75 6.50 55.00 |
| hold-shared Cilour Files to | - 00' |
| baldschuanicum. Silver Fleecevin | |
| 2 year 1 | 00 7.50 |
| | |

| . | TT11 1. TO 1 | Each | Per 10 | Per 100 |
|---------------|---------------------------------------|-------------|--------------|---------|
| Populus alba. | - | | 40.00 | == 00 |
| 6 to | | 1.10 | 10.00 | 75.00 |
| | | 1.25 | 11.00 | 90.00 |
| | | 2.00 | 16.00 | 125.00 |
| 1½ to | · - | | 20.00 | |
| 1% to | | 3.25 | 25.00 | |
| 2 to | . – | | 30.00 | |
| 2½ to | | 5.00 | 40.00 | |
| berolinensi | | | | |
| 6 to | 8 ft | | 10.00 | |
| 8 to | | 1.50 | 12.50 | |
| 1¼ to | · · · · · · · · · · · · · · · · · · · | | 15.00 | |
| 1½ to | 1¾ in | 2.50 | 20.00 | |
| bolleana. | Bolleana Popla | r. 50' | | |
| 6 to | 8 ft | 1.25 | 10.00 | 75.00 |
| 8 to | 10 ft | 1.50 | 12.50 | 100.00 |
| 1¼ to | 1½ in | 2.00 | 15.00 | 125.00 |
| 1½ to | 1% in | 3.00 | 25.00 | 200.00 |
| 1¾ to | 2 in | 4.00 | 35.00 | 250.00 |
| 2 to | 2½ in | 5.00 | 45.00 | 400.00 |
| 2½ to | 3 in | 7.50 | 60.00 | |
| 3 to | 3½ in | 10.00 | 75.00 | |
| certinensis. | Certinensis I | Poplar. 40' | | |
| 6 to | 8 ft | 1.25 | 10.00 | 75.00 |
| 8 to | 10 ft | 1.60 | 12.50 | 100.00 |
| 10 to | 12 ft | 2.00 | 16.00 | 150.00 |
| 1½ to | 1¾ in | 2.25 | 20.00 | |
| 1¾ to | 2 in | 2.50 | 22.50 | |
| maximowic | zi. Japanese P | Poplar. 40' | | |
| 6 to 8 | ft | _ | | |
| nigra italic | a. Lombardy | Poplar. 60' | | |
| 6 to | | | 6.00 | 50.00 |
| 8 to | | inched 1.00 | 7.50 | 65.00 |
| 10 to | 12 ft. low bra | inched 1.50 | 12.50 | 90.00 |
| 1½ to | 1% in. low bra | inched 1.75 | 15.00 | 125.00 |
| 13/4 to | | inched 2.50 | 20.00 | 175.00 |
| 2 to | 2½ in. low bra | nched 4.00 | 35.00 | 275.00 |
| 2½ to | | inched 6.50 | 50.00 | |
| tremuloides | . Quaking As | pen. 50' | | |
| | 8 ft | | 10.00 | |
| | 0 ft | | 12.50 | |
| 10 to 1 | 2 ft | 2.00 | 15.00 | |

Populus

| ropulus | | | |
|-------------------------------------|--------------|--------|---------|
| • | Each | Per 10 | Per 100 |
| trichocarpa. Black Cottonwood. | 40' | | |
| 6 to 8 ft | 1.25 | 10.00 | |
| 8 to 10 ft | 1.6 0 | 12.50 | |
| 10 to 12 ft | 2.00 | 16.00 | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 2.25 | 20.00 | |
| 1¾ to 2 in | | 22.50 | |
| 2 to 2½ in | - | 25.00 | |
| 2½ to 3 in | 4.00 | 35.00 | |
| Potentilla fruticosa. Shrubby Cinqu | efoil. | 4' | |
| 18 to 24 in | .50 | 4.00 | 30.00 |
| 2 to 3 ft | .65 | 5.00 | 40.00 |
| Prunus americana. American Plum. | . 20' | | |
| 4 to 5 ft | .60 | 5.00 | 45.00 |
| 5 to 6 ft | .75 | 6.00 | 55.00 |
| 6 to 8 ft | | 7.50 | 65.00 |
| 8 to 10 ft | 1.25 | 10.00 | |
| americana Newport. | | | |
| Purple-leaved American Pli | ım. 20 | o' | |
| 3 to 4 ft | .75 | 6.00 | 50.00 |
| 4 to 5 ft | 1.00 | 7.50 | 60.00 |
| 5 to 6 ft | 1.25 | 10.00 | 75.00 |
| *avium plena. | | | |
| Double White Flowering Ch | herry. | 30' | |
| 5 to 6 ft | | 25.00 | 200.00 |
| 6 to 8 ft | 5.00 | 40.00 | 300.00 |
| 8 to 10 ft | 7.50 | 60.00 | |
| 3 to 4 in. specimens | 25.00 | | |
| besseyi. Bessey Cherry. 8' | | | |
| 2 to 3 ft | .65 | 5.00 | 45.00 |
| 3 to 4 ft | | 6.50 | 55.00 |
| cerasifera pissardi. Purpleleaf | | 12' | |
| 4 to 5 ft | .75 | 6.00 | 50.00 |
| 5 to 6 ft | 1.00 | 7.50 | 65.00 |
| 6 to 8 ft | 1.50 | 12.50 | 100.00 |
| 8 to 10 ft | 1.75 | 15.00 | 125.00 |
| glandulosa. Flowering Almond. | 10' | | |
| 2 to 3 ft | .60 | 5.00 | 40.00 |
| 3 to 4 ft | .75 | 6.00 | 50.00 |
| 4 to 5 ft | 1.00 | 7.50 | 60.00 |

Prunus

| | Each | Per 10 | Per 100 |
|---------------------------------|--------|---------------|----------------|
| glandulosa albiplena. | | | |
| Double Whiteflowering Alm | iond. | 6' | |
| 2 to 3 ft | .65 | 5.00 | 40.00 |
| 3 to 4 ft | .75 | 6.00 | 50.00 |
| 4 to 5 ft | 1.25 | 10.00 | |
| 5 to 6 ft | 2.00 | 15. 00 | |
| 2 to 3 ft. own roots | 1.50 | 12.50 | |
| glandulosa sinensis. | | | |
| Double Pinkflowering Almo | nd. 6 | 3' | |
| 2 to 3 ft | .65 | 5.00 | 40.00 |
| 3 to 4 ft | .75 | 6.00 | 50.00 |
| 4 to 5 ft | 1.25 | 10.00 | |
| 2 to 3 ft. own roots | 1.50 | 12.50 | |
| 3 to 4 ft. own roots | 2.00 | 15.00 | |
| *lannesiana. Hitoye Cherry. 3 | 0' | | |
| 5 to 6 ft | 2.00 | 15.00 | 125.00 |
| 6 to 8 ft | 2.50 | 20.00 | 1 50.00 |
| 8 to 10 ft | 3.50 | 30.00 | 250.00 |
| 10 to 12 ft | 5.50 | 45.00 | 350.00 |
| *lannesiana sirotae. Shirotae C | herry. | 25' | |
| 3 to 4 ft | 2.50 | 20.00 | |
| 4 to 5 ft | 3.00 | 25.00 | |
| maacki. Amur Cherry. 12' | | | |
| 6 to 8 ft | 1.60 | 12.50 | 85.00 |
| 8 to 10 ft | 2.00 | 15.00 | 100.00 |
| 10 to 12 ft | 2.50 | 20.00 | 150.00 |
| 12 to 14 ft | 6.50 | 50.00 | |
| maritima. Beech Plum. 12' | | | |
| 2 to 3 ft | .65 | 5.50 | 50.00 |
| 3 to 4 ft | .75 | 6.50 | 60.00 |
| 4 to 5 ft | 1.00 | 7.50 | 70.00 |
| moseri fl. pl. 12' | | | |
| 3 to 4 ft | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft | 1.75 | 15.00 | |
| padus. European Bird Cherry. | 30' | | |
| 4 to 5 ft | .65 | 5.00 | 40.00 |
| 5 to 6 ft | .75 | 6.50 | 50.00 |
| 6 to 8 ft | 1.25 | 10.00 | 65.00 |
| 8 to 10 ft | 1.60 | 12.50 | 100.00 |
| 10 to 12 ft | 2.00 | 15.00 | |
| | | | |

Prunus

| | Each | Per 10 | Per 100 |
|----------------------------------|------------|---------------|---------------|
| pennsylvanica. Pin Cherry. 25 | 51 | | |
| 5 to 6 ft | .75 | 6.00 | 50. 00 |
| 6 to 8 ft | 1.00 | 7.50 | 60.00 |
| 8 to 10 ft | 1.25 | 10.00 | 75.00 |
| 10 to 12 ft | 1.75 | 15.00 | 125.00 |
| 12 to 14 ft | 2.50 | 20.00 | 150.00 |
| persica. (See Amygdalus). | | | |
| serotina. Wild Black Cherry. | <i>60'</i> | | |
| 4 to 5 ft | .60 | 5.00 | 40.00 |
| 5 to 6 ft | .75 | 6.00 | 50.00 |
| 6 to 8 ft | 1.00 | 8.50 | 65.00 |
| 8 to 10 ft | 1.50 | 12.50 | 100.00 |
| 10 to 12 ft | 2.25 | 20.00 | 150.00 |
| *serrulata. Oriental Cherry. 4 | 0' | | |
| 4 to 5 ft | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft | 2.00 | 15.00 | 125.00 |
| 6 to 8 ft | 3.00 | 25.00 | 200.00 |
| 8 to 10 ft | 5.00 | 37.50 | 300.00 |
| 10 to 12 ft | 6.00 | 50. 00 | |
| *serrulata Higantakura. | | | |
| | 0' | | |
| 4 to 5 ft | 2.00 | 15.00 | |
| 5 to 6 ft | 3.00 | 25.00 | |
| 6 to 8 ft | 5.00 | 40.00 | |
| *serrulata Hisakura. Dbl. Pink | Flg. | Cherry. | <i>30'</i> |
| 4 to 5 ft | 2.00 | 15.00 | |
| 5 to 6 ft | 3.00 | 25.00 | |
| 6 to 8 ft | 5.00 | 40.00 | |
| *serrulata James H. Veitch. 30 | , | | |
| 4 to 5 ft | 2.00 | 15.00 | |
| 5 to 6 ft | 3.00 | 25.00 | |
| 6 to 8 ft | 5.00 | 40.00 | |
| 8 to 10 ft | 7.50 | 60.00 | |
| *serrulata sachalinensis. $Yama$ | Cher | _ | |
| 4 to 5 ft | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft | 2.00 | 15.00 | 125.00 |
| 6 to 8 ft | 2.50 | 20.00 | 150.00 |
| 8 to 10 ft | 3.50 | 30.00 | 250.00 |
| 10 to 12 ft | 6.00 | 50.00 | |
| *sieboldi. Siebold Cherry. 40' | | | |
| 5 to 6 ft | 3.00 | | |
| 6 to 8 ft | 5.00 | | |

Prunus

| | Each | Per 10 | Per 100 |
|--|---|---|--|
| spinosa. Blackthorn. 12' | | 2.22 | |
| 3 to 4 ft | .75 | 6.00 | 50.00 |
| 4 to 5 ft | .80 | 6.50 | 60.00 |
| 5 to 6 ft | 1.00 | 7.50 | 65.00 |
| 6 to 8 ft | 1.25 | 9.00 | 80.00 |
| 8 to 10 ft | 1.50 | 12.50 | |
| *subhirtella. Higan Cherry. | <i>30'</i> | | |
| 4 to 5 ft | 2.00 | 15.00 | 125.00 |
| 5 to 6 ft | 2.50 | 20.00 | 150.00 |
| 6 to 8 ft | 3.50 | 30.00 | 250.00 |
| 8 to 10 ft | 6.00 | 50.00 | |
| *subhirtella ascendens. Shiro- | higan. | 20' | |
| 4 to 5 ft., top grafted | 5.00 | 45.00 | |
| *subhirtella autumnale. | | | |
| Autumn flowering Higan | Cherry. | 30' | |
| 4 to 5 ft | 2.50 | 20.00 | |
| 5 to 6 ft | 3.50 | 30.00 | |
| 6 to 8 ft | 5.00 | 40.00 | |
| 8 to 10 ft | 7.50 | | |
| 10 to 12 ft | 10.00 | | |
| | | | |
| *subhirtella pendula. | | | |
| *subhirtella pendula. Weeping Higan Cherry. | 15' | | |
| - | 15' | 35.00 | 300.00 |
| Weeping Higan Cherry. 2 yr. heads, 4 to 6 ft. stem | 15' | 35.00 | 300.00 |
| Weeping Higan Cherry. 2 yr. heads, 4 to 6 ft. stem tomentosa. Nanking Cherry. | 15' 4.00 8' | | |
| Weeping Higan Cherry. 2 yr. heads, 4 to 6 ft. stem tomentosa. Nanking Cherry. 2 to 3 ft | 15' 4.00 8' .65 | 35.00 5.00 6.50 | 300.00 40.00 50.00 |
| Weeping Higan Cherry. 2 yr. heads, 4 to 6 ft. stem tomentosa. Nanking Cherry. 2 to 3 ft | 15' 4.00 8' .65 | 5.00 | 40.00 |
| Weeping Higan Cherry. 2 yr. heads, 4 to 6 ft. stem tomentosa. Nanking Cherry. 2 to 3 ft 3 to 4 ft 4 to 5 ft | 15' 4.00 8' .65 .75 | 5.00 6.50 | 40.00 50.00 |
| Weeping Higan Cherry. 2 yr. heads, 4 to 6 ft. stem tomentosa. Nanking Cherry. 2 to 3 ft | 15' 4.00 8' .65 .75 1.00 | 5.00 6.50 7.50 | 40.00 50.00 65.00 |
| Weeping Higan Cherry. 2 yr. heads, 4 to 6 ft. stem tomentosa. Nanking Cherry. 2 to 3 ft | 15' 4.00 8' .65 .75 1.00 1.25 1.50 | 5.00 6.50 7.50 10.00 | 40.00 50.00 65.00 |
| Weeping Higan Cherry. 2 yr. heads, 4 to 6 ft. stem tomentosa. Nanking Cherry. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. triloba. Doubleflowering Plum | 15' 4.00 8' .65 .75 1.00 1.25 1.50 . 10' | 5.00 6.50 7.50 10.00 12.50 | 40.00 50.00 65.00 75.00 |
| Weeping Higan Cherry. 2 yr. heads, 4 to 6 ft. stem tomentosa. Nanking Cherry. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. triloba. Doubleflowering Plum 3 to 4 ft. | 15' 4.00 8' .65 .75 1.00 1.25 1.50 . 10' 1.00 | 5.00 6.50 7.50 10.00 12.50 | 40.00 50.00 65.00 |
| Weeping Higan Cherry. 2 yr. heads, 4 to 6 ft. stem tomentosa. Nanking Cherry. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. triloba. Doubleflowering Plum 3 to 4 ft. 4 to 5 ft. | 15' 4.00 8' .65 .75 1.00 1.25 1.50 . 10' | 5.00 6.50 7.50 10.00 12.50 | 40.00 50.00 65.00 75.00 |
| Weeping Higan Cherry. 2 yr. heads, 4 to 6 ft. stem tomentosa. Nanking Cherry. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. triloba. Doubleflowering Plum 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. | 15' 4.00 8' .65 .75 1.00 1.25 1.50 . 10' 1.00 1.25 | 5.00 6.50 7.50 10.00 12.50 7.50 10.00 | 40.00 50.00 65.00 75.00 |
| Weeping Higan Cherry. 2 yr. heads, 4 to 6 ft. stem tomentosa. Nanking Cherry. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. triloba. Doubleflowering Plum 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. virginiana. Chokecherry. 30' | 15' 4.00 8' .65 .75 1.00 1.25 1.50 . 10' 1.00 1.25 2.00 | 5.00 6.50 7.50 10.00 12.50 7.50 10.00 15.00 | 40.00 50.00 65.00 75.00 |
| Weeping Higan Cherry. 2 yr. heads, 4 to 6 ft. stem tomentosa. Nanking Cherry. 2 to 3 ft | 15' 4.00 8' .65 .75 1.00 1.25 1.50 . 10' 1.00 1.25 2.00 .65 | 5.00 6.50 7.50 10.00 12.50 7.50 10.00 15.00 | 40.00 50.00 65.00 75.00 60.00 75.00 |
| Weeping Higan Cherry. 2 yr. heads, 4 to 6 ft. stem tomentosa. Nanking Cherry. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. triloba. Doubleflowering Plum 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. virginiana. Chokecherry. 30' 3 to 4 ft. 4 to 5 ft. | 15' 4.00 8' .65 .75 1.00 1.25 1.50 . 10' 1.00 1.25 2.00 .65 .75 | 5.00 6.50 7.50 10.00 12.50 7.50 10.00 15.00 6.50 | 40.00 50.00 65.00 75.00 60.00 75.00 45.00 50.00 |
| Weeping Higan Cherry. 2 yr. heads, 4 to 6 ft. stem tomentosa. Nanking Cherry. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. triloba. Doubleflowering Plum 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. virginiana. Chokecherry. 30' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. | 15' 4.00 8' .65 .75 1.00 1.25 1.50 . 10' 1.00 1.25 2.00 .65 .75 1.00 | 5.00 6.50 7.50 10.00 12.50 7.50 10.00 15.00 6.50 7.50 | 40.00 50.00 65.00 75.00 60.00 75.00 45.00 65.00 |
| Weeping Higan Cherry. 2 yr. heads, 4 to 6 ft. stem tomentosa. Nanking Cherry. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. triloba. Doubleflowering Plum 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. | 15' 4.00 8' .65 .75 1.00 1.25 1.50 . 10' 1.00 1.25 2.00 .65 .75 1.00 1.25 | 5.00 6.50 7.50 10.00 12.50 7.50 10.00 15.00 6.50 7.50 10.00 | 40.00 50.00 65.00 75.00 60.00 75.00 45.00 50.00 65.00 75.00 |
| Weeping Higan Cherry. 2 yr. heads, 4 to 6 ft. stem tomentosa. Nanking Cherry. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. triloba. Doubleflowering Plum 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. virginiana. Chokecherry. 30' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. | 15' 4.00 8' .65 .75 1.00 1.25 1.50 . 10' 1.00 1.25 2.00 .65 .75 1.00 | 5.00 6.50 7.50 10.00 12.50 7.50 10.00 15.00 6.50 7.50 | 40.00 50.00 65.00 75.00 60.00 75.00 45.00 65.00 |

| Prunus | | |
|--|-----------|---------|
| Each | Per 10 | Per 100 |
| *yedoensis. Yoshino Cherry. 35' 5 to 6 ft 3.50 | | |
| 5 to 6 ft 3.50 *yedoensis taizanfukun. | | |
| 4 to 5 ft 2.50 | 20.00 | |
| 5 to 6 ft 3.50 | 30.00 | |
| Pseudotsuga douglasi. Douglas Fir. 70' | 00.00 | |
| 2 ftB. & B. 4.00 | 35.00 | 300.00 |
| 3 ftB. & B. 5.00 | 45.00 | 400.00 |
| 4 ftB. & B. 7.50 | 65.00 | 600.00 |
| 5 ftB. & B. 10.00 | 90.00 | |
| 6 ftB. & B. 12.50 | 110.00 | |
| 7 ftB. & B. 15.00 | 135.00 | |
| 8 ftB. & B. 18.50 | 150.00 | |
| 9 ftB. & B. 25.00 | 200.00 | |
| For larger sizes to 14 ft., add \$5.00 | per foot. | |
| Ptelea trifoliata. Hoptree. 20' | | |
| 4 to 5 ft75 | 6.50 | 50.00 |
| 5 to 6 ft 1.00 | 7.50 | 65.00 |
| 6 to 8 ft 1.60 | 12.50 | 90.00 |
| 8 to 10 ft 2.00 | 16.00 | 125.00 |
| Pueraria thunbergiana. Kudzu-bean. 40' | | |
| 2 year | 3.00 | 20.00 |
| Pyracantha. (See Crataegus). | | |
| Quercus alba. White Oak. 75' | | |
| 6 to 8 ft 3.75 | 32.50 | |
| 1½ to 1½ in 4.50 | 37.50 | |
| 1½ to 1¾ in 5.00 | 45.00 | |
| 1¾ to 2 in 6.50 | 50.00 | |
| 2 to 2½ in 7.50 | 65.00 | |
| 2½ to 3 in 10.00 | 75.00 | |
| 3 to 3½ in 12.50 | 100.00 | |
| bicolor. Swamp White Oak. 60' | | |
| 6 to 8 ft 3.75 | | |
| 1¼ to 1½ in 4.50 | | |
| 1½ to 1¾ in 5.50 1¾ to 2 in 6.50 | | |
| 1¾ to 2 in 6.50 2 to 2½ in 7.50 | | |
| 2 to 2½ in 7.50 2½ to 3 in 10.00 | | |
| cerris. European Turkey Oak. 80' | | |
| 2 to 2½ in 6.50 | 55.00 | |
| 2 to 2 72 in 0.50 2½ to 3 in 7.50 | 67.50 | |
| 3 to 3½ in 10.00 | 80.00 | |
| 3½ to 4 in 12.50 | 00.00 | |
| - /2 III XD100 | | |

Quercus

| | | | Each | Per 10 | Per 100 |
|----------------|-----|----------------|------------------|--------|---------|
| | | | et Oak. 75' | | |
| $1\frac{1}{4}$ | to | | in 4.50 | | |
| $1\frac{1}{2}$ | to | $1\frac{3}{4}$ | in 5.00 | | |
| $1\frac{3}{4}$ | to | 2 | in 6.50 | | |
| 2 | to | $2\frac{1}{2}$ | in 7.50 | | |
| $2\frac{1}{2}$ | to | 3 | in 10.00 | | |
| 3 | to | $3\frac{1}{2}$ | in 12.50 | | |
| $3\frac{1}{2}$ | to | 4 | in 17.50 | | |
| ilicifolia | | Scrul | Oak. 20' | | |
| $1\frac{1}{4}$ | to | $1\frac{1}{2}$ | in 3.50 | 32.50 | |
| | | $1\frac{3}{4}$ | | 35.00 | |
| 13/4 | to | 2 | in 4.50 | 37.50 | |
| 2 | to | $2\frac{1}{2}$ | in 6.50 | 50.00 | |
| $2\frac{1}{2}$ | to | 3 | in 7.50 | 65.00 | |
| 3 | to | $3\frac{1}{2}$ | in 10.00 | 75.00 | |
| 31/2 | to | 4 | in 12.50 | | |
| macroca | rpa | . M | ossycup Oak. 75' | | |
| 6 | to | 8 | ft 3.75 | 32.50 | 300.00 |
| 11/4 | to | $1\frac{1}{2}$ | | 37.50 | |
| $1\frac{1}{2}$ | to | $1\frac{3}{4}$ | | 45.00 | |
| 2 | to | $2\frac{1}{2}$ | in 6.50 | 55.00 | |
| $2\frac{1}{2}$ | to | 3 | in10.00 | 75.00 | |
| palustris | i | Pin (| Oak. 75' | | |
| 6 | to | 8 | ft 3.00 | 25.00 | |
| 11/4 | to | $1\frac{1}{2}$ | in 4.00 | 37.50 | |
| $1\frac{1}{2}$ | to | $1\frac{3}{4}$ | in 5.00 | 45.00 | |
| $1\frac{3}{4}$ | to | 2 | in 6.50 | 55.00 | |
| 2 | to | $2\frac{1}{2}$ | in 7.50 | 65.00 | • |
| $2\frac{1}{2}$ | to | 3 | in10.00 | 75.00 | |
| 3 | to | $3\frac{1}{2}$ | in12.50 | | |
| $3\frac{1}{2}$ | to | 4 | in17.50 | | |
| 4 | to | - | in25.00 | | |
| 5 | to | 6 | in35.00 | | |
| phellos. | И | Villou | Oak. 40' | | |
| 8 | to | 10 | ft 4.50 | 37.50 | |
| 10 | | 12 | ft 5.50 | 50.00 | |
| $1\frac{1}{2}$ | to | 1¾ | in 6.50 | 60.00 | |
| | | | | | |

Quercus

| £ | | Each | Per 10 | Per 100 |
|----------------|-------------------|---------------|--------|---------|
| prinus. | Chestnut Oak. | 50' | | |
| 6 | | 2.50 | 22.50 | |
| 8 | | 3.25 | 25.00 | |
| $1\frac{1}{4}$ | · - | 3.75 | 32.50 | |
| $1\frac{1}{2}$ | | 5.00 | 45.00 | |
| 1 34 | | 6.50 | 50.00 | |
| 2 | . – | 7.50 | 65.00 | |
| 21/2 | | 10.00 | 75.00 | |
| 3 | | 15.00 | 125.00 | |
| robur. | English Oak. 80 | o ' | | |
| 6 | | 3.75 | 32.50 | |
| $1\frac{1}{2}$ | | 4.50 | 37.50 | |
| 2 | to 2½ in | 6.50 | 55.00 | |
| $2\frac{1}{2}$ | | 10.00 | 75.00 | |
| 3 | | 12.50 | 100.00 | |
| $3\frac{1}{2}$ | to 4 in | 15.00 | 125.00 | |
| rubra. | Red Oak. 75' | | | |
| 6 | to 8 ft | 3.75 | 32.50 | |
| 1 1/4 | | 4.50 | 40.00 | |
| . – | to 1¾ in | 5.00 | 47.50 | |
| $1\frac{3}{4}$ | | 6.50 | 55.00 | |
| 2 | | 7.50 | 65.00 | |
| $2\frac{1}{2}$ | | 10.00 | 75.00 | |
| 3 | | 12.50 | | |
| $3\frac{1}{2}$ | to 4 in | 17.50 | | |
| velutina. | | | | |
| 6 | | 3.75 | 32.50 | |
| . 11/4 | | 4.50 | 37.50 | |
| ,- | | 5.00 | 45.00 | |
| $1\frac{3}{4}$ | | 6.50 | 50.00 | |
| · 2 | | 7.50 | 65.00 | |
| /- | | 10.00 | 75.00 | |
| 3 | | 12.50 | | |
| $3\frac{1}{2}$ | | 17.50 | | |
| 4 | | 25.00 | | |
| 5 | to 6 in | 35.00 | | |
| Retinospora. | (See Chamaecy | paris). | | |
| Rhamnus care | oliniana. Carolin | ia Buckthorn. | 25' | |
| 2 to | 3 ft | .45 | 3.00 | 25.00 |
| 3 to | | | 4.00 | 30.00 |
| 4 to | 5 ft | 65 | 5.00 | 45.00 |

Rhamnus

| cathartica. Buckthorn. 12' | Each | Per 10 | Per 100 |
|------------------------------------|------|----------|---------|
| 3 to 4 ft | .40 | 3.50 | 25.00 |
| 4 to 5 ft | .55 | 4.50 | 40.00 |
| 5 to 6 ft | .60 | 5.50 | 50.00 |
| 6 to 8 ft | .75 | 6.50 | 60.00 |
| dahurica. Dahurian Buckthorn. | | 0.00 | 00.00 |
| 2 to 3 ft | .40 | 2.50 | 20.00 |
| 3 to 4 ft | .45 | 3.50 | 25.00 |
| 4 to 5 ft | .55 | 4.50 | 30.00 |
| 5 to 6 ft | .70 | 5.00 | 40.00 |
| 6 to 8 ft | .90 | 6.50 | 50.00 |
| frangula. Glossy Buckthorn. 1 | 2' | | |
| 3 to 4 ft | .45 | 3.50 | 25.00 |
| 4 to 5 ft | .55 | 4.50 | 30.00 |
| 5 to 6 ft | .70 | 5.00 | 40.00 |
| 6 to 8 ft | .90 | 6.50 | 50.00 |
| 8 to 10 ft | 1.00 | 8.50 | 75.00 |
| 10 to 12 ft | 1.50 | 12.50 | 100.00 |
| frangula asplenifolia. Fernleaf | Rhan | nus. 12' | |
| 4 to 5 ft | 5.00 | | |
| purshiana. Cascara Buckthorn. | 12' | | |
| 3 to 4 ft | .45 | 3.50 | 25.00 |
| 4 to 5 ft | .55 | 4.00 | 30.00 |
| 5 to 6 ft | .65 | 5.00 | 40.00 |
| 6 to 8 ft | .90 | 6.50 | 50.00 |
| 8 to 10 ft | 1.00 | 8.50 | 75.00 |
| Rhododendron carolinianum. | | | |
| Carolina Rhododendron. 6' | | | |
| 2 to 3 ftB. &.B. | 4.50 | 37.50 | 325.00 |
| Catawbiense. Catawba Rhododes | | | |
| 2 to 3 ftB. & B. | 4.50 | 37.50 | 325.00 |
| 3 to 4 ftB. & B. | 5.75 | 50.00 | 450.00 |
| maximum. Rosebay Rhododend | | 15' | |
| 2 to 3 ftB. & B. | 4.00 | 35.00 | 275.00 |
| 3 to 4 ftB. & B. | 5.00 | 40.00 | 350.00 |
| 4 to 5 ftB. & B. | 6.50 | | |
| Rhodotypos kerrioides. Jetbead. 6' | | | |
| 2 to 3 ft | .35 | 3.00 | 25.00 |
| 3 to 4 ft | .45 | 3.50 | 30.00 |
| | .65 | 5.00 | 40.00 |
| 5 to 6 ft | 1.00 | 7.50 | |

| | Each | Per 10 | Per 100 |
|----------------------------------|---------|--------|---------|
| Rhus canadensis. Fragrant Sumac. | 6' | | |
| 2 to 3 ft | .65 | 5.50 | 45.00 |
| 3 to 4 ft | 1.00 | 7.00 | 60.00 |
| 4 to 5 ft | 1.25 | 10.00 | |
| copallina. Shining Sumac. 20 | , | | |
| 2 to 3 ft | .60 | 5.00 | 40.00 |
| 3 to 4 ft | .75 | 6.00 | 50.00 |
| 4 to 5 ft | 1.00 | 7.50 | 70.00 |
| 5 to 6 ft | 1.25 | 10.00 | 80.00 |
| 6 to 8 ft | 1.50 | 12.50 | 100.00 |
| cotinus. Purple Fringe or Sme | oketree | . 12' | |
| 2 to 3 ft | .75 | 6.00 | 50.00 |
| 3 to 4 ft | 1.00 | 7.50 | 65.00 |
| 4 to 5 ft | 1.75 | 12.50 | 90.00 |
| 5 to 6 ft | 2.00 | 17.50 | 150.00 |
| 6 to 8 ft | 3.00 | 25.00 | 200.00 |
| glabra. Smooth Sumac. 12' | | | |
| 2 to 3 ft | | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.50 | 25.00 |
| glabra laciniata. Cutleaf Suma | c. 5' | | |
| 2 to 3 ft | .75 | 6.50 | |
| 3 to 4 ft | 1.00 | 7.50 | |
| javanica syn. osbecki. Java Sv | umac. | 18' | |
| 3 to 4 ft | | 7.50 | |
| 4 to 5 ft | 1.25 | 10.00 | |
| 5 to 6 ft | 2.00 | 15.00 | |
| 6 to 8 ft | 2.50 | 20.00 | |
| 8 to 10 ft | 3.00 | 25.00 | |
| typhina. Staghorn Sumac. 25 | , | | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.50 | 25.00 |
| 4 to 5 ft | .55 | 4.50 | 35.00 |
| 5 to 6 ft | 75 | 5.50 | 45.00 |
| 6 to 8 ft | 1.00 | 6.50 | 55.00 |
| typhina laciniata. Shredded Si | umac. | 25' | |
| 2 to 3 ft | | 4.00 | 30.00 |
| 3 to 4 ft | 0.0 | 4.50 | 35.00 |
| | .60 | 4.00 | |
| 4 to 5 ft | | 5.50 | 45.00 |
| | .75 | | |

| a | 1 |
|---|---|
| J | 7 |

PAINESVILLE, OHIO

| | Each | Per 10 | Per 100 |
|-----------------------------------|--------|---------------------|---------|
| Ribes alpinum. Mountain Currant. | 4' | | |
| 18 to 24 in | .60 | 5.00 | 40.00 |
| 2 to 3 ft | .75 | 6.00 | 50.00 |
| 3 to 4 ft | 1.00 | 7.50 | |
| aureum. Slender Golden Curre | int. 1 | 9 ' | |
| 2 to 3 ft | .40 | 3.50 | 25.00 |
| 3 to 4 ft | | 4.00 | 30.00 |
| 4 to 5 ft | .65 | 5.00 | 40.00 |
| 5 to 6 ft | .75 | 6.00 | 50.00 |
| fasciculatum. Winterberry Cur | rant. | 4' | |
| 18 to 24 in | .65 | 5.00 | 45.00 |
| 2 to 3 ft | .75 | 6.00 | 50.00 |
| 3 to 4 ft | .85 | 7.50 | 60.00 |
| gordonianum. Gordon Currant | . 8' | | |
| 3 to 4 ft | .60 | 5.00 | |
| 4 to 5 ft | .65 | 6.00 | |
| sanguineum. Ruby Winter Cu | rrant. | 8' | |
| 2 to 3 ft | | 4.50 | |
| 3 to 4 ft | .65 | 5.00 | |
| Robinia hispida. Rose Acacia. | | | |
| 2 yr. standard, 3 to 4 ft | 2.00 | 17.50 | |
| 2 yr. standard, 4 to 5 ft | | 20.00 | |
| kelseyi. Kelsey Locust. 8' | | | |
| 3 to 4 ft | 2.00 | | |
| pseudoacacia. Common Locust. | 60' | | |
| 5 to 6 ft | | 5.50 | 45.00 |
| 6 to 8 ft | 1.00 | 7.50 | 65.00 |
| 8 to 10 ft | 1.60 | 12.50 | 90.00 |
| 10 to 12 ft | 2.00 | 16.00 | 125.00 |
| pseudoacacia bessoniana. Bess | on Loc | ust. 40' | |
| 6 to 8 ft | | | |
| viscosa. Clammy Locust. 10' | | | |
| 2 to 3 ft | 75 | 6.50 | 50.00 |
| 3 to 4 ft | | 7.50 | 60.00 |
| 4 to 5 ft | | 10.00 | 00.00 |
| Rosa acicularis. Prickly Rose. 5' | | | |
| 2 to 3 ft | .50 | 4.00 | 30.00 |
| 3 to 4 ft | .60 | 4.50 | 40.00 |
| blanda. Meadow Rose. 5' | | 2.00 | 20.00 |
| 18 to 24 in | .50 | 4.00 | 35.00 |
| 2 to 3 ft | .60 | $\frac{4.00}{4.50}$ | 40.00 |
| 4 to 9 1th | .00 | 4.00 | 40.00 |

Rosa

| sa | | | |
|--------------------------------|---------|---------|----------|
| canina. Dogbrier. 8' | Each | Per 10 | Per 100 |
| 3 to 4 ft | .50 | 4.50 | 40.00 |
| foetida. Austrian Copper Rose | . 4' | | |
| 2 to 3 ft | | 10.00 | 75.00 |
| fujisanensis. Mt. Fuji Rose. 8 | , | | |
| 2 to 3 ft | | 10.00 | 75.00 |
| helenae. Helen Rose. 6' | | | |
| 2 year | 1.00 | 7.50 | 60.00 |
| hugonis. Hugonis Rose. 6' | | | |
| 2 to 3 ft | 1.00 | 7.50 | 60.00 |
| humilis. Pasture Rose. 5' | | | |
| 18 to 24 in | .50 | 4.00 | 32.00 |
| 2 to 3 ft | .55 | 4.50 | 40.00 |
| 3 to 4 ft | .60 | 5.00 | 45.00 |
| lucida. Virginia Rose. 6' | | | |
| 18 to 24 in | .50 | 4.00 | 32.00 |
| 2 to 3 ft | .55 | 4.50 | 40.00 |
| multiflora. Japanese Rose. 8' | | | |
| 2 to 3 ft | .50 | 3.50 | 25.00 |
| 3 to 4 ft | .55 | 4.00 | 30.00 |
| 4 to 5 ft | .65 | 5.00 | 40.00 |
| multiflora cathayensis. Cathay | Rose. | 6' | |
| 4 to 5 ft | 1.25 | | |
| nitida. Bristly Rose. 3' | | | |
| 18 to 24 in | .50 | 4.00 | 35.00 |
| 2 to 3 ft | .55 | 4.50 | 40.00 |
| 3 to 4 ft | .65 | 5.00 | |
| palustris. Swamp Rose. 8' | | | |
| 18 to 24 in | .50 | 4.00 | 30.00 |
| 2 to 3 ft | .55 | 4.50 | 40.00 |
| 3 to 4 ft | .60 | 5.00 | 45.00 |
| 4 to 5 ft | .65 | 5.50 | 50.00 |
| rubiginosa. Sweetbriar. 6' | | | |
| 2 to 3 ft | .50 | 4.00 | 30.00 |
| 3 to 4 ft | .60 | 4.50 | 40.00 |
| 4 to 5 ft | .65 | 5.00 | 45.00 |
| 5 to 6 ft | .75 | 6.00 | 55.00 |
| rubiginosa hybrids. Lady Pen | ızance, | Lord Pe | enzance, |
| Green Mantle, Lucy Ashto | | | |
| Flora McIvor. 6' | | | |
| 2 to 3 ft | 1.00 | 7.50 | 60.00 |
| | | | |

| к | osa |
|---|-----|

| sa | Each | Per 10 | Per 100 |
|---------------------------------|----------|-----------|---------------|
| rubrifolia. Redleaf Rose. 6' | Lacii | 1 61 10 | 161 100 |
| 2 to 3 ft | .65 | 5.00 | 40.00 |
| 3 to 4 ft | .75 | 6.50 | 50.00 |
| 4 to 5 ft | 1.00 | 7.50 | |
| rugosa. Rugosa Rose. 6' | | | |
| 18 to 24 in | .40 | 3.00 | 25.00 |
| 2 to 3 ft | .50 | 4.00 | 30.00 |
| rugosa alba. White Rugosa R | ose. 6' | | |
| 18 to 24 in | .50 | 4.00 | 35.0 0 |
| 2 to 3 ft | .65 | 5.00 | 45.00 |
| rugosa hybrids. 5' | | | |
| 2 to 3 ft | 1.00 | 7.50 | 60.00 |
| 3 to 4 ft | 1.10 | 10.00 | |
| Varieties:-Blanche de Cou | ibert, C | F. Mey | er, |
| C. F. Worth, Agnes Carr | men, No | ew Centu: | ry, |
| Nova Zembla, Mad. Geo. | Bruan | t, Mrs. A | n- |
| thony Waterer, Belle Poi | tevine, | Sir Thom | as |
| Lipton, Hansa, Agnes, F | . J. Gr | ootendors | t. |
| sericea. 4' | | | |
| 2 to 3 ft | 1.00 | 9.00 | |
| 3 to 4 ft | 1.50 | 12.50 | |
| setigera. Prairie Rose. 6' | | | |
| 2 to 3 ft | .45 | 3.50 | 30.00 |
| 3 to 4 ft | .50 | 4.50 | 40.00 |
| 4 to 5 ft | .60 | 5.00 | 45.00 |
| 5 to 6 ft | .65 | 5.50 | 50.00 |
| spinosissima altaica. Altai Ros | e. 4' | | |
| 18 to 24 in | .60 | 5.00 | 40.00 |
| 2 to 3 ft | 75 | 6.00 | 50.00 |
| 3 to 4 ft | 1.00 | 7.50 | |
| spinosissima hispida. Bristly | | | |
| Scotch Rose. 6' | | | |
| 6 to 12 in | 1.50 | | |
| spinosissima hybrids. 5' | | | |
| 6 to 12 in | 1.50 | 12.50 | |
| Grahamstown, Townsend, Bicolo | | | |
| Blush, Dbl. White. | , | | |
| | | | |

Rosa

| wichuraiana. | Wichurian Rose. | 2' | | |
|--------------|-------------------|-----------|----------|---------|
| | · | Each | Per 10 | Per 100 |
| 2 year | | .45 | 3.50 | 25.00 |
| 3 year | | .60 | 4.50 | 35.00 |
| wichuraiana | hybrids. 2' | | | |
| 2 year - | | .75 | 6.50 | |
| Jarsey Ro | auty Sweetheart 1 | Universal | Favorito | |

Jersey Beauty, Sweetheart, Universal Favorite, Manda's Triumph, South Orange Perfection.

Roses

6.50

J. B. Clark

Hybrid Perpetuals. 2 year No. 1__ .75

Alfred Colomb

| Anne de Diesbach | Mrs. John Laing |
|-------------------------------|-------------------------|
| Baroness Rothschild | M. P. Wilder |
| Baron de Bonstettin | Magna Charta |
| Clio | Marg. de St. Amande |
| Coq. des Alps | Margaret Dickson |
| Earl of Dufferin | Paul Neyron |
| Eugene Furst | Prince Camille de Rohan |
| Francois Levet | Tom Wood |
| Gen. Jacqueminot | Ulrich Brunner |
| John Hopper | |
| | |
| Hybrid Teas. 2 year No. 1 | 1.00 8.00 |
| British Queen | Mad. Abel Chatenay |
| Chateau de Clos Vougeot | Mad. Caroline Testout |
| Etoile de France | Marquise De Sinety |
| Harry Kirk | Mrs. A. R. Waddell |
| Jonkheer J. L. Mock | Ophelia |
| Killarney | Pharisaer |
| Mrs. McKean | Sunburst |
| Lady Hillingdon | White Killarney |
| | |
| American Beauty | 1.00 7.50 |
| Frau Karl Druschki | 1.00 7.50 |
| Gloire de Chedane-Guinoisseau | 1.00 7.50 |
| Gruss an Teplitz | 1.00 7.50 |
| Soliel d'Or | 1.25 10.00 |

Climbing roses.

| Chimbing roses. | Each | Per 10 | Per 100 |
|-----------------------------------|--------|--------|---------|
| American Beauty (climbing) | .75 | 6.00 | |
| American Pillar | .75 | 6.00 | 50.00 |
| Aviateur Bleriot | 1.00 | 7.50 | |
| Dr. W. Van Fleet | .75 | 6.00 | 50.00 |
| Dorothy Perkins, 2 year | .65 | 5.50 | 45.00 |
| Dorothy Perkins, 3 year | .75 | 6.00 | 50.00 |
| Excelsa | .75 | 6.00 | 50.00 |
| Gardenia | .75 | 6.00 | 50.00 |
| Hiawatha | .75 | 6.00 | 50.00 |
| Mary Wallace | .75 | 6.00 | |
| Max Graf. (Climbing Rugosa) | 1.25 | 10.00 | |
| Paul's Scarlet Climber | .75 | 6.00 | |
| Prairie Queen | .65 | 5.00 | |
| Silver Moon | .75 | 6.00 | 50.00 |
| Star of Persia | 1.00 | 7.50 | |
| White Dorothy Perkins | .75 | 6.00 | 50.00 |
| Ramblers: | | | |
| Blue | .75 | 6.50 | |
| Crimson | .75 | 6.50 | |
| White | .75 | 6.50 | |
| Yellow | .75 | 6.50 | |
| Baby Rambler | | 7.00 | |
| Erna Teschendorf | .90 | 7.00 | |
| Ellen Poulsen | .90 | 7.00 | |
| Persian Yellow | | 7.50 | |
| Rubus deliciosus. Boulder Raspber | ry. 5' | | |
| 2 to 3 ft | 1.25 | | |
| 3 to 4 ft | 1.50 | | |
| odoratus. Flowering Raspberry | ı. 6' | | |
| 2 to 3 ft | .55 | 4.00 | 30.00 |
| 3 to 4 ft | .60 | 4.50 | 40.00 |
| 4 to 5 ft | .65 | 5.00 | 45.00 |
| pheonicolasius. Wineberry. 8' | .00 | 0.00 | 20.00 |
| 2 to 3 ft | .75 | 5.00 | |
| Salix babylonica. Babylon Weeping | | | |
| 6 to 8 ft | 1.25 | 10.00 | 75.00 |
| 8 to 10 ft | 1.50 | 12.50 | 100.00 |
| 1½ to 1½ in | 2.00 | 15.00 | |
| 1½ to 1¾ in | 2.50 | 20.00 | |
| 1¾ to 2 in | 3.25 | 25.00 | |
| 2 to 2½ in | 3.75 | 32.50 | |

Salix

| babylonica aurea pendula. Golden Weeping Willow. 40' 6 to 8 ft |
|--|
| 6 to 8 ft |
| 8 to 10 ft |
| 1¼ to 1½ in |
| 1½ to 1¾ in 2.50 22.50 1¾ to 2 in 3.25 25.00 babylonica dolorosa. Wisconsin Weeping Willow. 40' 6 to 8 ft 1.60 12.50 8 to 10 ft 2.00 16.00 babylonica salamoni. 50' 6 to 8 ft 1.60 12.50 90.00 8 to 10 ft 2.00 16.00 125.00 160.00 |
| 1¾ to 2 in |
| babylonica dolorosa. Wisconsin Weeping Willow. 40' 6 to 8 ft |
| Wisconsin Weeping Willow. 40' 6 to 8 ft |
| 6 to 8 ft |
| 6 to 8 ft |
| 8 to 10 ft |
| babylonica salamoni. Salamon Weeping Willow. 50' 6 to 8 ft |
| Salamon Weeping Willow. 50' 6 to 8 ft |
| 6 to 8 ft |
| 8 to 10 ft |
| 1¼ to 1½ in 2.25 20.00 160.00 1½ to 1¾ in 2.50 22.50 200.00 1¾ to 2 in 3.25 27.50 250.00 2 to 2½ in 3.75 32.50 300.00 2½ to 3 in 5.00 37.50 3 to 3½ in 6.50 caprea. Goat Willow. 20' .75 6.50 50.00 6 to 8 ft 1.00 7.50 60.00 8 to 10 ft 1.25 10.00 discolor. Pussy Willow. 20' .60 5.00 40.00 |
| 1½ to 1¾ in 2.50 22.50 200.00 1¾ to 2 in 3.25 27.50 250.00 2 to 2½ in 3.75 32.50 300.00 2½ to 3 in 5.00 37.50 3 to 3½ in 6.50 caprea. Goat Willow. 20' .75 6.50 50.00 6 to 8 ft 1.00 7.50 60.00 8 to 10 ft 1.25 10.00 discolor. Pussy Willow. 20' .60 5.00 40.00 |
| 134 to 2 in |
| 2 to 2½ in |
| 2½ to 3 in |
| 3 to 3½ in |
| caprea. Goat Willow. 20' 5 to 6 ft |
| 5 to 6 ft. .75 6.50 50.00 6 to 8 ft. 1.00 7.50 60.00 8 to 10 ft. 1.25 10.00 discolor. Pussy Willow. 20' 20' 60 5.00 40.00 |
| 6 to 8 ft |
| 8 to 10 ft 1.25 10.00 discolor. Pussy Willow. 20' 4 to 5 ft60 5.00 40.00 |
| discolor. Pussy Willow. 20' 4 to 5 ft. .60 5.00 40.00 |
| 4 to 5 ft60 5.00 40.00 |
| |
| |
| 5 to 6 ft75 6.00 50.00 |
| 6 to 8 ft 1.00 7.50 60.00 |
| 8 to 10 ft 1.25 10.00 75.00 |
| elegantissima. Thurlow Weeping Willow. 50' |
| 6 to 8 ft 1.60 12.50 100.00 |
| 8 to 10 ft 2.00 16.00 125.00 |
| 1½ to 1½ in 2.50 20.00 |
| incana. syn. rosmarinifolia. |
| Rosemary Willow. 20' |
| 2 to 3 ft. shrub form45 3.50 30.00 |
| 3 to 4 ft. shrub form55 4.00 35.00 |
| 4 to 5 ft. shrub form65 5.00 40.00 |
| 5 to 6 ft. shrub form75 6.00 50.00 |
| 6 to 8 ft. shrub form 1.25 10.00 |

Salix

| | Each | Per 10 | Per 100 |
|--------------------------------|--------------|---------------|---------|
| irrorata. Bluestem Willow. 12 | .* | | |
| 3 to 4 ft | .75 | 6.50 | 50.00 |
| 4 to 5 ft | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft | 1.50 | 12.50 | 100.00 |
| 6 to 8 ft | 2.00 | 15.00 | |
| matsudana. Hankow Willow. | 35 ' | | |
| 5 to 6 ft | 1.25 | 10.00 | |
| mutabilis. 5' | | | |
| 2 to 3 ft | .60 | 5.00 | |
| 3 to 4 ft | .75 | 6.00 | |
| niobe. Niobe Weeping Willow. | 30' | | |
| 6 to 8 ft | 1.60 | 12.50 | |
| 8 to 10 ft | 2.00 | 16.00 | |
| 1¼ to 1½ in | 2.25 | 20.00 | |
| pentandra. Laurel Willow. 30 | , | | |
| 6 to 8 ft | 1.00 | 9.00 | 75.00 |
| 8 to 10 ft | 1.50 | 12.50 | 100.00 |
| 1½ to 1½ in | 2.00 | 17.5 0 | |
| 1½ to 1¾ in | 2.50 | 22.50 | |
| 1% to 2 in | 3.25 | 27.50 | |
| regalis. Royal Willow. 30' | | | |
| 4 to 5 ft | 1.00 | 6.50 | |
| 5 to 6 ft | 1.25 | 10.00 | |
| 6 to 8 ft | 1.60 | 12.50 | |
| 8 to 10 ft | 2.00 | 16.00 | |
| 10 to 12 ft | 2. 50 | 20.00 | |
| sieboldiana. Siebold Willow. 3 | 0' | | |
| 5 to 6 ft | 1.00 | 7.50 | |
| 6 to 8 ft | 1.25 | 10.00 | |
| 8 to 10 ft | 1.60 | 12.50 | |
| uralensis. 15' | | | |
| 3 to 4 ft | .5 5 | 4.00 | 35.00 |
| 4 to 5 ft | .65 | 5.00 | 45.00 |
| 5 to 6 ft | .75 | 6.00 | |
| 6 to 8 ft | 1.00 | 7.50 | |
| | | | |

Salix

| | Each | Per 10 | Per 100 |
|-----------------------------------|---------|----------|---------|
| vitellina. Golden Willow. 30' | | | |
| 6 to 8 ft | 1.25 | 10.00 | 75.00 |
| 8 to 10 ft | 1.60 | 12.50 | 100.00 |
| 1¼ to 1½ in | 2.00 | 16.00 | 125.00 |
| 1½ to 1¾ in | 2.25 | 20.00 | 160.00 |
| 1¾ to 2 in | 2.50 | 22.50 | 200.00 |
| 2 to 2½ in | 3.25 | 27.50 | |
| 2½ to 3 in | 3.75 | 32.50 | |
| 3 to 3½ in | 6.00 | 45.00 | |
| vitellina britzensis. Bronze Gold | len Wil | low. 30' | |
| 6 to 8 ft | 1.25 | 10.00 | 75.00 |
| 8 to 10 ft | 1.60 | 12.50 | 90.00 |
| 1½ to 1¾ in | 2.25 | 20.00 | |
| 1¾ to 2 in | 2.50 | 22.50 | |
| vitellina glauca. Blue Russian | Willow. | 20' | |
| 5 to 6 ft | .75 | 6.00 | 50.00 |
| 6 to 8 ft | 1.00 | 7.50 | 65.00 |
| 8 to 10 ft | 1.25 | 10.00 | 75.00 |
| 1¼ to 1½ in | 2.00 | 15.00 | |
| 1½ to 1¾ in | 2.25 | 20.00 | |
| vitellina pendula. Golden Weep | ing Wil | low. 40' | |
| 5 to 6 ft | 1.25 | 10.00 | |
| 6 to 8 ft | 1.60 | 12.50 | |
| wentworthi. 50' | | | |
| 8 to 10 ft | 2.00 | 15.00 | |
| 1½ to 1¾ in | 2.50 | 22.50 | |
| 1¾ to 2 in | 3.00 | 25.00 | |
| Sambucus canadensis. American Ela | ler. 10 | , | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | .75 | 6.50 | |
| canadensis acutiloba. Cutleaved | Elder. | 10' | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | .75 | 6.50 | |

| Sambucus | | | |
|---|-------------|--------|--------------|
| | Each | Per 10 | Per 100 |
| nigra. European Elder. 15' | | | |
| 2 to 3 ft | . 55 | 4.00 | |
| 3 to 4 ft | .65 | 5.00 | |
| 4 to 5 ft | .75 | 6.50 | |
| nigra aurea. Golden European | Elder. | 15' | |
| 2 to 3 ft | .3 5 | 2.50 | * 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| nigra variegata. Variegated El | lder. 1 | 0' | |
| 3 to 4 ft | .65 | 4.50 | |
| 4 to 5 ft | .75 | 5.50 | |
| pubens. Scarlet Elder. 8' | | | |
| 3 to 4 ft | .50 | 4.00 | 35.00 |
| 4 to 5 ft | .60 | 5.00 | 45.00 |
| 5 to 6 ft | .75 | 6.50 | 55.00 |
| racemosa. European Red Elde | r. 8' | | |
| 3 to 4 ft | .50 | 4.00 | 35.00 |
| 4 to 5 ft | .60 | 5.00 | 45.00 |
| 5 to 6 ft | .75 | 6.50 | 55.00 |
| 6 to 7 ft | 1.00 | 7.50 | |
| Sassafras variifolium. Sassafras. | 50' | | |
| 4 to 5 ft | 1.00 | 7.50 | 60.00 |
| 5 to 6 ft | 1.25 | 10.00 | 75.00 |
| 6 to 8 ft | 1.60 | 12.50 | 100.00 |
| 8 to 10 ft | 2.00 | 15.00 | 125.00 |
| | | | |
| Schizophragma hydrangeoides. 20' Japanese Hydrangea-vine. | | | |
| from pots | 1.25 | 10.00 | 80.00 |
| | | | 80.00 |
| Sciadopitys verticillata. Umbrella I | | 0' | |
| 2½ ftB. & B. | | | |
| 3 ftB. & B. | 15.00 | | |
| Shepherdia argentea. Silver Buffal | oberry. | 15' | |
| 2 to 3 ft | 1.00 | 7.50 | |
| 3 to 4 ft | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft | 2.00 | 15.00 | 125.00 |
| 6 to 8 ft | 2.50 | 20.00 | |
| Solanum dulcamara. True Bitters: | veet. | | |
| 2 year | .45 | 3.00 | 20.00 |
| • | | | |

| Each | Per 10 | Per 100 |
|--|---------------|---------|
| *Sophora japonica. Chinese Scholartree. | 25' | |
| 2 to 3 ft 1.50 | 12.50 | |
| 3 to 4 ft 2.00 | 15.00 | |
| 4 to 5 ft. specimens 5.00 | | |
| 5 to 6 ft. specimens 7.50 | | |
| 6 to 8 ft. specimens 10.00 | | |
| Sorbaria aitchisoni. Kashmir False Spira | iea. 8' | |
| 3 to 4 ft65 | 5.00 | 45.00 |
| 4 to 5 ft75 | 6.50 | 50.00 |
| 5 to 6 ft 1.00 | 7.50 | 60.00 |
| 6 to 8 ft 1.25 | 10.00 | |
| glabrata. 8′ | | |
| 3 to 4 ft | 6.50 | 50.00 |
| 4 to 5 ft 1.00 | 7.50 | 65.00 |
| 5 to 6 ft 1.25 | 10.00 | 75.00 |
| 6 to 8 ft 1.50 | 12.50 | |
| lindleyana. Lindley False Spiraea. | 8' | |
| 2 to 3 ft55 | 4.00 | 35.00 |
| 3 to 4 ft65 | 5.00 | 45.00 |
| 4 to 5 ft | 6.00 | 50.00 |
| 5 to 6 ft 1.00 | 7.50 | |
| sorbifolia. Ural False Spiraea. 4' | | |
| 2 to 3 ft50 | 4.00 | 30.00 |
| 3 to 4 ft60 | 5.00 | 40.00 |
| 4 to 5 ft75 | 6.50 | 50.00 |
| Sorbus americana. American Mountain A | sh. 25' | |
| 6 to 8 ft 2.50 | 20.00 | |
| aria latifolia. White Beam-tree. 40' | | |
| 6 to 8 ft 1.60 | 12.50 | |
| 8 to 10 ft 2.00 | 16.00 | |
| 2½ to 3 in 7.50 | 65.00 | |
| 3 to 3½ in 10.00 | 75. 00 | |
| aucuparia. European Mountain Ash. | <i>50'</i> | |
| 6 to 8 ft 1.50 | 12.50 | 100.00 |
| 8 to 10 ft 2.00 | 15.00 | 125.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in 2.50 | 20.00 | 175.00 |
| 1½ to 1¾ in 3.75 | 30.00 | 250.00 |
| 1% to 2 in 4.50 | 35.00 | |
| 2 to 2½ in 6.50 | 50.00 | |

| \mathbf{Sorl} | bus |
|-----------------|-----|
| | |

| Sorbus | | | |
|----------------------------------|-----------------------|----------------|---------|
| | Each | Per 10 | Per 100 |
| quercifolia. Oak-leaf Mountain | | 25' | |
| 6 to 8 ft | 2.25 | 20.00 | |
| 8 to 10 ft | 2.75 | 25.00 | |
| 1¼ to 1½ in | 3.25 | 27.50 | |
| 1½ to 1¾ in | 3.75 | 32.50 | |
| 1¾ to 2 in | 4.50 | 37.50 | |
| 2 to 2½ in | 6.50 | | |
| Spiraea arguta. Garland Spiraea. | 6' | | |
| 2 to 3 ft | .35 | 2.50 | 18.00 |
| 3 to 4 ft | .40 | 3.00 | 22.00 |
| 4 to 5 ft | .50 | 4.00 | 35.00 |
| 5 to 6 ft | .65 | 5.50 | 45.00 |
| aitchisoni. (See Sorbaria). | | | |
| billiardi. Billiard Spiraea. 6' | | | |
| 3 to 4 ft | .40 | 3.00 | 22.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .65 | 5.00 | 40.00 |
| bumalda. Bumalda Spiraea. | 31 | | |
| 18 to 24 in | .40 | 3.50 | 25.00 |
| 24 to 30 in | .50 | 4.00 | 30.00 |
| bumalda Anthony Waterer. | | | |
| Anthony Waterer Spiraea. | 3' | | |
| 18 to 24 in | .40 | 3.50 | 25.00 |
| 24 to 30 in | .50 | 4.00 | 30.00 |
| 2½ to 3 ft | .65 | 5.00 | |
| bumalda walluffi. 3' | | | |
| 18 to 24 in | .50 | 4.00 | 30.00 |
| 24 to 30 in | .65 | 5.00 | 40.00 |
| callosa alba. (See japonica or | alifolio | y.) | |
| chamaedryfolia ulmifolia. Eln | | • | ,, |
| 2 to 3 ft. | neaj ≳ .5 5 | 4.50 | |
| | | 4.50 | |
| douglasi. Douglas Spiraea. 8 | | 0.00 | 00.00 |
| 3 to · 4 ft | .40 | 3.00 | 20.00 |
| 4 to 5 ft 5 to 6 ft | .50 .60 | 4.00 | 30.00 |
| | | 5.00 | 40.00 |
| fortunei. Fortune Spiraea. 4 | | 0.00 | 00.00 |
| 2 to 3 ft | .45 | 3.00 | 20.00 |
| 3 to 4 ft 4 to 5 ft | .50 | 3.50 | 25.00 |
| - ** | .60 | $4.50 \\ 5.50$ | 35.00 |
| 5 to 6 ft | .65 | 0.50 | 45.00 |

Spiraea

| | Each | Per 10 | Per 100 |
|-----------------------------------|---------|----------|---------|
| froebeli. Froebel Spiraea. 4' | | | |
| 2 to 3 ft | .45 | 3.50 | 25.00 |
| 3 to 4 ft | .60 | 4.50 | 35.00 |
| japonica ovalifolia. White Jap | anese l | Spiraea. | 3' |
| 18 to 24 in | .40 | 3.00 | 25.00 |
| 24 to 30 in | .60 | 4.50 | 35.00 |
| japonica ruberrima. Pink Japa | nese S | piraea. | 5' |
| 18 to 24 in | .45 | 3.00 | 25.00 |
| 2 to 3 ft | .50 | 4.00 | 30.00 |
| 3 to 4 ft | .60 | 5.00 | 40.00 |
| latifolia. Pink Meadow Spirae | a. 6' | | |
| 3 to 4 ft | .45 | 3.50 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .75 | 5.00 | |
| lindleyana. (See Sorbaria). | | | |
| margaritae. Margarita Spiraeo | a. 5' | | |
| 2 to 3 ft | .40 | 3.00 | 20.00 |
| 3 to 4 ft | .50 | 3.50 | 25.00 |
| nipponica rotundifolia. $Big\ Ni$ | ppon S | piraea. | 10' |
| 3 to 4 ft | .60 | 5.00 | |
| 4 to 5 ft | .65 | 6.00 | |
| 5 to 6 ft | 1.00 | 7.50 | |
| prunifolia. Bridal Wreath. 8 | , | | |
| 2 to 3 ft | .45 | 3.50 | 25.00 |
| 3 to 4 ft | .60 | 4.50 | 35.00 |
| reevesiana. Reeves Spiraea. 8 | ?/ | | |
| 2 to 3 ft | .35 | 3.00 | 20.00 |
| 3 to 4 ft | .40 | 3.50 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .65 | 5.00 | 40.00 |
| reevesiana fl. pl. Double Reeve | es Spir | aea. 8' | |
| 2 to 3 ft | .35 | 3.00 | 20.00 |
| 3 to 4 ft | .40 | 3.50 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| salicifolia. Willowleaf Spiraea. | . 5' | | |
| 2 to 3 ft | .45 | 3.00 | 20.00 |
| 3 to 4 ft | .50 | 3.50 | 25.00 |
| 4 to 5 ft | .55 | 4.00 | 30.00 |
| 5 to 6 ft | .65 | 5.00 | 40.00 |
| sorbifolia. (See Sorbaria). | | | |

| S | piraea | |
|---|--------|--|
| | | |

| Spiraea | Each | Per 10 | Per 106 |
|---------------------------------|-----------|--------------|---------|
| superba. Striped Spiraea. 4' | Liuon | 10110 | 101 100 |
| 24 to 30 in | .65 | 5. 00 | |
| syringiflora. Lilac Spiraea. 3' | , | | |
| 18 to 24 in | .45 | 3.50 | 25.00 |
| 2 to 3 ft | .50 | 4.00 | 30.00 |
| thunbergi. Thunberg Spiraea. | <i>5'</i> | | |
| 18 to 24 in | .35 | 2.50 | 18.00 |
| 24 to 30 in | .50 | 3.50 | 25.00 |
| 2½ to 3 ft | .60 | 4.00 | 30.00 |
| 3 to 4 ft | .65 | 5.00 | 40.00 |
| 4 to 5 ft | .75 | 6.00 | 50.00 |
| tomentosa. Hardhack. 4' | | | |
| 2 to 3 ft | .40 | 3.00 | 25.00 |
| 3 to 4 ft | .50 | 4.00 | 30.00 |
| 4 to 5 ft | .60 | 5.00 | 40.00 |
| trichocarpa. Korean Spiraea. | 4' | | |
| 2 to 3 ft | .75 | 6.00 | |
| 3 to 4 ft | 1.00 | . 7.50 | |
| van houttei. Vanhoutte Spiraed | ı. 10' | | |
| 2 to 3 ft | .35 | 2.50 | 18.00 |
| 3 to 4 ft | .40 | 3.00 | 22.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | .75 | 6.00 | 50.00 |
| wilsoni. Wilson Spiraea. 6' | | | |
| 3 to 4 ft | 1.50 | 10.00 | |
| Staphylea bumalda. Bumalda Blad | dernut. | 8' | |
| 2 to 3 ft | .60 | 5.00 | |
| 3 to 4 ft | .75 | 6.00 | |
| colchica. Colchis Bladdernut. | 12' | | |
| 3 to 4 ft | 1.60 | 12.50 | |
| 4 to 5 ft | 2.00 | | |
| 5 to 6 ft | 2.25 | | |
| 6 to 8 ft | 3.50 | | |
| pinnata. European Bladdernut | . 12' | | |
| 3 to 4 ft | .75 | 6.00 | |
| 4 to 5 ft | 1.00 | 9.00 | |
| 5 to 6 ft | 1.25 | | |
| 6 to 8 ft | 1.50 | | |

| Staphylea | | | |
|--|-----------------|--------------|---------|
| | Each | Per 10 | Per 100 |
| trifolia. American Bladdernut. | 12' | | |
| 2 to 3 ft | .60 | 5.00 | 40.00 |
| 3 to 4 ft | .65 | 6.00 | 50.00 |
| 4 to 5 ft | .75 | 7.00 | 60.00 |
| 5 to 6 ft | 1.00 | 8.50 | 75.00 |
| 6 to 8 ft | 1.25 | 10.00 | |
| Stephanandra flexuosa. Cutleaf Ste | ephanan | dra. 6' | |
| 2 to 3 ft | .40 | 3.50 | 25.00 |
| 3 to 4 ft | .50 | 4.00 | 35.00 |
| 4 to 5 ft | .75 | 6.00 | 50.00 |
| *6 | | 151 | |
| *Stewartia pentagyna. Mountain St 2 to 3 ft | ewartia. 2.50 | 15' | |
| 3 to 4 ft | 2.50 3.50 | | |
| 3 to 4 1t | 5.50 | | |
| Stranvesia davidiana. 5' | | | |
| 8 to 10 in., from pots | 1.50 | 12.50 | 100.00 |
| *Styrax japonica. Japanese Snowbe | 11. 20' | | |
| 3 to 4 ft | 1.00 | 6.50 | 50.00 |
| 4 to 5 ft | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft | 1.50 | 12.50 | 100.00 |
| 6 to 8 ft | 2.00 | 17.50 | |
| 8 to 10 ft | 3.00 | 25.00 | |
| | 20' | | |
| 4 to 5 ft | 3.00 | | |
| 5 to 6 ft | 4.00 | | |
| 6 to 8 ft | 5.00 | | |
| Symphoricarpos chenaulti. 5' | | | |
| 18 to 24 in | .40 | 3.50 | 25.00 |
| 2 to 3 ft | .50 | 4.00 | 30.00 |
| 3 to 4 ft | .60 | 5.00 | |
| heyeri. 5' | | | |
| 18 to 24 in | .75 | 6.00 | 50.00 |
| 2 to 3 ft | 1.00 | 7.50 | 50.00 |
| mollis. Spreading Snowberry. | 6' | 1.00 | |
| 2 to 3 ft | .35 | 2.50 | 18.00 |
| 3 to 4 ft | .35 .40 | 3.00 | 22.00 |
| | | 0.00 | 22.00 |
| occidentalis. Western Snowberr | • | | |
| 18 to 24 in | .75 | 6.00 | |
| 2 to 3 ft | .85 | 7.0 0 | |

| Symphoricarpos | | | |
|-------------------------------------|---------|------------|---------|
| racemosus. Snowberry. 6' | Each | Per 10 | Per 100 |
| 2 to 3 ft | .35 | 2.50 | 18.00 |
| 3 to 4 ft | .40 | 3.00 | 22.00 |
| 4 to 5 ft | .60 | 4.50 | 35.00 |
| vulgaris. Coralberry. 5' | | | |
| 2 to 3 ft | .35 | 2.50 | 18.00 |
| 3 to 4 ft | .40 | 3.00 | 22.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| *Symplocos paniculata. syn. crataes | goides. | | |
| Asiatic Sweetleaf. 10' | | | |
| 2 to 3 ft | 2.00 | 17.50 | 150.00 |
| 3 to 4 ft | 3.00 | 25.00 | 200.00 |
| 4 to 5 ft | 4.50 | 35.00 | 300.00 |
| 5 to 6 ft | 7.50 | 60.00 | |
| 6 to 8 ft | 10.00 | | |
| Syringa chinensis, syn. rothomagens | is. | | |
| Chinese Lilac. 10' | | | |
| 2 to 3 ft | .40 | 3.50 | 25.00 |
| 3 to 4 ft | .50 | 4.00 | 30.00 |
| 4 to 5 ft | .65 | 5.00 | 40.00 |
| 5 to 6 ft | 1.00 | 7.50 | 60.00 |
| 6 to 8 ft | 1.25 | 10.00 | |
| chinensis saugeana. Purple C | | Lilac. 10' | |
| 2 to 3 ft | .40 | 3.50 | 25.00 |
| 3 to 4 ft | .50 | 4.00 | 30.00 |
| 4 to 5 ft | .65 | 5.00 | 40.00 |
| 5 to 6 ft | 1.00 | 7.50 | 60.00 |
| 6 to 8 ft | 1.25 | 10.00 | |
| emodi. Himalayan Lilac. 8' | | | |
| 3 to 4 ft | .75 | 6.50 | |
| 5 to 6 ft | 1.60 | 12.50 | |
| japonica. Japanese Tree Lilae | | | |
| 3 to 4 ft | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft | 2.00 | 15.00 | 100.00 |
| 6 to 8 ft | 3.00 | 22.50 | 175.00 |
| 8 to 10 ft | 4.00 | 30.00 | 250.00 |
| , | 0' | 4.00 | |
| 2 to 3 ft | .50 | 4.00 | 30.00 |
| 3 to 4 ft | .60 | 5.00 | 40.00 |
| 4 to 5 ft | .75 | 6.50 | 55.00 |
| 5 to 6 ft | 1.00 | 8.00 | 70.00 |
| 6 to 8 ft | 1.50 | 12.50 | 100.00 |

| | | Each | Per 10 | Per 100 |
|--------------|------------------------|---------|------------|--------------|
| Syringa peki | inensis. Peking Lilac. | 15' | | |
| 2 to | 3 ft | .50 | 4.00 | 30.00 |
| 3 to | 4 ft | .60 | 4.50 | 35.00 |
| 4 to | 5 ft | .75 | 6.00 | 50.00 |
| 5 to | 6 ft | 1.00 | 7.50 | 65.00 |
| 6 to | 8 ft | 1.60 | 12.50 | 90.00 |
| 8 to | 10 ft | 2.00 | 15.00 | |
| 6 to | 8 ft. specimens | 5.00 | | |
| 8 to | 10 ft. specimens | 7.50 | | |
| persica. | Persian Lilac. 10' | | | |
| 2 to | 3 ft | .65 | 5.00 | 40.00 |
| 3 to | 4 ft | .75 | 6.50 | 50.00 |
| 4 to | 5 ft | 1.00 | 7.50 | |
| 5 to | 6 ft | 1.25 | 10.00 | |
| persica al | ba. White Persian La | ilac. 1 | 0' | |
| 2 to | 3 ft | .70 | 5.50 | 50.00 |
| 3 to | 4 ft | .85 | 7.00 | 65.00 |
| villosa. | Late Lilac. 8' | | | |
| 2 to | 3 ft | .50 | 4.00 | 30.00 |
| 3 to | 4 ft | .60 | 5.00 | 40.00 |
| 4 to | 5 ft | .75 | 6.00 | 50.00 |
| 5 to | 6 ft | 1.25 | 10.00 | 75.00 |
| - 6 to | 8 ft | 2.00 | 15.00 | |
| vulgaris. | Common Purple Lila | c. 15' | | |
| 2 to | 3 ft | .50 | 3.50 | 25.00 |
| 3 to | 4 ft | .60 | 4.50 | 35.00 |
| 4 to | 5 ft | .75 | 6.50 | 50.00 |
| 5 to | 6 ft | 1.25 | 10.00 | |
| 4 to | 5 ft. clumps | 4.00 | | |
| 5 to | 6 ft. clumps | 5.00 | | |
| vulgaris | alba. Common White | Lilac. | 15' | |
| 2 to | 3 ft | .60 | 4.50 | 35.00 |
| 3 to | 4 ft | .75 | 5.50 | 45.00 |
| 4 to | 5 ft | 1.00 | 8.00 | 75.00 |
| 4 to | 5 ft. clumps | 4.00 | | |
| vulgaris. | Named Varieties. 15 | , | | |
| | ybrid lilacs are grown | | | |
| in bush | form. Grafted plants | can b | e supplied | at |
| | nt of 50%. | | | |
| 2 to | 9 | .75 | 7.00 | 65.00 |
| 3 to | 4 ft | 1.00 | 9.00 | 80.00 |
| 4 to | 5 ft | 2.50 | 20.00 | |
| 5 to | 6 ft | 3.50 | 30.00 | |

Syringa named varieties.

Belle de Nancy—Double Rose. 2-3' 3-4' 4-5' 5-6'

Chas. Joly—Dark Purplish Red. 2-3' 3-4'

Frau Dammann—Single White. 2-3' 3-4' 4-5'

La Tour d'Auvergne—Double Purple. 2-3' 3-4' 4-5'

Ludwig Spaeth—Single Red. 2-3' 3-4' 4-5'

Mad. Abel Chatenay—Double White. 2-3' 3-4' 4-5' 5-6'

Mad. Casimer Perier—Double Creamy White. 2-3' 3-4' 4-5' 5-6'

Mad. Lemoine—Large Double White.

Marie Le Graye—Single White.

Pres. Grevy—Double Blue. 2-3' 3-4' 4-5' 5-6'

Princess Alexandra—Single White. 2-3' 3-4' 4-5' 5-6'

We have a limited quantity of the newer varieties of Lemoine's hybrid named lilacs, which we offer as follows: A list of varieties will be forwarded on request.

| | | Each | Per 10 | Per 100 |
|---------------|---------------------|--------|--------|---------|
| 2 to | 3 ft | 2.00 | | |
| 3 to | 4 ft | 2.50 | | |
| 4 to | 5 ft | 3.50 | | |
| 5 to | 6 ft | 4.50 | | • |
| Tamarix afric | ana. African Tamari | x. 15' | | |
| 3 to | 4 ft | .40 | 3.00 | 20.00 |
| 4 to | 5 ft | .50 | 4.00 | 30.00 |
| 5 to | 6 ft | .60 | 5.00 | 40.00 |
| 6 to | 8 ft | .85 | 6.50 | 50.00 |
| gallica. | French Tamarix. 10' | | | |
| 3 to | 4 ft | .40 | 3.00 | 20.00 |
| 4 to | 5 ft | .50 | 4.00 | 30.00 |
| 5 to | 6 ft | .60 | 5.00 | 40.00 |

| am | arix |
|----|------|
| | |

| | Each | Per 10 | Per 100 |
|---------------------------------|---------------|----------|---------|
| gallica indica. India Tamarix. | <i>10</i> ′ | | |
| 3 to 4 ft | .45 | 3.50 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | .75 | 6.50 | 50.00 |
| odessana. Odessa Tamarix. 6 | , | | |
| 3 to 4 ft | .45 | 3.50 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | .75 | 6.50 | 50.00 |
| pentandra. Fivestamen Tamara | ix. 12' | | |
| 3 to 4 ft | .50 | 4.00 | 30.00 |
| 4 to 5 ft | .65 | 5.00 | 40.00 |
| 5 to 6 ft | .75 | 6.00 | |
| tetandra purpurea. Fourstamen | n Tamas | rix. 10' | |
| 3 to 4 ft | .75 | 5.00 | |
| *Taxodium distichum. Common Be | ald cupre | ss. 50' | |
| 4 to 5 ftB. & B. | 4.00 | | |
| 5 to 6 ftB. & B. | 5.00 | | |
| Taxus baccata. English Yew. 50' | | | |
| 15 inB. & B. | 3.50 | 25.00 | 200.00 |
| 18 inB. & B. | 5.00 | 40.00 | 200.00 |
| 2 ftB. & B. | 6.50 | 50.00 | |
| 2½ ftB. & B. | 7.50 | | |
| -, - | 10.00 | | |
| | 12.50 | | |
| 4 ftB. & B. | 15.00 | | |
| | 0' | | |
| 18 inB. & B. | 7.50 | | |
| 2 ftB. & B. | 10.00 | | |
| | 12.50 | | |
| 3 ftB. & B. | 15.00 | | |
| | 10' | | |
| 2 ftB. & B. | 12.50 | | |
| 3 ftB. & B. | 15. 00 | | |
| baccata repandens. Spreading | English | Yew. 2' | |
| 15 to 18 in. spread B. & B. | 5.00 | 45.00 | |
| 18 to 24 in. spread B. & B. | 6.50 | 60.00 | |
| baccata washingtoni. Washingto | on Yew. | 6' | |
| 18 in. specimens_B. & B. | 7.50 | | |
| _ | 10.00 | | |
| | 12.50 | | |

| Taxus | | | |
|-----------------------------------|---------|-------------|---------|
| 1 | Each | Per 10 | Per 100 |
| canadensis. Canada Yew. 3' | 0.50 | 20.00 | 050.00 |
| 15 to 18 in. sprd. B. & B. | 3.50 | 30.00 | 250.00 |
| 18 to 24 in. sprd. B. & B. | 4.50 | 40.00 | 350.00 |
| 2 to 2½ ft. sprd. B. & B. | 5.00 | 45.00 | |
| cuspidata. Japanese Yew. 10' | | 05.50 | 005.00 |
| 15 to 18 in. sprd. B.&B. | | 27.50 | 225.00 |
| 18 to 24 in. sprd. B.&B | | 40.00 | 350.00 |
| 2 to 2½ ft. sprd.B.&B. | | 55.00 | 500.00 |
| 2½ to 3 ft. sprd.B.&B. | | 80.00 | 750.00 |
| 3 to 3½ ft. sprd. B.&B. | | 125.00 | |
| 3½ to 4 ft. sprd. B.&B. | | 175.00 | |
| cuspidata brevifolia. Dwarf Jo | | Yew. 6' | 400.00 |
| 15 to 18 inB.&B. | | 50.00 | 400.00 |
| 18 to 24 inB.&B. | 7.50 | 70.00 | 650.00 |
| 24 to 30 inB.&B. | | | |
| cuspidata brevifolia compacta. | | | |
| 18 to 24 inB. & B. | | | |
| 24 to 30 inB. & B. | | | |
| cuspidata capitata. $Upright\ Ja$ | | Yew. 12' | |
| 2 ftB.&B. | | 65.00 | |
| 2½ ftB.&B. | | 90.00 | |
| 3 ftB.&B. | | 125.00 | |
| 3½ ftB.&B. | | | |
| 4 ftB.&B. | | | |
| 5 to 10 ft. specimens—pric | es on a | pplication. | |
| Tecoma. (See Bignonia). | | | |
| Thuja occidentalis. American Arbo | rnitae | 40' | |
| 2 ftB. & B. | | 20.00 | 150.00 |
| 3 ftB. & B. | 3.50 | 25.00 | 200.00 |
| 4 ftB. & B. | 4.50 | 35.00 | 300.00 |
| 4 ft. heavy specB. & B. | | 00.00 | 300.00 |
| 5 ftB. & B. | 6.50 | 55.00 | 500.00 |
| 5 ft. heavy specB. & B. | | 00.00 | 000.00 |
| 6 ftB. & B. | | 75.00 | 700.00 |
| 6 ft. heavy specB. & B. | | | 100.00 |
| 7 ftB. & B. | | 90.00 | |
| 7 ft. heavy specB. & B. | | 00.00 | |
| 8 ftB. & B. | | | |
| 8 ft. heavy specB. & B. | | | |
| 9 ftB. & B. | | | |
| 10 ft harman D 0 D | | | |

10 ft. heavy spec.__B. & B. 32.50 11 ft. heavy spec.__B. & B. 37.50

| occidentalis aurea | donalo | ~ : | | Each | Per 10 | Per 100 |
|----------------------|--------|---------------|------|--------|-------------|------------|
| Douglas Golden | _ | | itaa | . 15' | • | |
| 2 ft | | | | 3.50 | 30.00 | 250.00 |
| 3 ft | | | В. | 4.50 | 40.00 | 350.00 |
| 4 ft | | | | 5.50 | 45.00 | 400.00 |
| 5 ft | | | | 7.50 | 65.00 | 600.00 |
| 6 ft | | | | 10.00 | 80.00 | |
| 7 ft | | | | 12.50 | 100.00 | |
| 8 ft | | | | 15.00 | 125.00 | |
| 9 ft | | | | | | |
| occidentalis columb | ia. S | $ilv\epsilon$ | r-t | ipped | Arborvitae | . 40' |
| 3 ft | | | | | 45.00 | |
| 4 ft | | | | 7.50 | 60.00 | |
| 5 ft | B. | & | В. | 10.00 | 75.00 | |
| 6 ft | B. | & | В. | 12.50 | 100.00 | |
| 7 ft | B. | & | В. | 15.00 | 125.00 | |
| occidentalis compa | eta. C | om | pac | et Arl | borvitae. 4 | , ' |
| 15 in | B. | & | В. | 2.50 | 20.00 | 150.00 |
| 18 in | B. | & | В. | 3.00 | 25.00 | 175.00 |
| 24 in | В. | & | В. | 3.50 | 30.00 | 275.00 |
| 30 in | B. | & | В. | 5.00 | 40.00 | |
| 36 in | B. | & | В. | 6.50 | 55.00 | |
| 42 in | B. | & | B. | 8.50 | | |
| 48 in | B. | & | B. | 10.00 | | |
| occidentalis compac | ta. P | ars | ons | Arbo | rvitae. 5' | |
| 2½ ft | B. | & | В. | 5.00 | 40.00 | 350.00 |
| 3 ft | B. | & | В. | 6.50 | 50.00 | |
| 3½ ft | B. | & | В. | 7.50 | 60.00 | |
| 4 ft | B. | & | В. | 10.00 | 75.00 | |
| 4½ ft | | | | 12.50 | 100.00 | |
| 5 ft | | | | | | |
| 5½ ft | | | | | | |
| 6 ft | B. | & | В. | 20.00 | | |
| occidentalis elegant | issima | | 15′ | | | |
| 2 ft | B. | & | В. | 3.00 | 25.00 | 200.00 |
| 3 ft | B. | & | В. | 4.00 | 35.00 | 300.00 |
| 4 ft | | | В. | 5.50 | 50.00 | 450.00 |
| 5 ft | | | B. | 7.00 | 60.00 | 550.00 |
| 6 ft | | | В. | 10.00 | 75.00 | 650.00 |
| 7 ft | | | | 12.50 | 100.00 | |
| 8 ft | B. | & | B. | 15.00 | 125.00 | |

| ıja | | | | |
|-----------------------------|------------|--------|--------------|---------|
| | | Each | Per 10 | Per 100 |
| occidentalis ellwangeriana. | | | | |
| Tom Thumb Arborvita | e. | 6' | | |
| 2 ftB. & | | | 17.50 | 125.00 |
| 2½ ftB. & | | | 22.50 | 175.00 |
| 3 ftB. & | | | 30.00 | 250.00 |
| 3½ ftB. & | В. | 4.00 | 35.00 | |
| occidentalis ericoides. Hea | th . | Arbori | vitae. 5' | |
| 18 inB. & | В. | 2.00 | 15.00 | |
| 2 ftB. & | В. | 2.50 | 20.00 | |
| 2½ ftB. & | В. | 3.50 | 30.00 | |
| 3 ftB. & | В. | 4.00 | 35.00 | |
| occidentalis globosa. Globe | $A \gamma$ | borvit | ae. 3' | |
| 18 inB. & | | | 20.00 | 175.00 |
| 24 inB. & | | | 30.00 | 250.00 |
| 30 inB. & | В. | 5.00 | 40.00 | 350.00 |
| 36 inB. & | В. | 7.50 | | |
| occidentalis hoveyi. Hovey | Go | lden 1 | Arborvitae. | 6' |
| 18 inB. & | В. | 2.00 | 15.00 | 125.00 |
| 2 ftB. & | В. | 2.75 | 22.50 | 175.00 |
| 2½ ftB. & | | | 30.00 | 250.00 |
| 3 ftB. & | В. | 5.00 | 40.00 | 350.00 |
| 3½ ftB. & | В. | 6.00 | 50.00 | |
| 4 ftB. & | В. | 7.50 | 60.00 | |
| 4½ ftB. & | В. | 8.50 | 75.00 | |
| 5 ftB. & | | 10.00 | | |
| 5½ ftB. & | В. | 12.50 | | |
| 6 ftB. & | В. | 15.00 | | |
| occidentalis lutea. Geo. Pe | abo | dy's A | 1 rborvitae. | 15' |
| 3 ftB. & | В. | 4.00 | 35.00 | |
| 4 ftB. & | В. | 5.00 | 40.00 | |
| 5 ftB. & | | 7.50 | 60.00 | |
| 6 ftB. & | В. | 10.00 | 80.00 | |
| 7 ftB. & | | | 100.00 | |
| 8 ftB. & | В. | 15.00 | 125.00 | |
| 9 ftB. & | В. | 20.00 | | |
| occidentalis pumila. Green | Gl | obe A | rborvitae. | 3' |
| 18 in. spreadB. & | в. | 3.00 | 25.00 | 200.00 |
| 24 in. spreadB. & | В. | 4.00 | 35.00 | 300.00 |
| 30 in. spreadB. & | | | 45.00 | |
| | | | | |

| iuja | | | Each | Per 10 | Per 100 |
|----------------------------|---------|-----|--------|----------|---------|
| occidentalis pyramidalis. | P_{i} | ıra | | | |
| 2 ftB. | | В. | | 25.00 | 200.00 |
| 3 ftB. | | В. | 4.00 | 35.00 | 300.00 |
| 4 ftB. | | В. | 6.00 | 55.00 | 500.00 |
| 5 ftB. | | | | 75.00 | 650.00 |
| 6 ftB. | | | | 100.00 | 850.00 |
| 7 ftB. | | | | 125.00 | 1000.00 |
| 8 ftB. | | | | 150.00 | 1000.00 |
| 9 ftB. | | | | | |
| | | | | 200.00 | |
| 10 ftB. | | | | | |
| occidentalis douglasi pyra | | | | | |
| Douglas Pyramidal | | | | 20' | |
| 2 ftB. | | | 4.50 | 35.00 | |
| 3 ftB. | | | 6.00 | 50.00 | |
| 4 ftB. | | | 7.50 | 65.00 | |
| occidentalis recurva nana | | 5′ | | | |
| 18 inB. | & | B. | 2.50 | 20.00 | |
| 2 ftB. | & | В. | 3.00 | 25.00 | |
| 2½ ftB. | & | B. | 3.50 | 30.00 | |
| 3 ftB. | & | в. | 4.00 | 35.00 | |
| occidentalis reevesi. Ree | ves | A | rborvi | tae. 10' | |
| 2 ftB. | & | В. | 3.00 | 25.00 | 200.00 |
| 2½ ftB. | | | 4.00 | 30.00 | 250.00 |
| 3 ftB. | | | 5.00 | 40.00 | 350.00 |
| 3½ ftB. | | | 6.00 | 50.00 | 450.00 |
| 4 ftB. | | | 8.50 | 75.00 | |
| 4½ ftB. | | | | , , , , | |
| 5 ftB. | | | | | |
| occidentalis reidi. Reid | | | | 4' | |
| 18 inB. | | | 3.50 | 30.00 | 250.00 |
| 2 ftB. | | | 4.50 | 40.00 | 200.00 |
| 2 ½ ftB. | | | 6.00 | 50.00 | |
| 3 ftB. | | | 7.50 | 65.00 | |
| 3½ ftB. | | | | 75.00 | |
| 4 ftB. | St. | D. | 19.50 | 100.00 | |
| | | | | | |
| occidentalis riversi. Rive | | | | ie. 12' | |
| 3 ftB | | | 5.00 | | |
| 4 ftB | | | 7.50 | | |
| 5 ftB | | | 8.50 | | |
| 6 ftB | | | | | |
| 7 ftB | & | В. | 12.50 | | |

| U | ıja | | | | | | |
|---|--------------|---------------|-----|------------------|--------|-------------|---------|
| | | | | | Each | Per 10 | Per 100 |
| | | rosenthali. | | | | 1rborvitae. | 10' |
| | 2 ft | B. | & | В. | 6.00 | 50.00 | 450.00 |
| | | В | | | | | |
| | 5 ft | В | . & | В. | 12.50 | | |
| | occidentalis | spiralis. Spi | ral | \boldsymbol{A} | rborvi | tae. 25' | |
| | 2 ft | В. | & | В. | 4.00 | 30.00 | 250.00 |
| | | B. | | | 5.00 | 40.00 | 350.00 |
| | 4 ft | B. | & | В. | 7.50 | 60.00 | 550.00 |
| | | B. | | | | 100.00 | 750.00 |
| | | В. | | | | 125.00 | |
| | | B. | | | | 150.00 | |
| | 8 ft | В. | & | В. | 20.00 | 180.00 | |
| | occidentalis | umbraculifer | a. | D^{\prime} | warf | Arborvitae. | 3' |
| | 15 to 3 | 18 in. sprd. | В.& | žΒ. | 2.50 | 20.00 | 150.00 |
| | 18 to 2 | 24 in. sprd. | В.& | B. | 3.00 | 25.00 | 200.00 |
| | 24 to 3 | 30 in. sprd. | В.& | žΒ. | 4.00 | 35.00 | 300.00 |
| | 2½ to | 3 ft. sprd. | В.& | zΒ. | 5.00 | 45.00 | |
| | 3 to | 3½ ft. sprd. | В.& | žΒ. | 7.50 | 65.00 | |
| | 3½ to | 4 ft. sprd. | В.& | B. | 10.00 | | |
| | occidentalis | vervaeneana. | v | rer | vaene | Arborvitae. | 12' |
| | 3 ft | В. | & | В. | 4.50 | 40.00 | 350.00 |
| | 4 ft | В. | & | В. | 6.00 | 55.00 | 500.00 |
| | 5 ft | В. | & | В. | 10.00 | 75.00 | |
| | 6 ft | В. | & | В. | 12.50 | 100.00 | |
| | | В. | | | | 125.00 | |
| | 8 ft | В. | & | В. | 20.00 | | |
| | 9 ft | B. | & | В. | 25.00 | | |
| | occidentalis | wareana. | | | | | |
| | Ware of | or Siberian A | rbo | rvi | itae. | 15' | |
| | | В. | | | 2.50 | 20.00 | 150.00 |
| | | В. | | | 3.00 | 25.00 | 200.00 |
| | | В. | | | 4.00 | 35.00 | 300.00 |
| | | B. | | | 5.00 | 45.00 | 400.00 |
| | | В. | | | 6.00 | 55.00 | 500.00 |
| | | B. | | | 7.50 | 70.00 | 600.00 |
| | | В. | | | | 85.00 | 750.00 |
| | | B. | | | | 100.00 | |
| | | В. | | | | 150.00 | |
| | | | | | | | |

| lu | ıja | | | |
|----|----------------------------------|--------------|---------------|---------|
| | occidentalis wareana lutescens. | Each | Per 10 | Per 100 |
| | | 15' | | |
| | 3 ftB, & B. | 6.00 | | |
| | 3½ ftB. & B. | 7.50 | | |
| | 4 ftB. & B. | | | |
| | | 12.50 | | |
| | occidentalis woodwardi. Woodu | | Arborvitae. | 31 |
| | 18 inB. & B. | 2.50 | 20.00 | |
| | 24 inB. & B. | 3.50 | 30.00 | |
| | orientalis. Oriental Arborvitae. | 25' | | |
| | 2 ftB. & B. | 2.50 | 20.00 | 150.00 |
| | 3 ftB. & B. | 3.00 | 25.00 | 200.00 |
| | 4 ftB. & B. | 4.00 | 35. 00 | 300.00 |
| | 5 ftB. & B. | 5.00 | 45.00 | 400.00 |
| | 6 ftB. & B. | 6.50 | 55.00 | 500.00 |
| | 7 ftB. & B. | 9.00 | 75.00 | 650.00 |
| | 8 ftB. & B. | 15.00 | | |
| | 9 ftB. & B. | 18.50 | | |
| | 10 ftB. & B. | | | |
| | 11 ftB. & B. | | | |
| | 12 ftB. & B. | | | |
| | 13 ftB. & B. | 40.00 | | |
| | orientalis aurea conspicua. | | | |
| | $G\"{o}ldspire\ Arborvitae.$ | 20' | | |
| | 2 ftB. & B. | 3.5 0 | 30.00 | |
| | orientalis elegantissima. | | | |
| | Rollinson's Golden Arborvi | | | |
| | 2 ftB. & B. | 3.00 | 25.00 | 200.00 |
| | 2½ ftB. & B. | 4.00 | 35.00 | 300.00 |
| | 3 ftB. & B. | 5.00 | 40.00 | |
| | orientalis nana aurea. | | ., | |
| | Berkmans Golden Arborvit | ae. 3 | 5 ′ | |
| | 18 inB. & B. 2 ftB. & B. | 4.50 | | |
| | 2 1tB. & B. 2½ ftB. & B. | 5.00 | | |
| | plicata. Giant Arborvitae. 20' | | | |
| | 3 ftB. & B. | 5.00 | | |
| | 4 ftB. & B. | 6.50 | | |
| | 5 ftB. & B. | 7.50 | | |
| | 6 ftB. & B. | | | |
| | 7 ftB. & B. | | | |
| | 8 ftB. & B. | 15.00 | | |
| | - 10 | | | |

| TIVE. | |
|-------|-----|
| 1 h | uja |
| | |

| l'huja | | | |
|----------------------------------|----------|---------|---------|
| | Each | Per 10 | Per 100 |
| standishi. Standish Arborvita | | | |
| 4 ftB. & B | | | |
| 5 ftB. & B | . 10.00 | | |
| Tilia americana. American Linder | n. 75' | | |
| 6 to 8 ft | 2.50 | 22.50 | 175.00 |
| 8 to 10 ft | 3.50 | 30.00 | 250.00 |
| 1¼ to 1½ in | 4.00 | 35.00 | 300.00 |
| 1½ to 1¾ in | 5.00 | 40.00 | 350.00 |
| 1¾ to 2 in | 6.50 | 50.00 | |
| 2 to 2½ in | 7.50 | 65.00 | |
| 2½ to 3 in | 10.00 | 75.00 | |
| 3 to 3½ in | 12.50 | | |
| 3½ to 4 in | 17.50 | | |
| 4 to 5 in | 25.00 | | |
| 5 to 6 in | 35.00 | | |
| euchlora. Crimean Linden. | 751 | | |
| 1½ to 1½ in | | 40.00 | |
| 1½ to 1¾ in | | 45.00 | |
| 1¾ to 2 in | | 50.00 | |
| 2 to 2½ in | | 65.00 | |
| 2½ to 3 in | | 00100 | |
| 3 to 3½ in | | | |
| 3½ to 4 in | | | |
| ·- | | | |
| heterophylla. Beetree Linden. | | 45.00 | |
| 1½ to 1¾ in | | 45.00 | |
| 1¾ to 2 in | | 50.00 | |
| 2 to 2½ in | 7.50 | 65.00 | |
| oliveri. 50' | | | |
| 5 to 6 ft | 4.00 | | |
| 6 to 7 ft | 5.00 | | |
| platyphyllos. Bigleaf Europea | an Linde | en. 75' | |
| 6 to 8 ft | 2.75 | 25.00 | 200.00 |
| 8 to 10 ft | | 30.00 | 275.00 |
| 1¼ to 1½ in | | 40.00 | |
| 1½ to 1¾ in | | 45.00 | |
| 1¾ to 2 in | | 50.00 | |
| 2 to 2½ in | | 65.00 | |
| 2½ to 3 in | | 75.00 | |
| 3 to 3½ in | | 125.00 | |

| Tilia Each | Per 10 | Per 100 |
|---------------------------------------|------------------|-----------------|
| tomentosa. Silver Linden. 40' | 10110 | 101 100 |
| 1½ to 1¾ in 6.50 | 50.00 | |
| 1¾ to 2 in 7.50 | 65.00 | |
| 2 to 2½ in 10.00 | 75.00 | |
| 3 to 3½ in 15.00 | 125.00 | |
| 3½ to 4 in 20.00 | 160.00 | |
| 4 to 5 in 25.00 | | |
| 5 to 6 in 35.00 | | |
| vulgaris. Common European Linden. | 75' | |
| 6 to 8 ft 2.75 | 25.00 | 200.00 |
| 8 to 10 ft 3.50 | 30.00 | 275.00 |
| 1½ to 1½ in 4.50 | 40.00 | |
| 1½ to 1¾ in 5.00 | 45.00 | |
| 1¾ to 2 in 6.50 | 50.00 | |
| 2 to 2½ in 7.50 | 65.00 | |
| 2½ to 3 in 10.00 | 75.00 | |
| 3 to 3½ in 12.50 | 100.00 | |
| 3½ to 4 in 17.50 | 150.00 | |
| 4 to 5 in 25.00 | | |
| Tripterygium regeli. 5' | | |
| 2 year, 3 in. pots 1.50 | | |
| Tsuga canadensis. Canada Hemlock. 75' | 00.00 | 175.00 |
| 18 inB. & B. 2.50 | 20.00 | 175.00 |
| 2 ftB. & B. 4.00 | 35.00 | 275.00 |
| 3 ftB. & B. 6.00 4 ftB. & B. 8.00 | $50.00 \\ 75.00$ | 400.00 700.00 |
| 4 ft. extra broadB. & B. 12.50 | 19.00 | 100.00 |
| 5 ftB. & B. 12.50 | | |
| 5 ft. extra broadB. & B. 15.00 | | |
| 6 ftB. & B. 15.00 | | |
| 7 ftB. & B. 18.50 | | |
| 8 ftB. & B. 25.00 | | |
| Ulex europeaus. Common Gorse. 4' | | |
| 12 to 15 in., 3 in. pots 1.00 | 7.50 | |
| Ulmus americana. American Elm. 80' | | |
| 8 to 10 ft 2.00 | 15.00 | 125.00 |
| 1½ to 1½ in 2.50 | 20.00 | 150.00 |
| 1½ to 1¾ in 3.00 | 25.00 | 200.00 |
| 1¾ to 2 in 4.00 | 35.00 | 250.00 |
| 2 to 2½ in 6.00 | 45.00 | 350.00 |
| $2\frac{1}{2}$ to 3 in 10.00 | 75.00 | 600.00 |
| 3 to 3½ in 12.50 | 100.00 | |
| 3½ to 4 in 15.00 | 125.00 | |

| Ulmus | | | | | | Each | Per 10 | Per 100 |
|----------------|------|----------------|------|----------|----------|----------|------------|------------|
| america | ıa : | molir | e. | Moline | Eln | ı. 80' | | |
| 6 | to | 8 | ft. | | | 2.00 | 15.00 | 125.00 |
| 8 | to | 10 | ft. | | | 2.25 | 17.50 | 150.00 |
| 11/4 | to | $1\frac{1}{2}$ | in. | | | 2.50 | 20.00 | 175.00 |
| 1 1/2 | to | $1\frac{3}{4}$ | in. | | | 4.00 | 35.00 | |
| $1\frac{3}{4}$ | to | 2 | in. | | | 5.00 | 45.00 | |
| 2 | to | $2\frac{1}{2}$ | in. | | | 7.50 | 60.00 | |
| americai | na | vase-s | haj | ped. 50 | / | | | |
| 6 | to | 8 | ft. | | | 1.50 | 12.50 | 100.00 |
| 8 | to | 10 | ft. | | | 2.00 | 15.00 | 125.00 |
| 11/4 | to | $1\frac{1}{2}$ | in. | | | 2.50 | 20.00 | 175.00 |
| 11/2 | to | $1\frac{3}{4}$ | in. | | | 3.00 | 25.00 | |
| campest | ris. | En_{i} | glis | h $Elm.$ | 75' | | | |
| 6 | to | 8 | ft | | | 2.50 | 20.00 | |
| 8 | to | 10 | ft | | | 3.00 | 25.00 | |
| 11/4 | to | $1\frac{1}{2}$ | in | | | 3.50 | 30.00 | |
| $1\frac{1}{2}$ | to | $1\frac{3}{4}$ | in. | - | | 4.00 | 35.00 | |
| 13/4 | to | 2 | in. | | | 6.00 | 45.00 | |
| 2 | to | $2\frac{1}{2}$ | in. | | - | 7.50 | 65.00 | |
| 21/2 | to | 3 | in. | | | 10.00 | 75.00 | |
| 3 | to | $3\frac{1}{2}$ | in. | | | 12.50 | 100.00 | |
| campest | ris | klem | me | ri. Kle | mme | r $Elm.$ | 75' | |
| 6 to |) { | 8 ft | | | | 5.00 | | |
| campest | ris | latif | olia | . Belgi | an 1 | Elm. 7. | 5 ′ | |
| 8 | to | 10 | ft. | | | 5.00 | | |
| 11/4 | to | $1\frac{1}{2}$ | in. | | | 6.00 | | |
| 11/2 | to | $1\frac{3}{4}$ | in. | | | 7.50 | | |
| 1 3/4 | to | 2 | in. | | | 8.50 | | |
| 2 | to | $2\frac{1}{2}$ | in. | | | 10.00 | | |
| campest | ris | mon | um | entalis. | Mo | nument | Elm. 7. | 5 ' |
| 6 | to | 8 | ft. | | | 4.00 | 35.00 | |
| 8 | to | 10 | ft. | | | 4.50 | 40.00 | |
| 11/4 | to | $1\frac{1}{2}$ | | | | 5.00 | 45.00 | |
| 11/2 | to | $1\frac{3}{4}$ | in. | | | 6.50 | 50.00 | |
| $1\frac{3}{4}$ | to | 2 | in. | | | 7.50 | 60.00 | |
| 2 | to | $2\frac{1}{2}$ | in. | | | 10.00 | 75.00 | |
| 21/2 | to | 3 | in. | | | 12.50 | | |
| campest | ris | pur | our | ea. Pu | rplel | eaf Eng | lish Elm. | 70' |
| 8 | to | 10 | | | _ | | 25.00 | |
| 11/4 | to | $1\frac{1}{2}$ | in. | | | 4.00 | 35.00 | |
| | | | | | | 5.00 | 45.00 | |
| 1 3/4 | | | | | | | | |
| 2 | to | 21/2 | in | | | 7.50 | | |
| | | | | | | | | |

Ulmus

| | Each | Per 10 | Per 100 |
|--------------------------------|--------------|---------------|---------|
| campestris vegeta. Huntingdon | | 75' | |
| 8 to 10 ft | 3.00 | 25.00 | 200.00 |
| 1¼ to 1½ in | 3.50 | 30.00 | 225.00 |
| 1½ to 1¾ in | 4.00 | 35.00 | 275.00 |
| 1¾ to 2 in | 6.00 | 45.00 | |
| 2 to 2½ in | 7.50 | 60.00 | |
| 2½ to 3 in | | 75.00 | |
| 3 to 3½ in | | 100.00 | |
| 3½ to 4 in | | | |
| 4 to 5 in | | | |
| 5 to 6 in | | | |
| campestris wheatleyi. Wheatley | | 75' | |
| 6 to 8 ft | 4.00 | | |
| 8 to 10 ft | 5.00 | | |
| fulva. Slippery Elm. 65' | | | |
| 1¼ to 1½ in | 3.00 | 25.00 | 200.00 |
| 1½ to 1¾ in | 4.00 | 35.00 | 300.00 |
| 1¾ to 2 in | 5.50 | 45.00 | 400.00 |
| 2 to 2½ in | 6.50 | 50.0 0 | |
| 2½ to 3 in | 7. 50 | 65.00 | |
| 3 to 3½ in | 10.00 | | |
| glabra. Scotch Elm. 75' | | | |
| 8 to 10 ft | 3.00 | 25.00 | 225.00 |
| 1¼ to 1½ in | 3.50 | 30.00 | 250.00 |
| 1½ to 1¾ in | 4.00 | 35.00 | 300.00 |
| 1¾ to 2 in | 5.50 | 45.00 | 375.00 |
| · - | 7.50 | 65. 00 | |
| 2½ to 3 in | | 75.00 | |
| 3 to 3½ in | | 100.00 | |
| glabra camperdowni. Camperdo | own El | m. 20' | |
| 6 ft. stem | 5.00 | | |
| japonica. Japanese Elm. 70' | | | |
| 8 to 10 ft | 6.5 0 | | |
| 1½ to 1¾ in | 7.50 | | |
| 1% to 2 in | 10.00 | | |
| 2 to 2½ in | 12.50 | | |
| parviflora. Chinese Elm. 30' | | | |
| 4 to 5 ft | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft | 2.00 | 17.50 | 150.00 |
| 6 to 8 ft | 2.50 | 22.50 | 200.00 |
| 8 to 10 ft | 3.00 | 27.50 | 250.00 |
| 10 to 12 ft | 4.00 | 35.00 | 325.00 |

Ulmus

| Ulmus | Each | Per 10 | Per 100 |
|---------------------------------|------|----------|---------|
| pumila. Dwarf Asiatic Elm. | 75' | rerio | rer 100 |
| 5 to 6 ft | | 13.50 | |
| 6 to 8 ft | | 17.50 | |
| 8 to 10 ft | | 25.00 | |
| racemosa. Rock Elm. 80' | 3.00 | 20.00 | |
| 8 to 10 ft | 3.25 | 25.00 | |
| 1½ to 1¾ in | | 37.50 | |
| 2 to 2½ in | | 00 | |
| Vaccinium corymbosum. Highbush | | erry. 8' | |
| 2 to 3 ftB. & B. | 2.50 | 20.00 | 175.00 |
| | | | 110.00 |
| Viburnum acerifolium. Mapleleaf | | | 10.00 |
| 18 to 24 in | .65 | 5.00 | 40.00 |
| 2 to 3 ft | .75 | 6.00 | 55.00 |
| 3 to 4 ft | | 7.50 | |
| 4 to 5 ft | 1.25 | 10.00 | |
| alnifolium. Hobblebush. 15' | | 4.00 | |
| 2 to 3 ft | | 4.00 | 30.00 |
| 3 to 4 ft | | 5.50 | 45.00 |
| americanum. American Cranb | | | 22.22 |
| 2 to 3 ft | .50 | 4.00 | 30.00 |
| 3 to 4 ft | .60 | 5.00 | 40.00 |
| 4 to 5 ft | 1.00 | 7.50 | 60.00 |
| bitchuiense. Yeddo Viburnum. | | | |
| 2 to 3 ftB. & B. | | 25.00 | |
| 3 to 4 ftB. & B. | | 30.00 | |
| 4 to 5 ftB. & B. | 4.50 | 35.00 | |
| carlesi. Fragrant Viburnum. | 4' | | |
| 18 to 24 inB. & B. | | 17.50 | 150.00 |
| 2 to 3 ftB. & B. | 3.00 | 25.00 | 200.00 |
| 3 to 4 ftB. & B. | 4.00 | 35.00 | |
| cassinoides. Withe Rod. 6' | | | |
| 2 to 3 ft | | 6.50 | 50.00 |
| 3 to 4 ft | 1.00 | 7.50 | 65.00 |
| dentatum. Arrowood. 12' | | | |
| 2 to 3 ft | | 4.00 | 30.00 |
| 3 to 4 ft | .60 | 5.00 | 40.00 |
| 4 to 5 ft | | 6.00 | 50.00 |
| 5 to 6 ft | 1.00 | 7.50 | 60.00 |
| 6 to 8 ft | | 10.00 | 75.00 |
| dilatatum. Linden Viburnum. | 10' | | |
| 2 to 3 ft | 1.25 | 10.00 | 90.00 |
| 3 to 4 ft | 1.60 | | |

Viburnum

| | | Each | Per 10 | Per 100 |
|----------|----------------------|---------|------------|---------|
| lantana. | Wayfaring Tree. 15 | , | | |
| 2 to | 3 ft | .50 | 4.00 | 30.00 |
| 3 to | 4 ft | .65 | 5.00 | 40.00 |
| 4 to | 5 ft | .75 | 6.50 | 60.00 |
| 5 to | 6 ft | 1.25 | 10.00 | 75.00 |
| lentago. | Nannyberry. 20' | | | |
| 3 to | 4 ft | .60 | 5.00 | 45.00 |
| 4 to | 5 ft | .75 | 6.50 | 60.00 |
| 5 to | 6 ft | 1.00 | 8.00 | 70.00 |
| 6 to | 7 ft | 1.25 | 10.00 | 90.00 |
| 8 to | 10 ft | 2.00 | 15.00 | |
| 6 to | 7 ft. specimens | 4.50 | | |
| molle. I | Kentucky Viburnum. | 10' | | |
| 2 to | 3 ft | .50 | 4.00 | 30.00 |
| 3 to | 4 ft | .60 | 5.00 | 40.00 |
| 4 to | 5 ft | .75 | 6.00 | 50.00 |
| 5 to | 6 ft | 1.00 | 7.50 | 60.00 |
| 6 to | 8 ft | 1.25 | 10.00 | 75.00 |
| nudum. | Smooth Withe Rod. | 8' | | |
| 2 to | 3 ft | 1.00 | 7.50 | 70.00 |
| 3 to | 4 ft | 1.25 | 10.00 | 90.00 |
| 4 to | 5 ft | 1.50 | 12.50 | |
| opulus. | High Bush Cranberry | . 10' | | |
| 2 to | 3 ft | .50 | 4.00 | 30.00 |
| 3 to | 4 ft | .65 | 5.00 | 40.00 |
| 4 to | 5 ft | .75 | 6.50 | 55.00 |
| 5 to | 6 ft | 1.00 | 7.50 | 65.00 |
| 6 to | 8 ft | 1.25 | 10.00 | 75.00 |
| 8 to | 10 ft | 2.00 | 15.00 | |
| 6 to | 8 ft. specimens | 6.50 | | |
| opulus n | anum. Dwarf Cranbe | erry Bu | sh. 2' | |
| | 12 in | .50 | 4.50 | 40.00 |
| | 15 in | .65 | 5.00 | 45.00 |
| | 18 in | .75 | 6.50 | 55.00 |
| | terile. Common Snowl | hall 10 | o ' | |
| 2 to | 3 ft | .40 | 3.00 | 25.00 |
| 3 to | 4 ft | .50 | 4.00 | 35.00 |
| 4 to | 5 ft | .60 | 5.00 | 45.00 |
| 5 to | 6 ft | .75 | 6.50 | 55.00 |
| 6 to | 8 ft | 1.25 | 10.00 | 00.00 |
| 0.00 | U ±6.======= | 1.20 | 10.00 | |

| Viburnum | |
|----------|--|
| | |

| ournum . | | | |
|-------------------------------|-------|-----------|---------|
| prunifolium. Blackhaw. 12' | Each | Per 10 | Per 100 |
| 2 to 3 ft | 1.25 | 10.00 | 90.00 |
| 3 to 4 ft | 1.60 | 12.50 | 20.00 |
| 4 to 5 ft | 2.00 | 16.00 | |
| | 2.50 | | , |
| | | 20.00 | |
| 6 to 8 ft | 3.50 | 30.00 | |
| 8 to 10 ft | 5.00 | 40.00 | |
| pubescens. Downy Viburnum. | 6' | = =0 | 20.00 |
| 2 to 3 ft | 1.00 | 7.50 | 60.00 |
| 3 to 4 ft | 1.25 | 10.00 | |
| rhytidophyllum. Leatherleaf V | | um. 8' | |
| 18 to 24 inB. & B. | 2.50 | 20.00 | 150.00 |
| 2 to 3 ftB. & B. | 3.00 | 25.00 | 200.00 |
| 3 to 4 ftB. & B. | 4.00 | 35.00 | 300.00 |
| rufidulum. Southern Blackhau | . 10' | | |
| 2 to 3 ft | 1.25 | 10.00 | 75.00 |
| sargenti. Sargent Cranberrybu | sh. 1 | 9' | |
| 2 to 3 ft | .50 | 4.00 | 30.00 |
| 3 to 4 ft | .65 | 5.00 | 40.00 |
| · 4 to 5 ft | .75 | 6.50 | 55.00 |
| 5 to 6 ft | 1.00 | 7.50 | 65.00 |
| sieboldi. Siebold Viburnum. 1 | | ***** | 00.00 |
| 3 to 4 ft | 1.00 | 7.50 | |
| 4 to 5 ft | 1.25 | 10.00 | |
| 5 to 6 ft | 2.00 | 17.50 | |
| | 3.50 | 25.00 | |
| | | | |
| tomentosum. Doublefile Viburn | | 8' | 0 |
| 2 to 3 ft | .60 | 4.50 | 35.00 |
| 3 to 4 ft | .75 | 6.00 | 45.00 |
| 4 to 5 ft | 1.00 | 8.00 | 75.00 |
| tomentosum plicatum. Japanes | e Sno | wball. 8' | |
| 2 to 3 ft | 1.00 | 7.50 | 65.00 |
| 3 to 4 ft | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft | 2.00 | 16.00 | |
| 5 to 6 ft | 2.50 | 20.00 | |
| 6 to 8 ft | 3.50 | 25.00 | |
| venosum canbyi. Canby Viburi | um. | 8' | |
| 2 to 3 ft | 1.25 | 10.00 | |
| wrighti. Wright Viburnum. 8' | | | |
| | | 10.00 | |
| 2 to 3 ft | 1.25 | 10.00 | |

| | ~ ~ . | | |
|------------------------------------|-----------|---------------------|------------------|
| We Don't to LL. | Each | Per 10 | Per 100 |
| Vinca minor. Periwinkle. | 10 | 1.00 | 0.00 |
| 8 to 12 in | .12 | 1.00 | 8.00 |
| minor alba. White Periwinkle. | | | |
| 2 year | .35 | 3.00 | 25.00 |
| minor rubra plena. Dbl. Red F | Periwin | kle | |
| 2 year | .40 | 3.50 | 30.00 |
| Vitex agnus castus. Chaste-tree. 4 | , | | |
| 2 to 3 ft | .45 | 3.50 | 25.00 |
| 3 to 4 ft | .55 | 4.00 | 30.00 |
| 4 to 5 ft | .65 | 5.00 | 40.00 |
| agnus castus alba. White Chas | te-tree. | 4' | |
| 2 to 3 ft | .50 | 4.00 | 30.00 |
| 3 to 4 ft | .60 | 4.50 | |
| macrophylla. Hemp-tree. 4' | | | |
| 2 to 3 ft | .50 | 4.00 | |
| 3 to 4 ft | .75 | 5.00 | |
| negundo incisa. Cutleaf Chast | a traa | 4' | |
| 2 to 3 ft | 1.25 | 4 | |
| | | | |
| Vitis aestivalis. Summer Grape. 40 | | | |
| 2 year | .45 | 3.50 | 25.00 |
| 3 year | .50 | 4.00 | 30.00 |
| coignetiae. Gloryvine. 40' | | | |
| 2 year | .75 | 6.00 | 50.00 |
| 3 year | 1.00 | 8.50 | 75.00 |
| 4 year | 1.25 | 10.00 | 90.00 |
| cordifolia. Frost or Winter Gr | ape. 4 | 10' | |
| 2 year | .45 | 3.50 | 25.00 |
| 3 year | .50 | 4.00 | 30.00 |
| labrusca. Fox Grape. 40' | | | |
| 2 year | .45 | 3.50 | 25.00 |
| 3 year | .50 | 4.00 | 35.00 |
| vulpina. Riverbank Grape. 40 | , | | |
| 2 year | .45 | 3.50 | 25.00 |
| 3 year | .50 | 4.00 | 35.00 |
| | | | |
| Weigela Abel Carriere. 10' | 40 | 0.00 | 20.00 |
| 2 to 3 ft 3 to 4 ft | .40 $.50$ | 3.00 | 20.00 |
| | .60 | $\frac{3.50}{5.00}$ | $25.00 \\ 40.00$ |
| 4 to 5 ft 5 to 6 ft | 1.00 | $\frac{5.00}{7.50}$ | 60.00 |
| 6 to 8 ft | 1.25 | 10.00 | 00.00 |
| U W O II | 1.20 | 10.00 | |

Weigela

| | | Each | Per 10 | Per 100 |
|-----------|---------------------|------|--------------|----------------|
| amabilis. | Rose Weigela. 8' | | | |
| 2 to | 3 ft | .45 | 3.50 | 25.00 |
| 3 to | 4 ft | .50 | 4.00 | 3 0. 00 |
| 4 to | 5 ft | .60 | 5.00 | 40.00 |
| 5 to | 6 ft | 1.00 | 7.50 | |
| candida. | Snow Weigela. 8' | | | |
| 2 to | 3 ft | .40 | 3.00 | 20.00 |
| 3 to | 4 ft | .50 | 3.50 | 25.00 |
| 4 to | 5 ft | .60 | 5.00 | 40.00 |
| 5 to | 6 ft | 1.00 | 7.50 | |
| desboisi. | Desbois Weigela. 8' | | | |
| 2 to | 3 ft | .45 | 3.50 | 25.0 0 |
| 3 to | 4 ft | .50 | 4.00 | 30.00 |
| 4 to | 5 ft | .75 | 5.50 | 45.00 |
| Eva Rath | ke. <i>5'</i> | | | |
| 2 to | 3 ft | .50 | 4.00 | 30.00 |
| 3 to | 4 ft | .75 | 5.00 | 40.00 |
| 4 to | 5 ft | 1.00 | 6.00 | 50.00 |
| | a. Crimson Weigela. | 8' | | |
| 2 to | 3 ft | .45 | 3.50 | 25.00 |
| 3 to | 4 ft | .50 | 4.00 | 30.00 |
| | | | 4.00 | 30.00 |
| groenwege | | | 0.50 | 0 × 00 |
| 3 to | 4 ft | .50 | 3.50 | 25.00 |
| 4 to | 5 ft | .65 | 5.00 | 40.00 |
| 5 to | 6 ft | 1.00 | 7. 50 | 60.00 |
| Gustav M | allot. 8' | | | |
| 2 to | 3 ft | .40 | 3.00 | 20.00 |
| 3 to | 4 ft | .50 | 3.50 | 25.00 |
| 4 to | 5 ft | .75 | 5.00 | 40.00 |
| 5 to | 6 ft | 1.00 | 7.50 | |
| hortensis | rubra. 8' | | | |
| 2 to | 3 ft | .40 | 3.00 | 20.00 |
| 3 to | 4 ft | .50 | 3.50 | 25.00 |
| 4 to | 5 ft | .60 | 5.00 | 40 .0 0 |
| 5 to | 6 ft | 1.00 | 7.50 | 60 .0 0 |
| japonica. | Japanese Weigela. | 8' | | |
| 3 to | 4 ft | 1.00 | 7.50 | |
| 4 to | 5 ft | 1.25 | 10.00 | |

Weigela

| Weigela | Each | Per 10 | Per 100 |
|---|---------------------|------------|---------------|
| rosea. Pink Weigela. 8' | | | |
| 2 to 3 ft | .40 | 3.00 | 20.00 |
| 3 to 4 ft | .50 | 3.50 | 25.00 |
| 4 to 5 ft | .65 | 5.00 | 40.00 |
| 5 to 6 ft | .75 | 6.00 | 50.00 |
| rosea nana variegata. Dwarf $^\intercal$ | ⁷ ariego | ated Weig | ela. 5' |
| 2 to 3 ft | .40 | 3.00 | 25.00 |
| 3 to 4 ft | .50 | 4.00 | 30.00 |
| 4 to 5 ft | .75 | 5.00 | 40.00 |
| sieboldi argenteomarginata. | | | |
| Variegated Weigela. 8' | | | |
| 3 to 4 ft | .65 | 5.00 | 35. 00 |
| 4 to 5 ft | .75 | 6.50 | |
| 5 to 6 ft | 1.00 | 7.50 | |
| Vanhoutte. Van Houtte Weige | ela. 8 | | |
| 2 to 3 ft | .40 | 3.00 | 20.00 |
| 3 to 4 ft | .50 | 3.50 | 25.00 |
| 4 to 5 ft | .65 | 5.00 | 40.00 |
| 5 to 6 ft | .75 | 6.00 | 50.00 |
| Wistaria frutescens. American Wis | taria. | <i>30'</i> | |
| 2 year | .50 | 3.50 | 25.00 |
| 3 year | .60 | 4.50 | 35.00 |
| frutescens magnifica. Yellowey | e Wis | taria. 25' | |
| 2 year | .50 | 3.50 | 25.00 |
| 3 year | .60 | 4.50 | 35.00 |
| multijuga. Japanese Wistaria. | <i>30'</i> | | |
| 2 year | .65 | 5.00 | 40.00 |
| 3 year | .75 | 6.00 | 50.00 |
| 4 year | 1.00 | 8.00 | 75.00 |
| sinensis. Chinese Purple Wista | ria. 4 | 0' | |
| 2 year | .65 | 5.00 | 40.00 |
| 3 year | .75 | 6.00 | 50.00 |
| 3 to 4 ft. standard | 1.60 | 12.50 | |
| 4 to 5 ft. standard | 2.50 | 20.00 | |
| 2 year grafted flowering | | | |
| plants | 2.00 | 15.00 | |

Wistaria

| | Each | Per 10 | Per 100 |
|------------------------------------|--------|----------|---------|
| sinensis alba. Chinese White | Wistan | ria. 40' | |
| 2 year | .65 | 5.00 | 40.00 |
| 3 year | .75 | 6.00 | 50.00 |
| 4 year | 1.25 | 10.00 | |
| 6 year XX | 4.50 | | |
| 2 yr. grafted flowering plants | 2.00 | 15.00 | |
| venusta. Silky Wistaria. 30' | | | |
| 3 year | .75 | 6.50 | |
| 4 year | 1.00 | 4 | |
| Zanthorhiza apiifolia. Yellowroot. | 3' | | |
| 12 to 15 in. clumps | .45 | 3.50 | 25.00 |
| 15 to 18 in. clumps | .50 | 4.00 | 30.00 |
| Zanthoxylum americanum. Prickly | Ash. | 15' | |
| 3 to 4 ft | .75 | 6.50 | 50.00 |
| 4 to 5 ft | 1.00 | 7.50 | |
| Zelkova serrata. Sawleaf Zelkova. | 60' | | |
| 5 to 6 ft | 2.00 | 15.00 | |
| 6 to 8 ft | 2.50 | 20.00 | |
| 8 to 10 ft | 3.50 | 25.00 | |

Herbaceous and Alpine Material

All kinds marked with an asterisk (*) are adapted for the rock garden.

We are prepared to deliver from pots such kinds as are difficult to transplant or whose dormant period in the spring is brief. An extra charge of three cents per plant will be made for those so grown.

| | Per 10 | Per 100 |
|--|--------|---------|
| *Abronia umbellata. Purple, summer, 18"\$ | 31.80 | \$15.00 |
| *Acaena glauca. Bluish gray, July, | | |
| Aug., 1" | 2.00 | 18.00 |
| *sanguisorbae. Bright green foliage, 2"_ | 2.00 | |
| Acanthus mollis. Purple rose, July, 4' | 2.50 | |
| mollis latifolius. Rose, July, 2-3' | 2.50 | |
| *Achillea ageratum. Yellow, July, 1' | 1.20 | 10.00 |
| filipendulina. Yellow, June, July, 3' | 1.20 | 10.00 |
| *millefolium Cerise Queen. Rose, | | |
| July, 2' | 1.20 | 10.00 |
| *ptarmica The Pearl. White, July, 2' | | 10.00 |
| *ptarmica Boule de Neige. White, June, | | |
| July, 2' | 1.20 | 10.00 |
| *ptarmica Perry White. June, July, 2'_ | 1.20 | 10.00 |
| *tomentosa. Yellow, June, 1' | 1.20 | 10.00 |
| Aconitum autumnale. Blue, July, August, 4' | 3.00 | 25.00 |
| fischeri. Blue, September, 3' | | 10.00 |
| fischeri wilsoni. Violet blue, Sept. 5' | 5.00 | 45.00 |
| japonicum. Violet, summer, 2' | | 25.00 |
| napellus. Light blue, July, Aug., 4' | 3.00 | 25.00 |
| lycotonum. Yellow, June, July, 3' | 3.50 | 30.00 |
| napellus Spark's. Violet blue, July, | | |
| Aug., 5' | | 25.00 |
| Actaea alba. White, May, June, 3-4' | | 10.00 |
| rubra. Red, May, June, 3-4' | 1.20 | 10.00 |
| Adenophora potanini. Light blue, July, | | |
| Aug., 3' | 2.50 | 20.00 |
| Adiantum pedatum. Maiden Hair Fern | | 10.00 |
| *Adonis amurensis. Yellow, Mar., Apr., 6" | | |
| *Aegopodium podograria variegatum. | | |
| Variegated foliage, 1' | 1.20 | 10.00 |
| *Aethionema persicum. Pink, June, July, 9" | | 20.00 |
| *pulchellum. Pink, June, 8" | | 18.00 |
| F | _,,,, | |

| PAINESVILLE, OHIO | | 127 |
|---|--------|---------|
| | Per 10 | Per 100 |
| *Ajuga genevensis. Bright blue, May, 6" | 1.20 | 10.00 |
| *reptans. Blue, May, 6" | 1.20 | 10.00 |
| | 1.20 | 10.00 |
| *Allium thibetica. Lilac mauve, June, | | |
| July, 8" | 1.50 | 12.00 |
| Althea rosea. Hollyhock. | | |
| Double. Separate colors, July, Aug., 5' | 1.20 | 10.00 |
| Double. Chaters' strain, separate colors | 1.50 | 12.00 |
| Fringed Allegheny. July, August, 5' | 1.20 | 10.00 |
| Single. Mixed colors, July, Aug., 5' | 1.20 | 10.00 |
| *Alyssum argenteum. Yellow, July, Aug., 6" | 1.20 | 10.00 |
| *rostratum. Yellow, June, July, 12" | | 12.00 |
| *saxatile compactum. Yellow, May, 1' | | 10.00 |
| *saxatile sulphureum. Yellow, May, 1'_ | | |
| *serpyllifolium. Yellow, June, July, 4" | | 12.00 |
| | 1.00 | 12.00 |
| Amsonia tabernaemontana. Blue, May, June, 3' | 1.50 | 12.00 |
| | | 12.00 |
| Anchusa barrelieri. Blue, May, 2' | 1.00 | 10.00 |
| capensis. Blue, summer, 18" | | 10.00 |
| italica. Blue, June, 4' | | 10.00 |
| italica Dropmorei. Blue, June, 4-5' | | 10.00 |
| myosotidiflora. Bright blue, May, 1' | 3.00 | 25.00 |
| sempervirens. Lavender blue, July, 3'_ | | 25.00 |
| *Androsace lactea. White, June, 4" | 3.50 | |
| Anemone hupehensis. Mauve, Aug., Sept., 1' | 1.50 | 12.00 |
| *hupehensis fl. pl. Pink, Sept., 18" | 3.00 | 25.00 |
| japonica alba. White, fall, 3' | | 12.00 |
| japonica Alice. | | |
| Rose pink, fall, 3' | 1.50 | 12.00 |
| japonica Louise Uhink. | | |
| White, fall, 3' | 1.80 | |
| japonica Prince Heinrich. | | |
| Deep pink, fall, 3' | 1.50 | 12.00 |
| japonica Queen Charlotte. | | |
| Rose, fall, 3' | 1.80 | 15.00 |
| japonica Richard Ahrends. | | |
| Shell pink, fall, 2' | 1.50 | 12.00 |
| japonica Rose d' Autumn. | | |
| Pink, fall, 3' | | 12.00 |
| japonica rubra. Red, fall, 2' | | 12.00 |
| japonica Whirlwind. Pure white, fall, 3' | 1.50 | 12.00 |

Anemone

| Anchione | Per 10 | Per 100 |
|---|--------|----------|
| * 1 ' TVI ' T 11// | | 1 61 100 |
| *pennsylvanica. White, July, 1½' | 1.00 | 15.00 |
| *pulsatilla. Blue, April, 15" | 1.80 | 15.00 |
| *pulsatilla rubra. Dark red, April, 12" | 2.00 | 18.00 |
| *sylvestris. White, May, June, 1' | | |
| *Antennaria dioica. White, May, 6" | 2.00 | 18.00 |
| *Anthemis nobilis. White, summer, 1' | 1.20 | 10.00 |
| tinctoria. Yellow, July, Aug., 3' | | 10.00 |
| tinctoria E. C. Buxton. | | |
| Lemon yellow, July, Aug., 3' | 1.50 | 12.00 |
| tinctoria kelwayi. Yellow, July, Aug., 3'- | 1.20 | 10.00 |
| *Aquilegia alpina. Blue, May, June, 1' | 1.50 | 12.00 |
| *caerulea. Blue, May, June, 1½' | 1.80 | 15.00 |
| caerulea helenae. Blue, May, June, 2' | 1.50 | 12.00 |
| caerulea hybrida. Various, June, 2' | 1.20 | 10.00 |
| *canadensis. Scarlet, May, June, 2' | 1.20 | 10.00 |
| californica. (See formosa truncata). | | |
| *chrysantha. Yellow, June, July, 3' | 1.50 | 12.00 |
| chrysantha alba. White, June, July, 3' | 1.50 | 12.00 |
| chrysantha jaeschkani. Yellow and red, | | |
| June, July, 18" | 1.80 | 15.00 |
| *flabellata nana-alba. White, June, 10"_ | 1.80 | 15.00 |
| *formosa truncata. Various, June, 2' | | 10.00 |
| *hybrida. Mrs. Scott Elliott. | | |
| Various, June, 2' | 1.50 | 12.00 |
| oxysepala. Blue, June, 2' | 2.00 | |
| rosea. Long spurred pink, June, 2' | 1.50 | 12.00 |
| *rosea fl. pl. Dbl. Pink, June, 18" | 1.50 | 12.00 |
| *siberica fl. pl. Blue and White, | | |
| June, 18" | 2.50 | |
| skinneri. Red and yellow, May, 2' | | 10.00 |
| vulgaris. Purple, May, June, 2' | 1.20 | 10.00 |
| vulgaris nivea. White, May, 2' | 1.20 | 10.00 |
| vulgaris olympica. Purple, May, June, 2' | 1.20 | 10.00 |
| *Arabis albida. White, May, 6" | 1.50 | 12.00 |
| *alpina. White, April, May, 6" | | 12.00 |
| *alpina nana compacta. White, May, 4"_ | | 15.00 |
| *arenosa. Pink, Apr., May, 6" | | |
| *cockilis. White, Apr., May, 6" | 2.50 | |
| *Arenaria balearica. White, July, Aug., 3"_ | | 18.00 |
| *gracilis. White, June, 4" | | 10.00 |
| 8-43-25; Willo, Galle, 1 | | |

| | aria |
|--|------|
| | |

| | Per 10 | Per 100 |
|---|--------|---------|
| *grandiflora. White, May, 4" | 1.50 | 12.00 |
| *montana. White, June, 4" | 1.80 | 15.00 |
| *pinifolia. White, May, June, 6" | 2.50 | |
| *verna. White, June, July, 3" | 1.80 | 15.00 |
| Arisaema dracontium. Purple, May, 1' | 1.20 | 10.00 |
| *Armeria alpina. Pink, summer, 6" | 1.80 | 15.00 |
| *cephalotes rubra. Deep pink, May, | | |
| June, 6" | 1.80 | 15.00 |
| *laucheana. Crimson, May, June, 8" | 1.20 | 10.00 |
| *maritima. Pink, May, June, 6" | 1.20 | 10.00 |
| *maritima alba. White, May, June, 6" | 1.20 | 10.00 |
| *mauritanica. Pink, July, August, 8" | 1.20 | 10.00 |
| *robusta. Crimson, May, June, 6" | 1.20 | 10.00 |
| Arnica montana. Yellow, June, 8" | 3.50 | 30.00 |
| Artemisia abrotanum. Fragrant foliage, 5' | 1.50 | 12.00 |
| absinthium. Wormwood, 4' | 2.50 | |
| argentea. Silver foliage, 2' | 1.20 | 10.00 |
| dracunculus. White, August, 2' | 2.00 | 18.00 |
| frigida. Silver foliage, 18" | | 15.00 |
| lactiflora. White, Aug., 4' | 1.20 | 10.00 |
| pontica. Gray foliage, 12" | 1.50 | 12.00 |
| purshiana. Gray foliage, 3' | | 12.00 |
| Silver King. White foliage, 3' | | 12.00 |
| stelleriana. White, summer, 2' | 1.20 | 10.00 |
| Arundo-donax. Giant Reed, 12' | 4.00 | 35.00 |
| *Asarum canadense. Chocolate, · May, 6" | 1.20 | 10.00 |
| Asclepias incarnata. Red, August, 4' | 1.20 | 10.00 |
| tuberosa. Orange, July, August, 2' | 1.20 | 10.00 |
| Asperula hexaphylla. White, June, 1' | 1.50 | 12.00 |
| *odorata. White, May, 8" | 1.20 | 10.00 |
| Asphodeline lutea. Yellow, July, 3' | 1.20 | 10.00 |
| Asplenium felix faemina. Lady Fern | 1.20 | 10.00 |
| *Aster alpinus. Blue, June, July, 8" | 1.50 | 12.00 |
| *alpinus albus. White, June, July, 8" | | 12.00 |
| amelloides. Purple, July, 18" | | |
| amellus bessarabicus. Violet blue, fall_ | | 12.00 |
| amellus Rud. Goethe. | | |
| Lavender blue, fall, 2' | | 20.00 |
| Anita Ballard. Soft lavender, fall, 4' | 1.20 | 10.00 |
| | | |

Aster

| | Per 10 | Per 100 |
|---|--------|---------|
| Beauty of Colwall. Fine blue, Sept., 3' | 1.20 | 10.00 |
| Blanchette. Mauve blush, fall, 4' | 1.80 | 15.00 |
| Climax. Blue, Sept., Oct., 3' | 1.20 | 10.00 |
| diplostephioides. Blue, July, 2 | 1.80 | 15.00 |
| dranunculoides. Light blue, July, 2' | | 20.00 |
| Erica. Pink, fall, 3' | 1.50 | 12.00 |
| *farreri Big Bear. Violet, July, 10" | | |
| Feltham Blue. Blue, Sept., Oct., 3' | | 10.00 |
| grandiflorus. Dark violet, Sept., 3' | 3.50 | |
| Heather Glow. Rose, fall, 4' | 1.50 | 12.00 |
| ibericus ultramarin. Dark blue, Sept., 3' | 2.50 | |
| Joan Vaughan. Dbl. Mauve-blue, Sept., 3' | | 15.00 |
| laevis. Lavender, Sept., 4' | | 10.00 |
| Mad. Emil Thoury. Violet, Sept., 5' | 1.50 | 12.00 |
| Mad. Soyneuse. Light blue, Sept., Oct., 3' | | 10.00 |
| Mauve Cushion. Mauve, Oct., 12" | 1.20 | 10.00 |
| Mrs. Raynor. Crimson, Sept., 3' | 1.50 | 12.00 |
| novae-angliae. Purple, Sept., Oct., 4' | 1.20 | 10.00 |
| novae-angliae roseus. Rose, Sept. 4' | 1.50 | 12.00 |
| porteri. White, July, Aug., 18" | 1.80 | 15.00 |
| Robt. Parker. Lavender, Sept., Oct., 5' | 1.20 | 10.00 |
| Rue des Hatives. Rose mauve, fall, 3' | 1.50 | 12.00 |
| Snow Queen. White, Sept., Oct., 4' | | 10.00 |
| St. Egwyn. Soft pink, Sept., Oct., 3' | | 10.00 |
| tataricus. Purple, Oct. and Nov., 6' | | 10.00 |
| White Climax. White, fall, 4' | 1.20 | 10.00 |
| Astilbe arendsi Ceres. Rosy lilac, July, 2' | 2.50 | 20.00 |
| arendsi Gladstone. White, June, 2' | 2.50 | 20.00 |
| arendsi Granat. Crimson, June, 2' | 3.00 | |
| arendsi Grandis rosea magnifica. Pink, | | |
| July, 4' | 2.00 | 18.00 |
| arendsi Juno. Purplish pink, July, 3' | 2.50 | 20.00 |
| arendsi Kreimhilde. Rose, June, July, 2' | 2.50 | 20.00 |
| arendsi Marguerite Van Rechteren. Red, | | |
| tinged lilac, August, 4' | 3.00 | 25.00 |
| arendsi Moerheimi. White, July, 3' | | 25.00 |
| arendsi Philadelphia. Lavender rose, | | |
| July, 2' | 3.00 | |
| arendsi Rhineland. Crimson, shaded | | |
| salmon, June, 2' | 3.00 | 25.00 |
| arendsi Rose Pearl. Shell pink, July, 3' | | 20.00 |
| - , , , , , | | |

Astilbe

| | Per 10 | Per 100 |
|--|--------|---------|
| arendsi Salland. Red, July, 5' | 2.50 | 20.00 |
| biternata. Cream, June, 4' | 2.50 | 20.00 |
| rosea Queen Alexandra. | | |
| Deep pink, July, 3' | 2.50 | 20.00 |
| rosea Queen of Holland. | | |
| Rose pink, July, 3' | 2.50 | 20.00 |
| rubella Solferino. Violet pink, July, 3' | 3.00 | 25.00 |
| rubella Vesta. Lilac rose, July, 3' | 2.50 | 20.00 |
| rubella Vesta. Lilac rose, July, 3' *simplicifolia. White, July, 6" | 3.00 | 25.00 |
| Astrantia major. Silvery pink, May, 2' | 1.50 | 12.00 |
| *Aubrietia deltoidea. Purple, Apr., | | |
| May, 4" | 1.80 | 15.00 |
| *deltoidea bougainvillei. Dark blue, | | |
| Apr., 5" | 1.80 | 15.00 |
| *deltoidea eyrei. Rosy lilac, Apr., 5" | 1.80 | 15.00 |
| *deltoidea graeca. Violet, May, 4" | 1.80 | 15.00 |
| *deltoidea leichtlini. Pink, April, 5" | 1.80 | 15.00 |
| *deltoidea purpurea. Purple, April, 5" | 1.80 | 15.00 |
| Baptisia australis. Indigo, June, 4' | 1.50 | 12.00 |
| tinctoria. Yellow, June, 3' | 1.50 | 12.00 |
| Belamcanda chinensis. Orange, June, 1½' | 1.20 | 10.00 |
| *Bellis perennis alba. White, April, May, 3" | 1.20 | 10.00 |
| *perennis rosea. Pink, April, May, 3"_ | 1.20 | 10.00 |
| *Bellium bellidioeides. Blush, summer, 4" | 1.50 | 12.00 |
| Betonica. (See Stachys.) | | |
| Bocconia cordata. Creamy white, Aug., 6' | 1.50 | 12.00 |
| Boltonia asteroides. White, Sept., 5' | 1.20 | 10.00 |
| latisquama. Lavender, August, 5' | 1.20 | 10.00 |
| Buphthalmum speciosum. Yellow, June, 3'- | 1.20 | 10.00 |
| salicifolium. Yellow, summer, 2' | 1.80 | 15.00 |
| *Calamintha alpina. Purple, summer, 6" | 1.50 | 12.00 |
| *Calandrinia umbellata. Crimson, summer, 6" | 2.00 | 18.00 |
| *Callirhoe involucrata. Red, all summer, 6" | 1.20 | 10.00 |
| *Caltha palustris. Yellow, Apr., May, 12" | 2.00 | 15.00 |
| Camassia leichtlini. Blue, May, 2' | 1.20 | 10.00 |
| quamash. Blue, May, 2' | 1.20 | 10.00 |
| *Campanula alliariaefolia. | | |
| White, June, July, 2' | 1.80 | 15.00 |
| *abietina. Violet, May, 1' | 2.50 | |
| *barbata. Pale blue, June, July, 9" | 2.00 | 18.00 |
| *bononiensis. Blue, June, 2' | 1.80 | 15.00 |
| | | |

Campanula

| | Per 10 | Per 100 |
|---|--------|---------|
| *carpatica. Blue, July, August, 9" | | 12.00 |
| *carpatica alba. White, July, Aug., 9" | 1.50 | 12.00 |
| *carpatica Raineri. Dark blue, July, 6" | 2.50 | 20.00 |
| *elatinoides. Blue, summer, 6" | 2.50 | 20.00 |
| *fenestrellata. Pale blue, summer, 3" | 2.50 | 20.00 |
| *fragilis. Purplish blue, summer, 6" | 3.00 | |
| *garganica. Light blue, June, 6" | 1.80 | 15.00 |
| *glomerata. Purple, June, July, 2' | 1.50 | 12.00 |
| *glomerata acaulis. Purple, June, | | |
| July, 6" | | 18.00 |
| *grosseki. Blue, all summer, 2' | 1.20 | 10.00 |
| *istriaca. Pale blue, June, July, 3" | 2.50 | 20.00 |
| kolenatiana. Violet, June, July, 1' | 2.50 | 20.00 |
| lactiflora. Light blue, August, 4' | 1.50 | 12.00 |
| latifolia. Purplish blue, July, 3' | 1.50 | 12.00 |
| latifolia macrantha. | | |
| Purplish blue, July, 3' | | 12.00 |
| latiloba. Blue, July, 2' | 1.50 | 12.00 |
| medium. Mixed, June, July, 3' | | 10.00 |
| medium. Separate colors, June, July, 3' | 1.50 | 12.00 |
| medium calycanthema. Mixed, July, 3'_ | 1.20 | 10.00 |
| medium calycanthema. Separate colors, | | |
| July, 3' | 1.50 | 12.00 |
| *muralis. Blue-purple, June, 6" | 3.00 | 25.00 |
| persicifolia. Blue, June, July, 2' | 1.50 | 12.00 |
| persicifolia moerheimi. White, June, 2' | 2.20 | 18.00 |
| punctata. White, purple spots, July, 1' | 1.80 | 15.00 |
| pyramidalis. Blue, July, 4-5' | 1.50 | 12.00 |
| pyramidalis alba. White, July, 4-5' | 1.50 | 12.00 |
| *rhomboidalis. Blue, July, 1' | 2.50 | |
| *riverslea. Dark blue, July, 9" | 2.50 | 20.00 |
| *rotundifolia. Blue, June, July, 12" | 1.80 | 15.00 |
| *sarmatica. Pale blue, summer, 12" | 3.00 | 25.00 |
| *siberica. Violet, summer, 10" | | 25.00 |
| *steveni. Violet, July, 6" | 2.50 | 20.00 |
| *turbinata. Blue, June, July, 6" | | 12.00 |
| *turbinata alba. White, June, July, 6"_ | 1.80 | 15.00 |
| *trachelium. Blue, July, 2-3' | 1.20 | 10.00 |
| *Carex morrowi. White-edged foliage, 1' | 1.80 | 15.00 |
| Cassia marilandica. Yellow, July, 3-4' | 1.50 | 12.00 |

| Per 10 | Per 100 |
|---|---------|
| Catananche caerulea. Blue, June, July, 3' 1.20 | 10.00 |
| bicolor. Blue, July, 2' 1.50 | |
| Caulophyllum thalictroides 1.20 | 10.00 |
| Cedronella cana. Purplish pink, summer, 2'_ 2.50 | |
| Centaurea babylonica. Yellow, July, 5' 1.20 | 10.00 |
| *dealbata. Red, July, 1½' 1.50 | 12.00 |
| macrocephala. Yellow, July, 3-4' 1.20 | 10.00 |
| *montana. Blue, June, July, 2' 1.20 | |
| montana alba. White, July, Aug., 2'1.20 | 10.00 |
| ruthenica. Straw color, July, 4' 1.80 | |
| Centranthus angustifolius. Rose, summer, 18" 2.00 | |
| ruber. Red, summer, 3' 1.20 | |
| ruber albus. White, all summer, 3' 1.20 | |
| Cephalaria alpina. Yellow, July, 5' 1.20 | 10.00 |
| *Cerastium arvense compactum. | |
| White, July, 8" 1.20 | |
| *biebersteini. White, June, 6" 1.50 | 12.00 |
| *tomentosum. White, June, 6" 1.20 | 10.00 |
| *Ceratostigma plumbaginoides. Blue, fall, 6" 1.50 | 12.00 |
| *Cheiranthus allioni. Orange, July 2' 1.20 | 10.00 |
| Chelone amaranthus. Pink, July, Aug., 3' 1.50 | 12.00 |
| glabra. White, rose tinged, July, 2' 1.50 | 12.00 |
| lyoni. Deep rose, August, 2' 1.20 | |
| Chrysanthemum anemone—flowered 1.50 | 12.00 |
| Snow Queen-White. | |
| *arcticum. White, fall, 2' 1.20 | |
| coreanum. Blush, fall, 3' 1.80 | 15.00 |
| hardy button varieties 1.20 | 10.00 |
| Baby Marguerite—pink. | |
| Bronze Button—bronze. | |
| Brown Betty—maroon red. | |
| Diana—yellow. | |
| Golden Climax—yellow. | |
| Irene—blush white | |
| Kitty Barno-bronze. | |
| Klondike—bright yellow. | |
| Lillian Doty—pink. | |
| Mitzi—yellow. | |
| Mrs. H. Harrison—pink. | |
| Niza—delicate pink. | |
| Rose Button—rose. | |
| White Doty—white. | |

Chrysanthemum

| Pe | er 10 Per 100 |
|--|---------------|
| hardy large flowering, double, fall, 4' 1 | |
| Angelo-pink. | |
| Border Beauty-orange, tipped with g | old. |
| Boston-orange. | |
| Canariense—yellow. | |
| Comoleta—yellow. | |
| Etna—red. | |
| Favorite—buff. | |
| Golden Queen—yellow. | |
| Indian—coppery red. | |
| L'Argentuillais—deep chestnut. | |
| La Danube—pure pink. | |
| Marie Antoinette—pink. | |
| Mrs. Buckley—salmon pink. | |
| Mrs. F. H. Bergen—pale pink. | |
| Old Homestead—buff. | |
| Pacific Supreme-white, fading to rose |). |
| Rosea—red. | |
| Ruby King—brown red. | |
| Snowclad—white. | |
| Glory of Seven Oaks, Yellow, Sept., 2' 1. | .80 15.00 |
| | .80 15.00 |
| Yellow Normandie. Yellow, early | |
| fall, 2' 1. | |
| hardy large flowering, single. fall, 4' 1. | 20 10.00 |
| Astarte—amber. | |
| Excelsior—golden yellow. | |
| Lady Smith—bright pink. | |
| Louise—salmon. | |
| Mrs. W. E. Buckingham—salmon pinl | |
| | .20 10.00 |
| maximum Alaska. White, July-Aug., 2' 1. | .20 10.00 |
| maximum Etoile d'Or. White, July, | |
| Aug., 18" 2. | .50 20.00 |
| maximum King Edward. | |
| | 20 10.00 |
| maximum Lucy Breslau. | 20 1000 |
| ,,, | 20 10.00 |
| maximum Mrs. C. Lothian Bell. White, | F0 1000 |
| June, July, 2' 1. | 50 12.00 |
| maximum Shasta. White, July-Aug., 2' 1. | |
| *morifolium. Rose, fall, 18" 1. | 80 15.00 |

| | Per 10 | Per 100 |
|---|-------------|----------------|
| Cimicifuga racemosa. White, July, 5' | 1.20 | 10.00 |
| *simplex. White, fall, 2' | 5.00 | 40.00 |
| Clematis davidiana. Blue, August, 3' | 1.80 | 15.00 |
| integrifolia. Blue, July, 2' | 1.80 | 15.00 |
| recta. White, July, 3' | 1.80 | 15.00 |
| Codonopsis ovata. Pale blue, June, 12" | 2.50 | 20.00 |
| *Convallaria majalis. Clumps, White, May, 6" | 1.80 | 15.00 |
| *Coptis trifolia. White, summer, 6" | 1.50 | 12.00 |
| Coreopsis grandiflora. Yellow, all summer, 3' | 1.20 | 10.00 |
| lanceolata. Yellow all summer, 2' | 1.20 | 10.00 |
| l. Etoile d'Or. Dbl. Yellow, summer, 2' | 2.50 | 20.00 |
| *rosea. Rose, Aug., Sept., 1' | 1.20 | 10.00 |
| *verticillata. Yellow, July, Aug., 2' | 1.20 | 10.00 |
| *Coronilla varia. Pink, Aug., Sept., 18" | 1.50 | 12.00 |
| *Corydalis cheilanthifolia. | | |
| Creamy white, July, 2' | 3.00 | 25.00 |
| *Crucianella stylosa. Crimson pink, July, 8" | 1.20 | 10.00 |
| *Cynanchum acuminatifolium. | | |
| White, summer, 18" | 1.80 | 15.00 |
| Cypripedium acaule. Rose-purple, May, | | |
| June, 1' | 2.00 | 18.00 |
| parviflorum. Yellow, May, June, 1' | | 18.00 |
| spectabile. Rose, June, 2' | 3.00 | 25.00 |
| Delphinium belladonna. | | |
| Sky blue, all summer, 4' | | 10.00 |
| bellamosum. Dark blue, all summer, 4' | | 10.00 |
| cashmerianum. Dark blue, July, 1' | | 15.00 |
| *chinense. Blue, July, 2' | | 10.00 |
| *chinense album. White, July, 2' | 1.20 | 10.00 |
| elatum. Blue, July, 4' | | 10.00 |
| formosum. Indigo, July, 4' | 1.80 | 15.00 |
| formosum coelestinum. | | |
| Light blue, July, 3' | 1.20 | 10.00 |
| grandiflorum. Shades of blue, July, 3' | 1.20 | 10.00 |
| grandiflorum Indigo. Dark blue, July, 4' | 1.00 | 4 |
| Dark blue, July, 4' | 1.80 | 15.00 |
| hybridum Blackmore and Langdon. | 0.00 | 05.00 |
| Various, July, 4'hybridum Gold Medal. | 3.00 | 25.00 |
| Shades of blue, July, 4' | 1 50 | 10.00 |
| hybridum Wrexham's. Various, June, 5' | | 12.00 |
| sibirica hybrida. Shades of blue, July, 3'_ | | 35.00 10.00 |
| sibilitia ilybinia. Shades of bide, buly, b _ | 1.40 | 10.00 |

| | Per 10 | Per 100 |
|--|--------|---------|
| Dennstedtia punctilobula. Hay-scented Fern | 1.20 | 10.00 |
| Dianthus allwoodi. Pink, July, 1' | 1.80 | 15.00 |
| allwoodi Robert. Rose, summer, 1' | | 25.00 |
| *arenarius. White, July, 10" | 1.50 | 12.00 |
| barbatus. (Single Sweet William). | | |
| mixed colors, June, July, 1' | 1.20 | 10.00 |
| barbatus alba. White, June, July, 1' | | 10.00 |
| barbatus atrococcineus. | | |
| Crimson, June, 1' | 1.20 | 10.00 |
| barbatus fl. pl. (Double Sweet William) | | |
| mixed colors, June, July, 1' | 1.20 | 10.00 |
| barbatus Giant White. June, 1' | 1.20 | 10.00 |
| barbatus Holborn Glory. | | |
| Mixed, June, 1' | 1.20 | 10.00 |
| barbatus Newport Pink. | | |
| Fine pink, June, 1' | 1.20 | 10.00 |
| barbatus nigricans. | | |
| Dark velvety red, June, 1' | 1.20 | 10.00 |
| barbatus Pink Beauty. Pink, June, 1' | 1.20 | 10.00 |
| barbatus Salamoni. Salmon, June, 1' | 1.20 | 10.00 |
| barbatus Scarlet Queen. Scarlet, June, 1' | 1.20 | 10.00 |
| barbatus Sutton's Scarlet. | | |
| Crimson, June, 1' | 1.20 | 10.00 |
| *caesius. Rose pink, June, July, 9" | 1.50 | 12.00 |
| *chinensis heddewigi. | | |
| Mixed, June, July, 9" | 1.20 | 10.00 |
| *deltoides. Pink, June, 9" | | 10.00 |
| *deltoides albus. White, June, 9" | 1.50 | 12.00 |
| diadematus. Pink, June, 10" | 1.80 | 15.00 |
| *graniticus. Purple, July, 6" | 1.80 | 15.00 |
| hardy pinks. | | |
| Single, mixed, all summer, 9" | | 10.00 |
| knappi. Yellow, summer, 1' | 2.00 | 18.00 |
| *latifolius atrococcineus. | | |
| Crimson, summer, 1' | 1.20 | 10.00 |
| *neglectus. Carmine, June, 4" | 4.00 | |
| *plumarius. | | |
| (Scotch Pink) mixed, summer, 8" | 1.20 | 10.00 |
| *plumarius fl. pl. (Double Scotch | | 10.00 |
| Pink) mixed, all summer, | | 12.00 |
| *plumarius semperflorens. Pink, June,9" | | 12.00 |
| *Abbotsford. Crimson, all summer, 9" | 1.80 | 15.00 |

Dianthus

| | Per 10 | Per 100 |
|--|--------|---------|
| *Annie Laurie. Orchid, June, July, 9" | 2.00 | 18.00 |
| *Crimson King. Red, summer, 9" | 2.50 | |
| *Cyclops. Dark rose, June, July, 9" | 1.20 | 10.00 |
| *Delicata. Rose, June, July, 9" | 2.20 | 18.00 |
| *Elizabeth Peters. Pink, June, July, 9" | 1.80 | 15.00 |
| *Elsie. Bright rose, June, July, 9" | 1.80 | 15.00 |
| *Etoile de Lyon. Crimson, June, 1' | | 20.00 |
| *Furst Bismark. Rose, summer, 1' | 2.50 | 20.00 |
| *Gladys Cranfield. Pink, summer, 1' | 2.00 | 18.00 |
| *Homer. Rosy red, June, July, 9" | 2.20 | 18.00 |
| *Her Majesty. Dbl. White, June, July, 9" | 1.80 | 15.00 |
| *Juliette. White and red, June, July, 9" | 2.00 | 18.00 |
| *Pheasant's Eye. Pink, white eye, | | |
| June, 1' | | 15.00 |
| *Souv. de Sales. Dbl. pink, June, 9" | 1.50 | 12.00 |
| *Variegated Reserve. | | |
| White, mottled red, June, July, 9" | | |
| *White Reserve. White, June, July, 9" | | 12.00 |
| seguieri. Carmine, Aug, Sept., 1' | | 25.00 |
| *speciosa. Pink, July, 10" | 1.50 | 12.00 |
| *sternbergi. Pink, June, 6" | 3.50 | 10.00 |
| *superbus. Lilac, June, July, 12" *sylvestris. Rose, summer, 6" | | 12.00 |
| | 3.00 | |
| *Dicentra eximea. Rose, all summer, 1' | 1.80 | 15.00 |
| spectabilis. Rose, May, June, 2' | 3.50 | 30.00 |
| Dictamnus albus. White, June, 2' | 2.00 | 18.00 |
| albus ruber. Red, June, 2' | 2.00 | 18.00 |
| caucasicus. Red, June, 3' | 2.50 | 20.00 |
| Digitalis ambigua. Yellow, June, July, 3' | 1.50 | 12.00 |
| gloxinaeflora. Mixed, June, July, 3' | 1.20 | 10.00 |
| lanata. Creamy yellow, July, 3' | 1.50 | 12.00 |
| lutea. Yellow, June, July, 18" | 1.50 | 12.00 |
| purpurea. Mixed, June, July, 3' | 1.20 | 10.00 |
| purpurea maculata. | | |
| Spotted, June, July, 18" | 1.20 | 10.00 |
| purpurea monstrosa. | | |
| Various, June, July, 3' | 1.20 | 10.00 |
| purpurea, rose. June, July, 3' | 1.20 | 10.00 |
| purpurea, white. June, July, 3' | 1.20 | 10.00 |
| Dodecatheon meadia. Rose, May, 1' | 1.20 | 10.00 |
| | | |

| | Per 10 | Per 100 |
|---|--------|---------|
| Doronicum caucasicum. | | |
| Yellow, April, May, 18" | | 25.00 |
| clusi. Yellow, April, May, 18" | 2.50 | 20.00 |
| plantagineum excelsum. | | |
| Yellow, April, May, 3' | | 25.00 |
| *Draba aizoides. Yellow, March, 4" | | |
| *hispanica. Yellow, April, 2" | 2.50 | • |
| *olympica. Orange, June, 4" | 2.50 | |
| *repens. Yellow, April, 6" | 2.00 | 18.00 |
| *Dracocephalum nutans. Blue, Aug., 1' | 2.00 | 18.00 |
| Ruyschianum japonicum. Blue, sum- | | |
| mer, 2' | 2.00 | 18.00 |
| Dryopteris spinulosum. Wood Fern | | 10.00 |
| thelypteris. Shield Fern | 1.20 | 10.00 |
| Echinacea purpurea. | | 20.00 |
| Reddish purple, July, August, 3' | 1.20 | 10.00 |
| Echinops humilis. Blue, July, 2' | 2.00 | 18.00 |
| ritro. Deep steel blue, July, 3' | 1.20 | 10.00 |
| sphaerocephalus. Pale blue, July, 5' | 1.20 | 10.00 |
| | | |
| Elymus giganteus. Wild rye, 3-4' | 2.50 | 20.00 |
| glaucus. Blue Lime Grass, 3' | 1.20 | 10.00 |
| *Epigaea repens. Pink, Apr., May, 4" | 3.50 | 30.00 |
| Epilobium angustifolium. Rose, Aug., 4' | 2.00 | |
| hirsutum. Purple, July, 2' | 2.00 | 18.00 |
| *Erigeron coulteri. White, July, 15" | 1.20 | 10.00 |
| elatior. Purple, July, 2' | 2.50 | 20.00 |
| *glabellus. Violet, June, July, 1' | | 10.00 |
| *glaucus. Mixed, June, July, 1' | | 10.00 |
| macranthus. Violet, June, 2' | 2.50 | 20.00 |
| multiradiatus. Pink, July, 1' | 2.50 | 20.00 |
| *speciosus. Rich purple, June, July, 2' | 1.20 | 10.00 |
| *Erinus alpinus albus. White, May, 4" | 2.00 | 18.00 |
| *alpinus roseus. Rosy purple, May, 4"_ | 2.00 | 18.00 |
| Eryngium caeruleum. Blue, July, Aug., 2' | 1.80 | 15.00 |
| giganteum. Blue, August, 2' | 2.50 | 20.00 |
| planum. Blue, July, Aug., 3' | 1.20 | 10.00 |
| *Erysimum pulchellum. | | |
| Lemon, May, June, 6" | 1.20 | 10.00 |
| Eulalia gracillima. Japan Rush, 4-6' | | 12.00 |
| japonica variegata. 4-6' | 1.50 | 12.00 |
| zebrina. Zebra Grass, 4-6' | 1.50 | 12.00 |
| Less than five at double the rate per hun | | |
| mess than he at double the fate per nunc | ır ea. | |

| PAINESVILLE, OHIO | 139 |
|---|---------|
| Per 10 | Per 100 |
| Eupatorium ageratoides. White, August, 3' 1.20 | 10.00 |
| *coelestinum. Blue, Sept., Oct., 18" 1.20 | 10.00 |
| fraseri. White, Aug., Sept., 18" 1.20 | 10.00 |
| purpureum. Purple, Aug., Sept., 5' 1.20 | 10.00 |
| Euphorbia corollata. White, July, Aug., 2' 1.50 | 12.00 |
| *cyparissias. Yellow, May, 2" 1.50 | 12.00 |
| *epithymoides. Yellow, May, June, 1' 3.00 | |
| *myrsinites. Yellow, May, June, 6" 2.00 | |
| *Festuca glauca. Fescue Grass, June, 10" 1.20 | 10.00 |
| *Fragaria indica. White, May, 6" 1.50 | 12.00 |
| Funkia. (See Hosta). | |
| Gaillardia grandiflora. Yellow and Crimson, | |
| all summer, 2' 1.20 | 10.00 |
| grandiflora Bosseleari. | |
| Yellow and Crimson, all summer, 2' 1.50 | 12.00 |
| grandiflora compacta. | |
| Various, summer, 2' 1.50 | 12.00 |
| grandiflora standhalteri. | |
| Yellow and red, summer, 2' 1.50 | |
| *Galax aphylla. White, June, 10" 2.00 | 18.00 |
| Galega officinalis. Blue, June, July, 3' 1.20 | 10.00 |
| officinalis hartlandi. | |
| Bluish white, July, 3' 1.50 | 12.00 |
| officinalis rosea fl. pl. Pink, July, 3' 1.20 | |
| Galium boreale. White, July, 1½' 1.50 | 12.00 |
| *purpureum. Dark brown, Aug., 1' 2.50 | |
| *verum. Yellow, June, July, 6" 4.00 | |
| Gentiana alba. White, August, 2' 1.20 | |
| andrewsi. Blue, August, 2' 1.20 | |
| *cruciata. Deep blue, June, July, 1' 2.50 | |
| *Purdomi. Blue, July, Aug., 6" 3.50 | 30.00 |

*Geranium grevilleanum. Mauve, June,

*ibericum. Purple, May, June, 2' _____

*lancastriense. Mauve, May, June, 1'_-

*sanguineum. Red, June, July, 2' ____

July, 6"

*pratense album.

*Lady Strathedon.

*Geum atrosanguineum.

Orange, all summer, 15" _____ 1.80 Less than five at double the rate per hundred.

Dark red, all summer, 11/2' _____ 1.50

White, July, Aug., 2'

1.50

1.50

1.50

1.50

1.50

12.00

12.00

12.00

12.00

12.00

12.00

15.00

Geum

| Per | | | |
|--|-----------|--|--|
| *montana. Yellow, July, 1' 1.8 | 30 15.00 | | |
| *Mrs. Bradshaw. | | | |
| Double red, all summer, 1' 1.5 | 50 12.00 | | |
| *sibericum. Scarlet, June, July, 1' 2.0 | | | |
| *Globularia cordifolia. Pale blue, June, 4" 2.5 | | | |
| *nana. Pale blue, June, 2" 2.5 | | | |
| *nudicaulis. Lilac blue, June, July, 6"_ 2.5 | 50 20.00 | | |
| *trichosantha. Blue, May, June, 6" 2.5 | 50 20.00 | | |
| Gypsophila acutifolia. Pink, July, 2-3' 1.2 | 20 10.00 | | |
| paniculata. White, July, Aug., 2-3' 1.2 | 20 10.00 | | |
| paniculata Bristol Fairy. | | | |
| Dbl., white, summer, 3' 3.5 | 30.00 | | |
| paniculata fl. pl. | | | |
| Dbl. white, July, Aug., 3' 3.0 | 25.00 | | |
| *repens. Bluish white, all summer, 6" 1.2 | 20 10.00 | | |
| *repens rosea. Pink, July, Aug., 6" 1.5 | 50 | | |
| Helenium autumnale. Yellow, Aug., Sept., 5'- 1.5 | 12.00 | | |
| autumnale superbum. Yellow, Sept., 5' 1.5 | 12.00 | | |
| hoopesi. Orange, June, July, 3' 1.2 | 20 10.00 | | |
| July Sun. Yellow, Sept., 4' 1.8 | 15.00 | | |
| *pumilum. Yellow, Aug., 15" 2.5 | 20.00 | | |
| Riverton Beauty. Lemon, Aug., Sept., 5' 1.8 | 15.00 | | |
| Riverton Gem. Old Gold, Sept., Oct., 4' 1.8 | | | |
| rubrum. Brick red, Sept., 4' 1.5 | | | |
| Helianthella uniflora. Yellow, Sept., 3' 2.5 | 0 | | |
| *Helianthemum citrinum. Yellow, summer, 6" 1.5 | 12.00 | | |
| *croceum. Saffron, June, July, 9" 1.2 | | | |
| *cupreum. Copper, June, July, 6" 1.8 | | | |
| *Fire Ball. Red, July, Aug., 12" 1.5 | 0 12.00 | | |
| *halimifolium multiflorum. | | | |
| Pink, summer, 6" 1.8 | | | |
| *mutabile. Flesh, May, June, 12" 1.5 | 0 	 12.00 | | |
| *perfoliatum roseum. | | | |
| Salmon, summer, 6" 2.0 | | | |
| Helianthus atrorubens. Yellow, fall, 6' 1.2 | | | |
| maximiliani. Yellow, Sept., 6' 1.2 | | | |
| Miss Mellish. Yellow, Aug., Sept., 6' 1.2 | 0 10.00 | | |
| mollis grandiflorus. | | | |
| Yellow, Aug., Sept., 4' 1.20 | | | |
| orgyalis. Bright yellow, Sept., 6-8' 1.50 | 0 12.00 | | |
| rigidus. Yellow, Aug., 3' 1.20 | | | |
| Wooley Dod. Deep yellow, Sept., 7' 1.20 | 0 10.00 | | |
| Less than five at double the rate per hundred. | | | |

| | Per 10 | Per 100 |
|--|--------|---------|
| Heliopsis excelsa. Dbl. yellow, Aug., 3' | 1.50 | 12.00 |
| pitcheriana. Orange, July, Aug., 3' | | 10.00 |
| *Helxine soleiroli. Creeping herb, 1" | | 15.00 |
| Hemerocallis Apricot. | | |
| Apricot color, June, 2' | 1.50 | 12.00 |
| aurantiaca. Orange, June, July, 2½' | 1.80 | 15.00 |
| Dr. Regal. Orange yellow, May, 18" | 1.80 | 15.00 |
| dumortieri. Orange, June, 2' | | 10.00 |
| flava. Lemon yellow, June, 3' | | 15.00 |
| florham. Golden yellow, June, 3' | 2.00 | 18.00 |
| fulva. Bronze, August, 3' | 1.20 | 10.00 |
| Gold Dust. Indian yellow, June, 21/2' | 1.20 | 10.00 |
| gracilis. Yellow, June, 2' | 1.80 | 15.00 |
| kwanso. Reddish orange, June, 21/2' | 1.50 | 12.00 |
| luteola. Orange, June, 2' | 1.50 | 12.00 |
| middendorffi. Orange, June, 3' | 1.20 | 10.00 |
| minor. Yellow, June, 2' | 1.20 | 10.00 |
| Orange Man. Deep orange, June, 2' | 1.20 | 10.00 |
| Sovereign. Rich orange, June, 1½' | 1.20 | 10.00 |
| thunbergi. Lemon yellow, June, 2-3' | 1.20 | 10.00 |
| *Hepatica acutiloba. Light blue, March, 4" | 1.20 | 10.00 |
| *triloba. Light blue, March, Apr., 4" | 1.20 | 10.00 |
| *Herniaria glabra. Green, summer, 4" | 2.00 | 18.00 |
| *Hesperis matronalis. Purple, June, July, 3' | 1.20 | 10.00 |
| *Heuchera brizoides. Red, June, July, 2' | 2.50 | 20.00 |
| *gracilis. Crimson, summer. 12" | 2.50 | 20.00 |
| *sanguinea. Coral red, June, 1' | 2.00 | 18.00 |
| *sanguinea hybrids. Various, summer, | | |
| 18" | 2.00 | 18.00 |
| *villosa. White, summer, 12" | 2.50 | 20.00 |
| Hibiscus Mallow Marvels. | | |
| Mixed, July, August, 5' | 1.20 | 10.00 |
| Mallow Marvels. Separate colors, Aug., 5' | | 12.00 |
| Mallow Marvels. Giant Red, Aug., 5' | | 12.00 |
| moscheutos. Rose, June, July, 5' | | 10.00 |
| moscheutos crimson eye. | | |
| White, red eye, Aug., 5' | 1.20 | 10.00 |
| *Hieracium aurantiacum. Orange, summer, 6" | | 10.00 |
| *alpinum. Yellow, May, June, 9" | | 15.00 |
| villosum. Orange, June, July, 3' | | 15.00 |
| | | |

| | Per 10 | Per 100 |
|--|--------|---------|
| Hosta caerulea. Blue, July, 1½' | 1.20 | 10.00 |
| lancifolia. Blue, July, 2' | | 10.00 |
| marginata. White bordered, Aug., 2' | 1.50 | 12.00 |
| ovata. Lavender, June, July, 1-2' | 1.50 | 12.00 |
| sieboldiana. Silvery foliage. | 1.50 | 12.00 |
| sub-cordata grandiflora. White, Aug., 18" | 1.80 | 15.00 |
| undulata variegata. White foliage, 2' | 1.50 | 12.00 |
| *Houstonia serpyllifolia. Blue, April, 2" | 1.80 | 15.00 |
| Hyacinthus candicans. White, Aug., 3' | 1.20 | 10.00 |
| Hypericum Ascyron. Yellow, July, 3' | 3.00 | 25.00 |
| *calycinum. Yellow, July, Aug., 1' | 1.80 | 15.00 |
| *Coris. Yellow, summer, 4" | 3.00 | 25.00 |
| *fragile. Yellow, July, Aug., 1' | 3.00 | |
| moserianum. (See Shrubs) | | |
| *perforatum. Yellow, summer, 18" | 2.00 | 18.00 |
| *polyphyllum. Yellow, summer, 8" | 1.80 | 15.00 |
| *repens. Yellow, July, 4" | 2.50 | 20.00 |
| *Hyssopus officinalis. Purple, Aug., 18" | 1.50 | 12.00 |
| *Iberis gibraltarica. Delicate lilac, May, 1½' | 1.50 | 12.00 |
| *saxatilis. White, summer, 8" | 2.00 | 18.00 |
| *sempervirens. White, May, June, 8" | 1.50 | 12.00 |
| *sempervirens Climax. White, May, 6" | 1.80 | 15.00 |
| *sempervirens Little Gem. | | |
| White, April, 6" | 1.80 | 15.00 |
| *sempervirens Snowflake. White, May, 9" | 1.80 | 15.00 |
| *tenoreana. Purplish white, June, 6" | 2.50 | 20.00 |
| *Incarvillea delavayi. | | |
| Rosy purple, June, July, 2' | 2.20 | 18.00 |
| *Inula ensifolia. Yellow, July, Aug., 8" | 1.20 | 10.00 |
| grandiflora. Orange, June, 2' | 1.20 | 10.00 |
| royleana. Yellow, June, July, 2' | | 12.00 |
| salicina. Yellow, summer, 2' | | |
| *Iris cristata. Light blue, May, June, 6" | 1.50 | 12.00 |
| germanica. May, June, 1½-2'. | | |
| Afterglow. Soft lavender shading to | | |
| yellow | 1.50 | 12.00 |
| Alcazar. Violet, purple falls | 1.80 | 15.00 |
| Amas. Blue, violet falls | 2.00 | 18.00 |
| Ambassadeur. Smoky purple, purple | | |
| maroon falls | | 20.00 |
| Archeveque. Violet purple | | |
| Atropurpurea. Purple | 1.50 | 12.00 |

Iris germanica

| - | | Per 10 | Per 100 |
|---|--|--------|---------|
| | Auriflame. Blue, purple falls | 1.80 | 15.00 |
| | Candalabra. Mauve, violet falls | 1.50 | 12.00 |
| | Caprice. Rosy red | 1.20 | 10.00 |
| | Celeste. Delicate blue | 1.20 | 10.00 |
| | Chasseur. Yellow, red veining | 5.00 | 40.00 |
| | Cluny. Lilac blue | 1.80 | 15.00 |
| | Darius. Yellow, lilac and white falls_ | 1.80 | 15.00 |
| | Dorothea. Mauve, soft blue falls | 1.50 | 12.00 |
| | Eldorado. Yellowish bronze, violet | | |
| | falls | 1.50 | 12.00 |
| | Fairy. White, bordered blue | | 12.00 |
| | Flavescens. Yellow | | 12.00 |
| | Florentina. Pale blue | | 10.00 |
| | Florentina alba. White | 1.50 | 12.00 |
| | Gold Imperial. Golden yellow | 2.50 | 20.00 |
| | Her Majesty. Lilac pink | | 10.00 |
| | Honorabilis. Yellow, brown falls | | 10.00 |
| | Isolene. Lilac pink, old rose falls | 2.00 | 18.00 |
| | King of Iris. Yellow, brown falls | 1.80 | 15.00 |
| | King Edward. Red violet | 1.50 | 12.00 |
| | Kochi. Rich deep claret purple | 1.80 | 15.00 |
| | Lent A. Williamson. Violet, rich | | |
| | purple falls with yellow beard | 2.00 | 18.00 |
| | Leonidas. Lavender, mauve falls | | |
| | Lohengrin. Lilac rose | 1.20 | 10.00 |
| | Lord of June. Lavender blue, violet | | |
| | falls | | 25.00 |
| | Loreley. Light yellow, blue falls | | 10.00 |
| | Midnight. Dark blue | 1.50 | 12.00 |
| | Monsignor. Violet, purple crimson | | |
| | falls | | 12.00 |
| | Mother of Pearl. Pale bluish lavender | | 12.00 |
| | Niebelungen. Fawn yellow | 1.50 | 12.00 |
| | Nuce d'Orage. Slate gray with bronze | | |
| | and purple falls | | 10.00 |
| | Opera. Violet red, purple falls | | 45.00 |
| | Pallida Dalmatica. Lavender | | 15.00 |
| | Pallida speciosa. Light blue | | 10.00 |
| | Pauline. Bright blue, darker falls | | 15.00 |
| | Pocahontas. White | | 35.00 |
| | Princess Beatrice. Lavender blue, shad | | |
| | ing to silvery blue | 1.50 | 12.00 |

Iris germanica

| germanica | | |
|--|----------|---------|
| Princess Victoria Louise. | Per 10 | Per 100 |
| Sulphur yellow, rich violet falls | 1.50 | 12.00 |
| Princess of Wales. Pearly white | | 12.00 |
| Prosper Laugier. Bronze red, maroon | 1.00 | 12.00 |
| falls | 1.20 | 10.00 |
| Queen Caterina. Lavender violet, | 1.20 | 10.00 |
| orange beard | 2.00 | 18.00 |
| Rhein Nixe. White, violet falls | | 15.00 |
| Shekinah. Pale yellow, shading to | 1.00 | 10.00 |
| buff | 2.50 | 20.00 |
| Sherwin-Wright. Golden yellow | | 15.00 |
| Souv. de Mad. Gaudichau. Deep | | 20.00 |
| velvety purple | 4.00 | 35.00 |
| Tamerlan. Light blue, darker falls | | 12.00 |
| Victorine. White, mottled blue | | 12.00 |
| intermedia hybrids. May, 18" | | 12.00 |
| Gerda. Creamy yellow, darker falls. | 1.50 | 12.00 |
| Halfdan. Creamy white. | | |
| Ingeborg. Ivory white. | | |
| Helge. Light citron. | | |
| Walhalla. Light blue, purple falls. | | |
| | 2.00 | 10.00 |
| kaempferi. Japanese Iris. July, 2-3' | 2.00 | 18.00 |
| Antelope. Light lavender. | L = 1 a | |
| Aoigata. Light purple, with darker l | | |
| Chadai. Clear white, creamy standar | | |
| Exquisite. Blue in light and dark sl Furomon. White, purple shadings. | naumgs. | |
| Gold Bound. White, yellow shadings. | | |
| Hannaoi. Gray, yellow blotches and | blue vei | ns |
| Hinodeuzuru. White, blue shadings. | orde vor | |
| Idzumigawa. Gray, yellow blotches an | nd blue | veins. |
| Komochiguma. Dark bluish purple. | | |
| Kumonoobi. Clear purple, white hal | 0. | |
| Kurokomo. Purple overlaid with da | | |
| yellow blotches. | ĺ | |
| Mahogany. Velvety mahogany red. | | |
| Manadzuru. White, yellow blotches. | | |
| Norma. Deep purple. | | |
| Onigashima. Brief violet purple. | | |
| Purple and Gold. | | |
| Royal. Mahogany red. | | |
| | | |

Iris kaempferi

| The internal of the control of the c | Per 10 | Per 100 |
|--|--------|------------------|
| Shigano-uranami. Red lavender, white | | 101 100 |
| Uchiu. Crimson purple with few whit | | |
| Warai botei. Lavender blue, light blu | | |
| prismatica. Violet, May, June, 2' | | 12.00 |
| | | 12.00 |
| *pumila alba. Dwarf, White, April, 9" | | 10.00 |
| | | |
| *pumila caerulea. Dwf., Blue, April, 9" *pumila californica. Yellow, April, 9"_ | | 10.00 |
| *pumila Curiosa. Yellow, April, May, 9" | | $18.00 \\ 20.00$ |
| *pumila Dragon. White, dark veined, | 2.30 | 20.00 |
| | 2.50 | 20.00 |
| *pumila Excelsa. Lemon yellow, Apr., 6" | | 12.00 |
| | | 18.00 |
| *pumila Grande, Violet, blue falls, | 2.00 | 10.00 |
| April, May, 9" | 2 50 | 20.00 |
| *pumila Josephine. White, April, | 2.00 | 20.00 |
| May, 12" | 2.50 | 20.00 |
| *pumila Louise. Dark blue, April, 6" | | 20.00 |
| *pumila lutea. Pale yellow, April, 6" | 1.20 | 10.00 |
| *pumila Rosine. White, April, 6" | 2.00 | 18.00 |
| *pumila Schneecuppe. White, Apr., 6" | 1.80 | 15.00 |
| *pumila violacea. Dwf., Violet, Apr., 9" | | 10.00 |
| sibirica. Purplish blue, June, 3' | 1.20 | 10.00 |
| sibirica alba. White, June, 3' | 1.20 | 10.00 |
| sibirica Emperor. Clear blue, May, 2' | 2.00 | 18.00 |
| sibirica Snow Queen. White, May, 2' | | 12.00 |
| *Stewart. Dwarf, Yellow, April, 9" | 1.80 | 15.00 |
| *tectorum. Blue, June, 1' | | 20.00 |
| *verna. Blue, May, June, 6" | 1.50 | 12.00 |
| versicolor. Blue, June, 2' | 1.50 | 12.00 |
| Isatis tinctoria. Yellow, summer, 3' | 1.50 | 12.00 |
| *Jasione humilis. Blue, July, Aug., 6" | 2.00 | 18.00 |
| *perennis. Blue, June, July, 6" | 2.00 | 18.00 |
| *Jeffersonia diphylla. White, May, 8" | 1.80 | 15.00 |
| Kniphofia pfitzeri. Coral, Aug., Sept., 4' | 2.00 | 18.00 |
| uvaria. Crimson to Yellow, Aug., Sept.,4' | | 15.00 |
| *Lamium maculatum. Purple, July, Aug., 8" | 2.00 | 15.00 |
| Lathyrus latifolius. Pink to Red, July, 6' | 1.20 | 10.00 |
| *Lavandula officinalis. (Sweet Lavender). | | |
| July, 2' | 1.50 | 12.00 |

| | Per 10 ° | Per 100 |
|---|----------|---------|
| *Leontopodium alpinum. | | |
| Yellow, summer, 5" | 2.50 | 20.00 |
| Liatris graminifolia. Purple, Aug., 3' | 2.00 | |
| pycnostachya. Purple, Aug., Sept., 4' | | 10.00 |
| scariosa. Deep purple, Aug., 2' | | 12.00 |
| spicata. Purple, Aug., 3' | | 12.00 |
| Ligularia clivorum. Yellow, Aug., Sept., 3'_ | 1.50 | 12.00 |
| veitchianus. Yellow, Aug., Sept., 3' | | 15.00 |
| Lilium auratum. (Gold Band Lily) White. | | |
| with gold band, July, Aug., 3' | 4.00 | 35.00 |
| | | |
| auratum platyphyllum. White, spotted yellow, July, Aug., 3' | 4.00 | 35.00 |
| batemanniae. Salmon red, July, 3' | 3.00 | 25.00 |
| browni. White, July, 3' | 6.50 | |
| canadense. Yellow to Red, June, July, 3' | 1.20 | 10.00 |
| candidum. White, June, 3' | 3.00 | 25.00 |
| carolinianum. Orange, July, Aug., 3' | 3.00 | 25.00 |
| concolor. Scarlet, July, 1' | 3.00 | 25.00 |
| cordifolium. White, July, Aug., 3' | 4.50 | |
| coridion. Deep yellow, July, 18" | 4.50 | |
| elegans. Shades Yellow and Red, July, 2' | 2.50 | 18.00 |
| elegans Alice Wilson. Lemon, June, | | |
| July, 2' | 4.50 | |
| elegans atrosanguineum. Dark crimson, | | |
| June, July, 1' | 4.00 | |
| elegans Orange Queen. Orange, June, | | |
| July, 18" | 3.50 | |
| grayi. Red, July, 3' | | 15.00 |
| hansoni. Orange, June, July, 4' | | 40.00 |
| henryi. Yellow, July, 2' | | 40.00 |
| leichtlini. Red, July, Aug., 4' | | 05.00 |
| longiflorum giganteum. Waxy white, 2' | | 25.00 |
| pardalinum. Scarlet and Yellow, 2' | | 20.00 |
| parryi. Lemon yellow, July, 4' | 10.00 | |
| phillippinense formosanum. White, June, July, 2' | 2 50 | |
| philadelphicum. Orange red, June, | 0.00 | |
| July, 3' | 1.50 | 12.00 |
| regale. White, July, 4' | | 35.00 |
| rubellum. Rose pink, June, July, 18" | | 30.00 |
| speciosum album. White, Aug., 3' | | 35.00 |
| | | 20.00 |

| Lilium Per 10 | Per 100 |
|--|------------------|
| speciosum longiflorum. White, Aug., 3' 3.00 | 25.00 |
| speciosum melpomene. White, Aug., 3' 3.00 | 25.00 |
| speciosum rubrum. Pinkish red, Aug., 3' 4.00 | 30.00 |
| superbum. Orange, July, Aug., 5' 1.20 | 10.00 |
| *tenuifolium. Scarlet, June, 18" 2.50 | 20.00 |
| testaceum. Apricot, June, July, 5'25.00 | |
| tigrinum fl. pl. Orange, spotted, | |
| Aug., 4' 3.00 | 25.00 |
| tigrinum. Orange, spotted, Aug., 4' 2.50 | 18.00 |
| umbellatum. Scarlet red, July, 2' 2.50 | 20.00 |
| washingtonianum. White, dotted pur- | |
| ple, June, July, 4' 5.00 | 40.00 |
| willmottiae. Orange, July, 4' 7.50 | |
| *Limonium latifolium. Blue, July, Aug., 2' 1.50 | 12.00 |
| *Linaria aequitriloba. Pale mauve, June, 1" 2.00 | 18.00 |
| *alpina. Blue, summer, 6" 1.80 | 15.00 |
| *alpina rosea. Pink, summer, 4" 2.50 | |
| *cymbalaria. Lavender, summer, 4" 1.50 | 12.00 |
| *dalmatica. Yellow, summer, 2' 1.80 | 15.00 |
| *organifolia. Mauve, summer, 9" 2.00 | 18.00 |
| *striata. Purple, summer, 1' 2.50 | |
| *Linum narbonnense. Blue, June, July, 2' 2.00 | 18.00 |
| *alpinum. Blue, June, 10" 2.50 | 20.00 |
| *flavum. Yellow, June, July, 1' 1.80 | 15.00 |
| *perenne. Blue, June, July, 1½'1.20 | 10.00 |
| *Lithospermum graminifolium. Blue, | |
| June, 4" 3.00 | |
| *purpureo-caeruleum. Blue, May, 10" 3.50 | |
| Lobelia cardinalis. Scarlet, Aug., Sept., 3'_ 1.50 | 12.00 |
| siphilitica. Blue, Sept., 3' 1.50 | |
| siphilitica alba. White, Aug., Sept., 3'_ 2.50 | |
| Lupinus polyphyllus. Blue, June, July, 3' 2.00 | 18.00 |
| polyphyllus albus. White, June, July, 3' 2.00 | 18.00 |
| *Lychnis alpina. Rose color, June, 1' 1.80 | 15.00 |
| chalcedonica. Scarlet, July, 3' 1.20 | 10.00 |
| coronaria. Crimson, July, 2' 1.50 coronaria alba. White, July, 2' 1.50 | 12.00 |
| coronaria alba. White, July, 2' 1.50 flos cuculi. Red, June, 1½' 1.20 | 12.00 |
| flos jovis. Pink, June, 18" 1.20 | 10.00 |
| *haageana. Scarlet, June, July, 1' 1.50 | $10.00 \\ 12.00$ |
| *viscaria splendens. Red, May, June, 1' 1.20 | 12.00 10.00 |
| *viscaria splendens fl. pl. Red, June, 1' 1.20 | 10.00 |
| spicinces in pr. iteu, suile, 1 _ 1.20 | 10.00 |

| | Per 10 | Per 100 |
|---|-------------|---------|
| Lysimachia atropurpurea. Purple, Aug., 10" | | 18.00 |
| clethroides. White, July, Aug., 3' | 1.50 | 12.00 |
| *nummularia. Yellow, June, July, 6" | 1.20 | 10.00 |
| vulgaris. Yellow, July, Aug., 3' | 2.00 | |
| Lythrum alatum. Magenta, July, Aug., 3' | 2.00 | 18.00 |
| salicaria roseum. Rose, July, 4' | 1.20 | 10.00 |
| virgatum. Deep rose, July, Aug., 11/2' | 1.20 | 10.00 |
| Malva alcea. Rosy purple, July, Aug., 3' | 1.20 | 10.00 |
| moschata. Rose, July, Aug., 2' | 1.20 | 10.00 |
| Matricaria Golden Ball. Yellow, summer, 1'_ | 1.50 | |
| parthenoides. White, May, 1' | 1.20 | 10.00 |
| *Mazus rugosus. Lilac, April, 4" | 1.80 | 15.00 |
| Melissa officinalis. White, Aug., 2' | 1.50 | 12.00 |
| Mentha piperita. Peppermint, Purple, 2' | 1.50 | 12.00 |
| *requieni. Mauve, July, Aug., 2" | 2.50 | 20.00 |
| *Mertensia virginica. Purplish blue, March, | | |
| April, 2' | 1.20 | 10.00 |
| *Micromeria rupestris. White, fall, 10" | 1.80 | 15.00 |
| *Mitchella repens. White shaded pink, | | |
| March, 4" | 1.80 | 15.00 |
| Monardi didyma. Red, July, Aug., 3' | 1.20 | 10.00 |
| didyma Cambridge. Scarlet, July, Aug., 3' | 1.20 | 10.00 |
| didyma Sunset. Mahogany, July, Aug., 3' | 1.80 | 15.00 |
| didyma splendens. Scarlet, July, Aug., 3' | 1.20 | 10.00 |
| didyma violacea. Violet, July; Aug., 3' | 1.20 | 10.00 |
| Morina longifolia. Crimson, June, 2' | | |
| Mulgedium Bourgaei. Lilac, summer, 5' | 4.00 | |
| *Myosotis alpestris. Blue, April, May, 8" | 1.20 | 10.00 |
| *alpestris alba. White, May, June, 8" | 1.20 | 10.00 |
| *alpestris pink. May, June, 8" | 1.50 | 12.00 |
| *dissitiflora. Blue, April, May, 6" | | 12.00 |
| *palustris. Blue, all summer, 6" | 1.20 | 10.00 |
| *palustris Pink Beauty. All summer, 6" | 1.50 | 12.00 |
| | 1.50 | 12.00 |
| macrantha. Lavender, summer, 2' | 2.50 | .12.00 |
| | 1.50 | 12.00 |
| *Nierembergia rivularis. Creamy white, | 1.00 | 12.00 |
| | 1.50 | 12.00 |
| Oenothera clutei. Yellow, summer, 3' | | 18.00 |
| · · · · · · · · · · · · · · · · · · · | 1.50 | 12.00 |
| | 1.50 | 12.00 |
| | 1.20 | 10.00 |
| | 1.20 1.20 | 10.00 |
| iamarckiana. Tellow, July, Aug. 4 | 1.20 | 10.00 |

50.00

| PAINESVILLE, OHIO | | 149 |
|--|--------|---------|
| Oenothera | | |
| F | Per 10 | Per 100 |
| *missouriensis. Yellow, July, Aug., 6" | 1.80 | 15.00 |
| I | 1.80 | 15.00 |
| | 1.20 | 10.00 |
| trichocalyx. White, summer, 1' | 1.80 | 15.00 |
| Onoclea sensibilis. Sensitive Fern | 1.20 | 10.00 |
| struthiopteris. Ostrich Fern | 1.20 | 10.00 |
| Onopordon bracteatum. Pink, July, 5' | 4.00 | |
| | 3.00 | 25.00 |
| *humifusa. Yellow, June, 10" | 3.00 | 25.00 |
| *Orobus vernus. Blue, May, 1' | | |
| Osmunda cinnamonea. Cinnamon Fern | 1.20 | 10.00 |
| regalis. Royal Fern | 1.20 | 10.00 |
| Pachysandra terminalis. White, May, 3" | | |
| 2 year from pots | 1.20 | 10.00 |
| Paeonia officinalis rosea. Rose pink | 6.00 | 50.00 |
| officinalis rubra. Red | | 40.00 |
| sinensis. Strong plants, 3-5 eyes. | | |
| Avalanche. White | 5.00 | 40.00 |
| Beauty of France. Pale rose | 5.00 | 40.00 |
| Couronne d'Or. White, yellow center | 6.00 | 50.00 |
| | 3.50 | 30.00 |
| Duchess de Nemours. Creamy white | 5.00 | 40.00 |
| Edulis. Deep rose | 3.00 | 25.00 |
| Eugene Verdier. Pink | | 35.00 |
| Felix Crousse. Brilliant red | 6.00 | 50.00 |
| Festiva maxima. Finest early white | 5.00 | 40.00 |
| Gen. McMahon. Deep violet red | 8.50 | 75.00 |
| Gigantea. Rose pink | 6.00 | 50.00 |
| Jeanne d'Arc. Tender pink, center | | |
| rosy white | 6.00 | 50.00 |
| La Tulip. Flesh pink, shading to | | |
| white | 4.00 | 35.00 |
| L'Eclatante. Dazzling red | 6.00 | 50.00 |
| L'Esperance. Rose pink | 6.00 | 50.00 |
| L'Indispensible. Shell pink | 6.00 | 50.00 |
| Livingstone. Soft pink | 7.50 | 60.00 |
| Mad. de Verneville. Sulphur white, | | |
| with some carmine | 5.00 | 40.00 |
| Marie Lemoine. Creamy white | | 50.00 |

guard petals _____ 6.00

Less than five at double the rate per hundred.

Mons. Jules Elie. Pink with darker

| Paeonia sinensis | er 10 | Per 100 |
|--|--------------|---------|
| Roem von Boskoop. Deep rose | | 30.00 |
| Rubra Superba. Crimson | • | 35.00 |
| Sarah Dessert. Light pink | | 00.00 |
| | 6.00 | 50.00 |
| Souv. de l'Exposition Universelle. Bril- | 0.00 | 00.00 |
| lant cherry with silver reflex | 5.00 | 40.00 |
| Superbissima. White | | 30.00 |
| Triumph de Paris. Light pink, yellow | | |
| center | 3.50 | 30.00 |
| Virginie. Lilac rose | 3.50 | 30.00 |
| Wm. Mesman. White | 3.50 | 30.00 |
| Zoe Calot. Soft pink | 4.00 | 35.00 |
| single. Named colors, red, white, pink_1 | 2.50 | |
| tenuifolia fl. pl. Scarlet1 | 0.00 | |
| *Papaver alpinum. Various, summer, 6" | 1.80 | 15.00 |
| *nudicaule. All colors, summer, 8" | 1.20 | 10.00 |
| orientale. Orange scarlet, June, 2' | 1.20 | 10.00 |
| | 2.00 | |
| • , , , | 1.80 | |
| · · · · · · · · · · · · · · · · · · · | 2.00 | |
| - ' | 2.00 | |
| 3 3 4 7 | 2.50 | 20.00 |
| | 1.80 | 15.00 |
| | 2.50 | 20.00 |
| ,,,, | 2.50 | 20.00 |
| Princess Ena. Orange salmon, June, 3' | 2.00 | |
| Princess Victoria Louise. Salmon, | 0.00 | 10.00 |
| June, 2' | 2.00 | 18.00 |
| Royal Scarlet, Scarlet, June, 3' | 1.80 | 15.00 |
| pilosum. Brick red, June, 3' | 2.00 | 18.00 |
| Pardanthus. (See Belamcanda). | 0.00 | 10.00 |
| J. F | 2.00 | 18.00 |
| Pentstemon barbatus. Scarlet, July, 3' | 1.20 | 10.00 |
| barbatus coccineus. Scarlet, July, Aug., 4' | 1.50 | 12.00 |
| barbatus Pink Beauty. Pink, summer, 2' | 3.50 | 30.00 |
| digitalis. White, August, 3' | 1.80 2.50 | 15.00 |
| grandiflorus. Lilac blue, July, 3' | | 18.00 |
| heterophyllus. Blue, summer, 2' | 2.00 1.20 | 10.00 |
| hirsutus. Rosy purple, July, Aug., 2' | 2.50 | 20.00 |
| *pygmaeus. Purplish blue, summer, 6" tubiflorus. White, July, Aug., 2' | 1.80 | 15.00 |
| unilateralis. Blue, June, 2' | 1.80 | 15.00 |
| unnaterans. Diue, June, 2 | 1.00 | 10.00 |

| | Per 10 | Per 100 |
|--|-------------|------------------|
| Phalaris arundinacea variegata. Ribbon grass | 1.50 | 11.00 |
| Phlox amoena. Pink, May, 4" | 1.20 | 10.00 |
| | 2.50 | 20.00 |
| *divaricata. Lavender, May, June, 1' | 1.20 | 10.00 |
| glaberrima. Pink, June, 18" | 1.50 | 12.00 |
| maculata. Purplish red, May, June, 4' | 1.20 | 10.00 |
| *ovata. Red, May, June, 1' | 1.80 | 15.00 |
| paniculata. 2-3' | | |
| Africa. Carmine, red eye | 1.80 | 15.00 |
| Antonin Mercie. Lilac, white center_ | 1.50 | 12.00 |
| Athis. Salmon pink | 1.20 | 10.00 |
| B. Compte. Rich French purple | 1.80 | 15.00 |
| Baron von Dedem. Salmon red | 1.80 | 15.00 |
| Beacon. Cherry red | 1.20 | 10.00 |
| Bridesmaid. White, red eye | 1.20 | 10.00 |
| Brilliant. Deep rose, dark eye | 1.20 | 10.00 |
| Brunette. Deep rose | 1.50 | 12.00 |
| Cameron. Shell pink | 1.50 1.50 | $12.00 \\ 12.00$ |
| Caran de Ache. Bright carmine rose Champs. Elysees. Rich purplish | 1.50 | 12.00 |
| crimson | 1.50 | 12.00 |
| Commander. Crimson | 1.80 | 15.00 |
| Coquelicot. Orange scarlet | | 12.00 |
| Deutschland. Orange scarlet | 2.00 | 18.00 |
| Enchantress. Salmon pink, dark eye | 1.80 | 15.00 |
| Etna. Scarlet | 1.80 | 15.00 |
| Elizabeth Campbell. Salmon pink | 1.80 | 15.00 |
| Evelyn. Salmon rose. | 2.00 | 18.00 |
| Feuerbrand. Orange scarlet | 2.00 | 18.00 |
| 8 | 1.50 | 12.00 |
| G. A. Strohlein. Orange scarlet, red | | |
| · · | 1.80 | 15.00 |
| Gefion. Peach blossom pink, rose eye_ | 1.50 | 12.00 |
| Gen. Von Heutz. Orange scarlet, | 2.00 | 10.00 |
| white eye | 2.00 | 18.00 |
| Grideur. Pink, crimson center | | 12.00 |
| | 1.50 | 12.00 |
| | 1.50 | 12.00 |
| Le Mahdi. Deep purple Mad. Paul Dutrie. Soft pink | 1.50 | 15.00 12.00 |
| Malmaison. Salmon, red eye | | 20.00 |
| Maid Marian. Soft lavender | 2.50 | 20.00 |
| DOLV IN CHACL ELLELL | | 20.00 |

| Phlor popioulate | | |
|--|----------|---------------|
| | Per 10 | Per 100 |
| Mrs. Jenkins. Pure white | | 10.00 |
| Mrs. Ingalls. Shell pink | | 10.00 |
| Mrs. Milly van Hoboken. Soft pink | | 18.00 |
| Mrs. Scholton. Dark salmon | 1.80 | 15.00 |
| Miss Lingard. White | | 10.00 |
| Painted Lady. Silver pink, cherry eye | | 18.00 |
| Pantheon. Deep salmon rose | | 10.00 |
| Peachblossom. Shell pink | 1.20 | 10.00 |
| Pres. Poincare. White rose eye | | 12.00 |
| Rheinlander. Salmon pink, claret eye | | 12.00 |
| Rosenberg. Dark red | 1.80 | 15.00 |
| R. P. Struthers. Carmine, claret red | . | 10.00 |
| eye Print | 1.50 | 12.00 |
| Sir Edward Landseer. Bright crimson | | 15.00 |
| Special French. Soft pink | | 12.00 |
| Thor. Deep salmon pink | | 15.00 |
| Vald Jensen. Salmon red, white eye_ White Le Mahdi. White | | 20.00 12.00 |
| Widar. Light reddish violet, white eye | | 15.00 |
| | | 15.00 |
| *pilosa. Lavender, May, 1' *reptans. Lilac, May, 6-12" | 1.00 | 10.00 |
| *stellaria. Creeping, May, 4" | 1.20 | 10.00 |
| *subulata alba. White, April, May, 4"_ | | 10.00 |
| *subulata Fairy. Blue, purple eye, | 1.20 | 10.00 |
| April, 4" | 2.50 | 20.00 |
| *subulata G. F. Wilson. Lilac, May, 6" | 1.50 | 12.00 |
| *subulata lilacina. Light blue, April, | | |
| May, 4" | 1.50 | 12.00 |
| *subulata Little Dot. Lilac, April, 4" | 1.80 | 15.00 |
| *subulata nelsoni. White, April, | | |
| May, 4" | 1.50 | 12.00 |
| *subulata Perfection. Rose, pink eye, | | |
| April, 4" | 1.50 | 12.00 |
| *subulata rosea. Pink, April, May, 4"_ | 1.20 | 10.00 |
| *subulata The Bride. White, pink eye, | | |
| May, 5" | 2.00 | 18.00 |
| *subulata Vivid. Pink, red eye, | | |
| April, 4" | | 20.00 |
| Physalis francheti. Red pods, Oct., 2' | 1.20 | 10.00 |
| Physostegia virginiana. Rose, August, 3' | 1.20 | 10.00 |
| virginiana alba. White, August, 3' | 1.20 | 10.00 |
| virginiana Vivid. Deep pink, Aug., 2' | 1.80 | 15.00 |
| | | |

| · · | Per 10 | Per 100 |
|---|----------|---------|
| Phyteuma scheuchzeri. Violet, June, 1' | 1.80 | 15.00 |
| Platycoden grandiflorum. Blue, summer, 2' | | 10.00 |
| grandiflorum album. White, summer, 2' | 1.20 | 10.00 |
| *mariesi. Deep blue, summer, 1' | 1.50 | 12.00 |
| *mariesi album. White, summer, 1' | 1.50 | 12.00 |
| Plumbago larpentae. (See Ceratostigma). | | |
| *Polemonium caeruleum. Deep blue, June, | | |
| July, 1½′ | 1.50 | 12.00 |
| *caeruleum album. White, June, July, | | |
| 1½′ | | 12.00 |
| *reptans. Blue, May, June, 6" | | 12.00 |
| *richardsoni. Sky blue, May, June, 6" | 1.50 | 12.00 |
| Polygonum compactum. | | |
| White, Aug., Sept., 1½' | | 12.00 |
| cuspidatum. White, Aug., Sept., 11/2' | | 12.00 |
| oxyphyllum. Creamy white, Sept., 3' | 2.00 | 15.00 |
| Polystichum acrostichoides. | | |
| Christmas Fern | 1.20 | 10.00 |
| *Potentilla hybrida fl. pl. | . | 40.00 |
| Mixed, June, July, 2' | 1.50 | 12.00 |
| *hyb. Gibson's Scarlet. | 0.50 | |
| Red, July, Aug., 2' | 3.50 | |
| *hyb. Mons. Rouillard. Crimson, July, Aug., 2' | 2 50 | |
| *nepalensis. Showy red, May, June, 2' | | 10.00 |
| *nepalensis Miss Willmott. | 1.20 | 10.00 |
| Salmon pink, summer, 12" | 2.00 | 18.00 |
| *rupestris alba. White, June, July, 2'_ | 1.20 | 10.00 |
| *Primula acaulis. Yellow, May, 9" | 1.50 | 12.00 |
| *auricula alpina. Various, May, 6" | 2.00 | 18.00 |
| *beesiana. Purple, May, 18" | 2.50 | 20.00 |
| *bulleyana. Orange, June, 18" | 2.50 | 20.00 |
| *capitata. Deep blue, summer, 6" | 3.50 | |
| *cashmiriana. Light lilac, May, 8" | 2.50 | 20.00 |
| *cortusoides. Deep rose, June, 10" | 3.00 | 25.00 |
| *crispata. Lilac, May, 1' | 3.50 | |
| *denticulata. Purple, yellow eye, May, 6" | 1.80 | 15.00 |
| *japonica. Crimson, May, 9" | 1.50 | 12.00 |
| *japonica atrosanguinea. Red, May, | | |
| June, 1' | 1.50 | 12.00 |
| *japonica pink. May, June, 1' | 1.50 | 12.00 |
| *japonica white. May, June, 1' | 2.00 | 18.00 |
| | | |

Primula

| | Per 10 | Per 106 |
|--|--------|---------|
| *microdonta alpicola. Yellow, June, 18" | 3.00 | 25.00 |
| *pulverulenta. Yellow, May, 8" | | 20.00 |
| *saxatilis. Rose, May, 10" | | 20.00 |
| *veris. Yellow, April, May, 9" | 1.20 | 10.00 |
| *Pulmonaria saccharata. Violet, Apr., May, | | |
| 8" | | 18.00 |
| *Prunella grandiflora. Violet, summer, 8" | 1.80 | 15.00 |
| *incisa rubra. Red, summer, 6" | 1.50 | 12.00 |
| Pyrethrum roseum. Various, May, June, 1' | 1.20 | 10.00 |
| roseum double. Various, May, June, 2' | 4.00 | |
| roseum Dr. Bosch. Salmon, June, 1' | 3.00 | |
| roseum James Kelway. | | |
| Red, May, June, 1' | | 25.00 |
| uliginosum. White, September, 5' | | 10.00 |
| Rahzia orientalis. Blue, June, July, 2' | 2.50 | 20.00 |
| *Ranunculus acris fl. pl. | | |
| Dbl. Buttercup, June, 1' | 1.20 | 10.00 |
| Rosmarinus officinalis. Light blue, Apr., 4" | 1.80 | 15.00 |
| Rudbeckia Autumn Glory. | | |
| Yellow, Aug., Sept., 6' | 1.20 | 10.00 |
| hirta. Yellow, Aug., Sept., 3' | 1.20 | 10.00 |
| laciniata. (Golden Glow) Yellow, Aug., 6' | 1.20 | 10.00 |
| nitida. Single yellow, Aug., Sept., 6' | 1.20 | 10.00 |
| Rayon d'Or. Yellow, Aug., 5' | 1.50 | 12.00 |
| speciosa. Yellow, July, Aug., 2' | 1.20 | 10.00 |
| subtomentosa. Lemon yellow, August, | | |
| Sept., 4' | 1.20 | 10.00 |
| *Ruta graveolens. Yellow, all summer, 2½' | 1.80 | 15.00 |
| , | 2.00 | 15.00 |
| | 1.20 | 10.00 |
| | 1.20 | 10.00 |
| | 1.50 | 12.00 |
| , , , | 1.20 | 10.00 |
| glutinosa. Yellow, June, July, 3' | 1.20 | 10.00 |
| | 1.50 | 12.00 |
| pitcheri. (See azurea grandiflora) | | 10.00 |
| pratensis. Deep blue, June, 3' | | 12.00 |
| | 1.80 | 10.00 |
| , _ , _ , _ , _ , _ , _ , _ , _ , _ , _ | 1.50 | 12.00 |
| , 0, | 1.20 | 10.00 |
| *Sanguinaria canadensis. White, April, 8" | 1.20 | 10.00 |

| *Santolina chamaecyparissus. Gray foliage, 1' |
|--|
| *Saponaria ocymoides. Pink, summer, 9" 1.20 |
| *ocymoides alba. White, summer, 9" |
| officinalis rosea pl. Pink, summer, 18" 2.00 18.00 *Saxifraga aizoides. Yellow, Aug., 4" 3.00 *caespitosa. White, June, July, 6" 3.50 *cordifolia. Rose pink, May, June, 1' 1.80 15.00 *cotyledon. White, May, June, 18" 4.00 *crassifolia. Rosy pink, April, 1' 1.80 15.00 |
| Pink, summer, 18" |
| *Saxifraga aizoides. Yellow, Aug., 4" 3.00 |
| *caespitosa. White, June, July, 6" 3.50 *cordifolia. Rose pink, May, June, 1' 1.80 |
| *cordifolia. Rose pink, May, June, 1' 1.80 15.00 *cotyledon. White, May, June, 18" 4.00 *crassifolia. Rosy pink, April, 1' 1.80 15.00 |
| *cotyledon. White, May, June, 18" 4.00 *crassifolia. Rosy pink, April, 1' 1.80 15.00 |
| *crassifolia. Rosy pink, April, 1' 1.80 15.00 |
| |
| *deciniens. White May June 4" 250 2000 |
| |
| *grandiflora. Pink, April, 1' 2.50 20.00 |
| *granulata. White, May, June, 1' 4.00 |
| *haussmani. Yellow, May, June, 8" 4.00 |
| *lingulata rosea. Pink, April, 1' 2.00 18.00 |
| *lingulata leichtlini. Rose, April, 1' 2.00 18.00 |
| *McNabiana. White, May, June, 12" 2.50 20.00 |
| *purpurea. Rosy purple, April, 1' 1.80 15.00 |
| *umbrosa. Pink, May, June, 1' 3.00 |
| Scabiosa caucasica. Lavender, all summer, 1' 2.50 |
| japonica. Lavender, Aug., Sept., 18" 1.80 15.00 |
| *Scutellaria alpina Blue, summer, 6" 1.80 15.00 |
| *coelestina. Blue, summer, 1' 1.80 15.00 |
| *Sedum acre. Yellow, June, July, 4" 1.20 10.00 |
| *aizoon. Yellow, July, Aug., 1' 1.50 |
| *album. White, July, 4" 1.20 10.00 |
| *altissimum. Yellow, July, Aug., 9" 2.00 18.00 |
| *anglicum. Pink, July, Aug., 3" 2.50 |
| *anopetalum. Yellow, July, Aug., 3" 3.00 |
| *corsicum. Pink, summer, 2" 2.50 |
| *douglasi. Yellow, July, 2" 1.50 12.00 |
| *ewersi Pink, Aug., Sept., 6" 1.50 12.00 |
| *glaucum. Blue foliage, 2" 1.50 12.00 |
| *kamtschaticum. Yellow, July, 6" 1.20 10.00 |
| *lydium. White, July, 2" 1.50 12.00 |
| *maximowiczi. Yellow, July, Aug., 1' 1.20 10.00 |
| *maximum. Pink, Sept., Oct., 18" 2.00 |
| *middendorffianum. Yellow, June, |
| July, 4" 1.80 15.00 |
| *nicaense. Yellow, July, Aug., 1' 2.00 18.00 |
| *obtusatum. Yellow, July, Aug., 3" 2.50 20.00 |

Sedum

| | Per 10 | Per 100 |
|---|--------------|----------------|
| *pruinatum. Yellow, July, Aug., 6" | 1.80 | 15.00 |
| *reflexum. Yellow, July, Aug., 8" | 1.80 | 15.00 |
| *sarmentosum. Yellow, July, 3" | 1.20 | 10.00 |
| *sexangulare. Yellow, June, July, 6" | 1.20 | 10.00 |
| *sieboldi. Pink, July, Aug., 1' | 1.50 | 12.00 |
| *spectabile. Pink, Aug., Sept., 1½' | 1.20 | 10.00 |
| *spectabile Brilliant. Crimson, Sept., 11/2' | 1.20 | 10.00 |
| *spurium album. White, July, Aug., 6" | 1.50 | 12.00 |
| *spurium splendens. Rosy crimson, | | |
| Aug., 6" | 1.50 | 12.00 |
| *stoloniferum. Pink, July, Aug., 6" | 1.20 | 10.00 |
| *stoloniferum coccineum. | | |
| Crimson, Aug., 6" | 1.20 | 10.00 |
| *ternatum. White, May, June, 4" | 1.50 | 12.00 |
| *Sempervivum arachnoideum. Red, June, $4"$ | 1.80 | 15.00 |
| *arenarium. Yellow, July, 6" | 1.80 | 15.00 |
| *alberti. White, July, 8" | 2.00 | 18.00 |
| *atroviolaceum. Reddish purple, July, 8" | 2.50 | |
| *brauni. Bronze, July, 6" | 2.00 | |
| *doellianum. Red, June, July, 6" | 2.50 | 20.00 |
| *funcki. Brown, June, July, 6" | 3.00 | 25.00 |
| *fauconetti. Pink, June, 6" | 2.50 | 20.00 |
| *fimbriatum. Pink, July, 8" | 2.50 | |
| *glaucum. Pink, July, Aug., 6" | 2.50 | 22.00 |
| *globiferum. Yellow, June, 12" | 2.50 | 20.00 |
| *tectorum violaceum. Violet red, June, 4" | 1.80 | 15.00 |
| *Shortia galacifolia. White, June, 8" | 3.00 | 25.00 |
| Sidalcea candida. White, July, Aug., 3' | 1.20 | 10.00 |
| Rose Queen. Rose pink, July, Aug., 4' *Silene alpestris. White, May, June, 6" | 1.80 | 15.00 |
| *Silene alpestris. White, May, June, 6" | 1.80 | 15.00 |
| *elizabethae. Magenta, July, Aug., 4" | 2.00 | 10.00 |
| orientalis. Pink, July, 2' | 1.20 | 10.00 |
| *saxifraga. White, summer, 6" *schafta. Bright pink, July, 6" | 2.00 1.20 | 18.00 10.00 |
| Silphium perfoliatum. Yellow, July, 6' | 1.20 | 10.00 |
| | 1.20 | 10.00 |
| *Sisyrinchium angustifolium. Blue, June, | 1 50 | 10.00 |
| July, 6" | 1.50 | 12.00 |
| Smilacina racemosa. White, April, 2-3' Solidago canadensis. Yellow, fall, 4-5' | 1.50 | 12.00 |
| Solidago canadensis. Yellow, Iali, 4-5' | 1.20 | 10.00 |
| rigida. Yellow, fall, 3-4' | | 10.00 |
| shorti. Yellow, fall, 4' | 1.80 | 15.00 |

| | Per 10 | Per 100 |
|--|----------------|----------------|
| Spigelia marilandica. Red, June, July, 2' | 1.80 | 15.00 |
| Spirea aruncus. White, June, July, 3-5' | 1.80 | 15.00 |
| camtschatica. White, July, 6' | 1.80 | 15.00 |
| chinensis. Silvery pink, June, July, 2' | 1.50 | 12.00 |
| eximea. Pink, June, July, 2' | 2.50 | 20.00 |
| filipendula. Single, White, June, | 4 2 0 | 10.00 |
| July, 1' | 1.50 | 12.00 |
| lobata. Pink, July, 4' | 1.80 | 15.00 |
| palmata. Rosy crimson, June, July, 2'_ | 1.50 1.50 | 12.00 12.00 |
| ulmaria fl. pl. White, June, 3-4'venusta magnifica. Deep pink, July, 3' | 2.00 | 18.00 |
| | | |
| *Stachys lanata. Purple, June, July, 1½' *grandiflora superba. Rose, July, 2' | 1.20 1.50 | 10.00 12.00 |
| Statice. (See Limonium). | 1.50 | 12.00 |
| | 1 50 | 10.00 |
| *Stellaria holostea. White, May, June, 1½' | 1.50 | 12.00 |
| Stenanthium robustum. White, Aug., 3' | 2.50 | |
| Stokesia laevis. Lavender, Aug., Sept., 1' | 1.20 | 10.00 |
| laevis alba. White, Aug., Sept., 1' | 1.50 | 12.00 |
| *Teucrium chamaedrys. Rose, Aug., 1' | 1.50 | 12.00 |
| *orientalis. Blue, summer, 6" | 2.00 | 18.00 |
| Thalictrum adiantifolium. Yellow, June, 4' | | 12.00 |
| aquilegifolium. White, June, 5' | 1.50 | 12.00 |
| aquilegifolium purpureum. | | |
| Purple, June, 3' | | 4 = 00 |
| baicalens. Yellow, June, 4' | 1.80 | 15.00 |
| delavayi. Purple, summer, 3' | 2.00 | 10.00 |
| dipterocarpum. Lilac, June, 4' glaucum. Golden-yellow, June, 4' | $2.00 \\ 2.20$ | 18.00 18.00 |
| minus. Greenish yellow, June, July, 2'_ | 2.20 | 18.00 |
| Thermopsis caroliniana. Yellow, June, 6' | | |
| fabacea. Yellow, May, June, 18" | 1.50 4.00 | 12.00 |
| mollis. Yellow, June, July, 2-3' | 1.20 | 10.00 |
| *Thymus serpyllum. White, June, 4" | | |
| *serpyllum citriodorus. | 1.20 | 10.00 |
| Purple, June, July, 3-5" | 1.20 | 10.00 |
| *serpyllum coccineus. Scarlet, June, 4" | 1.50 | 12.00 |
| *serpyllum lanuginosus. | 1.00 | 12.00 |
| Rosy purple, June, July, 5" | 1.50 | 12.00 |
| *serpyllum roseus. Rose, summer, 8" | 1.80 | 15.00 |
| *vulgaris. Lilac, June, July, 8" | | 10.00 |
| *Tiarella cordifolia. Creamy white, June, 8" | | 10.00 |
| | | |

| | Per 10 | Per 100 |
|---|--------|---------------|
| Tradescantia virginiana. Blue, all sum- | | |
| mer, 2' | 1.20 | 10.00 |
| *Trientalis borealis. White, fall, 6" | 1.50 | 12.00 |
| *Trifolium rubens. Purplish red, summer, 1' | 1.80 | 15.00 |
| *Trillium grandiflorum. White, May, 1' | 1.20 | 10.00 |
| Tritoma. (See Kniphofia). | | |
| Trollius asiaticus. | | |
| Rich orange, July, Aug., 2' | 2.00 | 18.00 |
| *europeus. Citron yellow, July, Aug.,1' | 2.00 | 18.00 |
| europeus Orange Globe. | | |
| Orange, summer, 18" | 3.50 | 30.00 |
| *Tunica saxifraga. Light pink, June, July, 6" | 1.50 | 12.00 |
| *saxifraga alba. White, summer, 6" | 1.80 | 15.00 |
| Valeriana officinalis. Rose, June, July, 5' | 1.50 | 12.00 |
| officinalis alba. White, all summer, 5' | 1.50 | 12.00 |
| Verbascum densiflorum. Yellow, June, | | |
| July, 6' | 1.80 | 15.00 |
| olympicum. Yellow, July, Aug., 5' | 1.50 | 12.00 |
| phoeniceum. Various, May, June, 3' | 1.50 | 12.00 |
| willmottiae. White, summer, 5' | 1.50 | 12.00 |
| Verbena hastata. Blue, Aug., Sept., 3' | 1.80 | 15.00 |
| Vernonia noveboracensis. Purple, Aug., | | |
| Sept., 5' | 1.50 | 12.00 |
| *Veronica alpestris. Pale blue, May, June, 18" | 1.50 | 12.00 |
| *amethystina Royal Blue. | 1.80 | 15.00 |
| June, July, 12"* *chamaedrys. Blue, May, June, 18" | 1.80 | 15.00 15.00 |
| *elegantissima. Blue, July, Aug., 2' | 1.50 | 12.00 |
| *erica. Pink, summer, 10" | 1.50 | 12.00 |
| *gentianoides. Pale blue, June, July, 1' | 1.50 | 12.00 |
| *incana. Pale blue, July, Aug., 1½' | 1.20 | 10.00 |
| *longifolia subsessilis. | | -0.00 |
| Blue, Aug., Sept., 2' | 1.80 | 15.00 |
| multifida. Blue, July, Aug., 2' | 1.80 | 15.00 |
| *orchidea. Blue, July, 18" | 1.80 | 15.00 |
| *pectinata rosea. Pink, May, June, 6" | 1.20 | 10.00 |
| *pulchella. Blue, May, 1' | 1.50 | 12.00 |
| *True Blue. June, July, 12" | | 15.00 |
| *repens. Pale blue, May, June, 2" | 1.50 | 12.00 |
| *rupestris. Blue, June, 6" | | 10.00 |
| *rupestris nana. Light blue, June, 2" | | 18.00 |
| *saxatilis. Pale blue, July, 6" | 2.50 | 20.00 |

Veronica

| , crosses | Per 10 | Per 100 |
|---|--------|---------|
| *spicata. Blue, July, Aug., 2' | 1.20 | 10.00 |
| *spuria. Blue, June, 3' | 1.20 | 10.00 |
| *teucrium prostrata. Blue, June, 1' | 1.20 | 10.00 |
| virginica. Pale blue, Aug., 4' | 1.50 | 12.00 |
| *Vesicaria utriculata. Yellow, Apr., May, 8" | | |
| Vinca minor. Blue, all summer, 6" | 1.00 | 8.00 |
| minor alba. White, all summer, 6" | 3.00 | 25.00 |
| minor rubra plena. Red, all summer, 6" | 3.50 | 30.00 |
| *Viola alba. White, May, 6" | 1.20 | 10.00 |
| *bosniaca. Rosy mauve, June, July, 4" | | 18.00 |
| *cornuta Admiration. | | |
| Purple, all summer, 6" | 1.20 | 10.00 |
| *cornuta alba, type. White, all summer, 6" | 1.20 | 10.00 |
| *cornuta Apricot. Apricot, summer, 6" | 2.00 | 18.00 |
| *cornuta atropurpurea, type. Purple, 6" | 1.20 | 10.00 |
| *cornuta Blue Perfection. | | |
| Blue, all summer, 6" | 1.20 | 10.00 |
| *cornuta G. Wermig. | | |
| Violet, all summer, 6" | | 10.00 |
| *cornuta Hansa. Violet, summer, 6" | 2.50 | 20.00 |
| *cornuta Lutea Splendens. | | |
| Yellow, all summer, 6" | 1.20 | 10.00 |
| *cornuta Mauve Queen. | | |
| Mauve, all summer, 6" | 1.20 | 10.00 |
| *cornuta Papilio. Violet, all summer, 6" | 1.20 | 10.00 |
| *cornuta Primrose Dame. Yellow, | | |
| summer, 6" | | 18.00 |
| *cornuta rosea. Rose, summer, 6" | 1.50 | 12.00 |
| *cornuta Thuringia. Blue, white eye, | | |
| summer, 6" | 1.80 | 15.00 |
| *cornuta White Perfection. | 1.00 | 40.00 |
| White, all summer, 6" | 1.20 | 10.00 |
| *gracilis. Deep violet, summer, 1' | | 12.00 |
| *Jersey Gem. Rich violet, summer, 6"_ | | 15.00 |
| *odorata. Blue, April, May, 6" | 1.20 | 10.00 |
| *odorata Gov. Herrick. Blue, May, 6"_ | | 15.00 |
| *odorata Princess of Wales. Violet, May, 6" | | 15.00 |
| *pedata. Violet, May, June, 6" | | 12.00 |
| *primulifolia. White, summer, 6" | 2.50 | 20.00 |
| *splendida. Blue, summer, 6" *wellsiana. Various, all summer, 6" | 4.00 | 18.00 |
| wensiana. various, all summer, 6" | 1.80 | 15.00 |

| | Per 10 | Per 100 |
|--|--------|---------|
| Yucca filamentosa. White, June, July, 7' | | |
| 2 year | 1.20 | 10.00 |
| 3 year | 1.80 | 15.00 |
| glauca. White, June, July, 3' | 3.50 | |

FRUIT GARDEN MATERIAL

We are able to supply all the leading varieties.

| | | Each Per 10 | Per 100 |
|---------|-------------|---------------------|---------|
| Apples, | Crab, | 5 to 7 ft1.00 7.50 | |
| | Dwarf, | 5 to 7 ft1.25 10.00 | |
| | Standard, | 5 to 7 ft1.00 7.50 | |
| Cherry, | Sour, | 5 to 7 ft1.50 12.50 | |
| | Sweet, | 5 to 7 ft1.50 12.50 | |
| Peaches | 8. | 5 to 7 ft75 6.50 | |
| Pears, | Dwarf, | 5 to 6 ft1.25 10.00 | |
| | Standard, | 5 to 7 ft1.50 12.50 | |
| Plums, | | 5 to 7 ft1.50 12.50 | |
| Quince | s, | 4 to 5 ft1.50 12.50 | |
| | | | • |
| | | | |
| Aspara | gus | | 6.00 |
| Blackb | erries | 1.00 | 9.50 |
| | | | 30.00 |
| Gooseb | erries | .50 4.00 | 30.00 |
| Grapes | , 3 yr. str | ong50 4.00 | 30.00 |
| Raspbe | rries | 1.00 | 9.50 |
| Rhubai | :b | 2.00 | 12.00 |
| Strawb | erries | 75 | 6.00 |
| | | | |

LARGE SPECIMEN MATERIAL

We have in limited quantity the following list of specially grown, heavy specimen plants in the range of sizes indicated. Prices will be quoted on application. We are prepared to deliver B. & B. on platforms where necessary.

| Abies concolor | 7 | _ | 9' |
|-------------------|----|---|-----|
| Acer campestre | LO | - | 16' |
| Acer palmatum | 6 | - | 12' |
| Acer tartaricum | 6 | - | 12' |
| Renzoin aestivale | 6 | _ | 12' |

| Carpinus betulus 6 - 12' |
|---|
| Carpinus caroliniana 6 - 14' |
| Cercidiphyllum japonicum 8 - 18' |
| Chamaecyparis filifera 4 - 6' |
| Chamaecyparis filifera aurea2½- 4' |
| Chamaecyparis pisifera 7 - 10' |
| Chamaecyparis pisifera aurea 8 - 11' |
| Chamaecyparis plumosa 7 - 10' |
| Chamaecyparis plumosa aurea 7 - 12' |
| Chionanthus virginica 4 - 8' |
| Cornus florida 8 - 18' |
| Crataegus coccinea 6 - 12' |
| Crataegus mollis 6 - 12' |
| Fagus sylvatica 6 - 18' |
| Fagus sylvatica purpurea riversi10 - 20' |
| Forsythia 6 - 12' |
| Hamamelis virginiana 6 - 14' |
| Hibiscus syriacus 6 - 12' heavy |
| Ligustrum amurense 4 - 8' |
| Ligustrum ibota 4 - 6' |
| Ligustrum ibota regelianum2½- 4' |
| Ligustrum vulgare 5 - 8' |
| Malus in variety 6 - 10' |
| Picea pungens 6 - 10' |
| Populus bolleana 2 - 3" cal. |
| Prunus serrulata, named varieties 6 - 12' |
| Sorbus aucuparia 2 - 4" cal. |
| Syringa pekinensis 6 - 10' |
| Syringa permensis 0 - 10 |

PLANTS FOR SPECIAL PURPOSES

In the following pages we undertake to suggest plants for special purposes which often present a problem to the landscape architect in making up a planting list.

Woody Plants for August and September Flowering

Baccharis halimifolia
Bignonia grandiflora
Buddleia in variety
Clematis paniculata
Elscholtzia stauntoni
Hamamelis virginiana
Hibiscus syriacus in variety

Hydrangea in variety
Hypericum in variety
Lonicera heckrotti
Spirea tomentosa
Tamarix aestivale
Vitex agnus castus
Vitex macrophylla

Woody Plants with Fruits Attractive to Birds

Varieties marked with an asterisk furnish either fruit or seeds as food for birds in winter.

Ampelopsis quinquefolia Ampelopsis tricuspidata

veitchi

Aronia arbutifolia Aronia atropurpurea Benzoin aestivale

*Betula papyrifera

*Betula populifolia

*Betula lenta *Betula lutea

Cornus in variety

*Crataegus in variety Euonymus in variety

*Hypericum prolificum *Juniperus virginiana

*Juniperus communis

*Ligustrum in variety Lonicera in variety

Morus alba

*Myrica carolinensis Nyssa sylvatica

*Pinus in variety Photinia villosa Prunus besseyi Prunus padus

Prunus pennsylvanicum

Prunus serotina

*Rhamnus in variety

*Rhus copallina

*Rhus glabra *Rhus typhina

Ribes in variety

Sambucus in variety *Symphoricarpus in variety

Vaccinium corymbosum Viburnum in variety Vitis in variety

*Weigela hybrida in variety

Low Woody Plants for Rock Gardens

Chamaecyparis obtusa compacta

Chamaecyparis obtusa nana

Cotoneaster adpressa Cotoneaster horizontalis Cotoneaster horizontalis

perpusilla

Cotoneaster rotundifolia

Daphne cneorum Daphne mezereum

Euonymus radicans kewensis

Hypericum henryi Jasminum nudiflorum Juniperus horizontalis

Juniperus horizontalis glauca

Juniperus suecica nana Juniperus sabina

tamariscifolia

Lonicera spinosa alberti Lonicera syringantha Lonicera thibetica

Woody Plants Enduring Shade For Dry Soil

Ailanthus glandulosa Celastrus scandens Gleditschia triacanthos Hamamelis virginiana Ligustrum amurense Ligustrum ibota

Ligustrum vulgare Ribes alpinum Rhus canadensis Rubus odoratus Symphoricarpus vulgaris

Vinca minor

For Moist Soil

The above plants will do well in moist soil and may be considered with the following plants.

Acer pennsylvanicumFagus americanaAcer spicatumHedera helixAlnus glutinosaKalmia latifoliaAlnus incanaOstrya virginica

Amelanchier in variety
Benzoin aestivale
Carpinus in variety
Cercis canadensis
Cornus florida

Pachysandra terminalis
Rhododendron in variety
Tsuga canadensis
Viburnum acerfolium
Zanthorhiza apiifolia

Euonymus radicans and varieties

Woody Plants for Bank Planting

Those kinds marked with an asterisk are excellent binders for a steep bank.

Ailanthus glandulosa Robinia pseudacacia
Celastrus scandens *Rosa setigera
Cornus alba *Rosa wichuraiana

Cornus amomum *Rubus odoratus
Cornus stolonifera Salix caprea
Euonymus radicans acutus Salix discolor

*Lonicera halleana Salix incana *Lonicera japonica *Symphoricarpus vulgaris

Lonicera tatarica Vinca minor Physocarpus opulifolius Vitis vulpina

*Rhus typhina





